

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	A3	O2	11	7	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : mix of aspen, oak and some jack pine														
2	J3	O1	47	27	3	0	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : pockets of O2 with scattered cherry														
3	J6	O1	5	41	6	110	52	jack pine	immature	N		20-29 years	0	
comnts Fmd : mix of oak, aspen and pine. Some mature red pine.														
4	O3	A2	21	35	2	0	50	oak	immature	N		40-49 years	0	
comnts Fmd : mix of oak, aspen and pine. Some mature red pine.														
5	R9	N2	21	90	18	120	61	red pine	mature	Y		10-19 years	0	
Treatment Limiting Factors: Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Nice mature red pine, lots of white pine and oak in understory. May want to open up canopy next entry.														
6	J5	O1	5	41	6	60	52	jack pine	immature	N		20-29 years	0	
comnts Fmd : U-type slowly filling in														
7	R6	X0	11	45	8	160	51	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : third row thin.														
8	O3	A2	24	27	3	0	52	oak	immature	N		40-49 years	0	
comnts Fmd : pockets of J3 mixed in.														
9	R6	X0	15	50	8	180	58	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Stand was third row thinned in 98.														
10	A3	O2	41	7		0	50	aspen (upland)	immature	N		60-69 years	0	
comnts Fmd : scattered mature oaks.														
11	J6	O2	32	75	9	70	52	red pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Mix of Oak and Jack Pine. Leave 1-2 oak per acre. Require chipping for planting operations. Plant red pine.														
12	O6	O2	38	75	9	70	52	oak	mature	N		10-19 years	0	
Treatment Limiting Factors: Delayed treatment for age/size class diversity														
comnts Fmd : Mix of Oak and Jack Pine. Harvesting all other mature stands in compartment. Hold 10 yrs.														
13	J3	O1	36	27	3	0	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : pockets of O2 with scattered cherry														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 11

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acreage	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
14	R3	J1	2	16	1	0	50	red pine	immature	N		40-49 years	0	
15	O3	A2	28	27	3	0	52	oak	immature	N		40-49 years	0	
comnts Fmd : pockets of J3 mixed in.														
16	A3	A3	11	28	2	0	53	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : lots of oak mixed in places.														
17	J3	O1	18	27	3	0	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : pockets of O2 with scattered cherry														
18	O3	A2	10	27	3	0	52	oak	immature	N		40-49 years	0	
comnts Fmd : pockets of J3 mixed in.														
19	O5	M2	17	51	6	60	52	oak	immature	N		20-29 years	0	
20	O6	M2	9	75	8	70	48	oak	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
Inadequate volume due to small acreage														
21	O3	A2	10	27	3	0	52	oak	immature	N		40-49 years	0	
comnts Fmd : pockets of J3 mixed in.														
25	R6	X0	16	45	8	160	53	red pine	immature	N	thinning	within 0-9 years	1	
26	O2	J2	33	30	2	0	49	oak	immature	N		30-39 years	0	
comnts Fmd : pockets of A2, J2 mixed in.														
27	J3	J3	5	27	2	0	54	jack pine	immature	N		40-49 years	0	
28	A3	J2	5	27	3	0	54	aspen (upland)	immature	N		40-49 years	0	
29	J3	J3	72	27	2	0	54	jack pine	immature	N		40-49 years	0	
comnts Fmd : small pocket of A3 in middle of stand														
30	J4	J1	3	45	6	10	52	red pine	immature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : J4 along road, plant to red pine.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 11

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
31	R6	X0	11	45	8	160	53	red pine	immature	N	thinning	within 0-9 years	1	
32	J6	O2	42	62	10	90	50	jack pine	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Jack Pine and Oak mix. Leave 1-2 oak per acre. 2 small pockets of A3, keep equipment out of these during harvest.														
33	O6	O2	5	62	9	90	50	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : small strip cuts. Leave some oak in strips.														
34	O6	O2	17	62	9	90	50	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : small strip cuts. Leave some oak in strips.														
35	O6	O2	15	62	9	90	50	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : small strip cuts. Leave some oak in strips.														
36	O3	J2	38	16	1	0	52	oak	immature	N		50-59 years	0	
comnts Fmd : some small areas were cut in 1978.														
37	O3	J2	2	16	1	0	52	oak	immature	N		50-59 years	0	
comnts Fmd :														
38	R3	J1	6	8		0	52	red pine	immature	N		40-49 years	0	
comnts Fmd : Planted R.P. C54-687														
39	R6	X0	10	45	8	160	52	red pine	immature	N	thinning	within 0-9 years	1	
40	R3	J1	6	8		0	52	red pine	immature	N		40-49 years	0	
41	R6	X0	9	45	8	160	52	red pine	immature	N	thinning	within 0-9 years	1	
42	R3	J1	9	8		0	52	red pine	immature	N		40-49 years	0	
43	O6	A2	31	84	10	110	62	oak	mature	Y		10-19 years	0	

Treatment Limiting Factors:

Delayed treatment for age/size class diversity

comnts Fmd : Soil = Millersburg Loamy Sand

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 11

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
44	A3	O2	39	27	3	0	62	aspen (upland)	immature	N		40-49 years	0	
45	O6	A2	3	84	10	110	62	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd :														
50	J4	J2	35	27	5	20	52	jack pine	immature	N		30-39 years	0	
comnts Fmd : some mixed oak and aspen														
51	R3	O1	70	16	1	0	51	red pine	immature	N		40-49 years	0	
52	J2	O1	144	6		0	50	jack pine	in process of regeneration	N		60-69 years	0	
comnts Fmd : Stand was salvage cut after tornado damage in 1998. Natural regen. Some scattered residual oak. Pockets of oak regen in southern half of stand.														
53	O6	O2	34	85	10	80	50	red pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Leave 1-2 oak per acre. Some blowdown along edges.														
54	J6	O2	20	85	10	80	50	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Leave 1-2 oak per acre. Some blowdown along edges.														
55	J3	A1	48	11	1	0	52	jack pine	immature	N		50-59 years	0	
56	J5	J1	8	35	6	50	48	jack pine	immature	N		30-39 years	0	
comnts Fmd : some blowdown along edges.														
57	J6	O2	8	85	10	80	50	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Leave 1-2 oak per acre. Some blowdown along edges. Build skid trail through stand 58 for access.														
58	O1	O1	11	7		0	50	oak	sparse	N		50-59 years	0	
comnts Fmd : Original oak and jack pine mix was flattened by tornado in 1998. No salvage work done in stand. Leave as is.														
59	A3	O2	141	7	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : some residual oak. Lots of blowdown in stand. Good mix of aspen and oak regen.														
60	A3	O2	10	7	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : some residual oak. Lots of blowdown in stand. Good mix of aspen and oak regen.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 11

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
61	O6	M2	5	87	8	70	52	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
70	X0	X0	4			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Ann Arbor Road														
71	X0	X0	9			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Big Wolf Lake Road														
72	X0	X0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Granholm Road														
73	X0	X0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Granholm Road														
74	X0	X0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Facility														
201	U0	U0	1			0	50	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
401	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
402	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
403	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
404	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
405	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 11

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
406	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Abandoned Gas Well pad														
407	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
408	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
409	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
410	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
411	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
412	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
413	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
414	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
415	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well														
Total Acres.....			1357											