

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 51

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	A4	A3	63	28	6	20	55	aspen (upland)	immature	N		30-39 years	0	
2	J2	R1	25	28	3	0	49	jack pine	immature	N		30-39 years	0	
comnts Fmd : J2, R1, U														
3	A4	A3	12	28	6	20	55	aspen (upland)	immature	N		30-39 years	0	
4	R9	M2	34	69	16	110	48	oak	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : A portion of this was thinned in 2000, sale 20-97. M2O2. East-most part is a narrow ridge, with R3 under oak in one spot. LCR31:0.5. Wld : keep one drumming log on ground in each spot cutting.														
5	O9	M3	9	69	12	70	48	oak	immature	N		20-29 years	0	
comnts Fmd : Thinned 2000, sale 20-97. 70 sq' of oak and red pine left.														
6	R3	M1	2	5	1	10	55	red pine	immature	N		60-69 years	0	
comnts Fmd : cut 2000, sale 20-97. 10 sq' of oak left. Plant red pine. Seeded red pine 2000, partially failed and planted 5/2001.														
7	R9	M2	3	69	16	110	48	oak	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : A portion of this was thinned in 2000, sale 20-97. M2O2. East-most part a narrow ridge, with R3 under oak in one spot. LCR31:0.5. Wld : one drumming log in spot cutting.														
8	R3	M1	14	5	1	10	55	red pine	immature	N		60-69 years	0	
comnts Fmd : cut 2000, sale 20-97. 10 sq' of oak left. Plant red pine. Seeded red pine 2000, partially failed and planted 5/2001.														
10	R9	M1	51	65	15	80	55	red pine	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : Plantation red pine. Thinned 2000.														
11	N0	N0	8		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Off road vandalism (ORV) is destroying this wetland. Used for mud bogging. Berms have been useless.														
12	J2	U3	12	4	1	0	52	jack pine	immature	N		60-69 years	0	
comnts Fmd : cut 2000, sale 20-97. Lots of cherry, RM, and some natural red pine.														
13	J3	U3	27	4	1	10	52	jack pine	immature	N		60-69 years	0	
comnts Fmd : cut 2000, sale 20-97. 10 sq' of oak left. Lots of cherry, RM, and some natural red pine.														
14	R8	J2	71	75	15	70	57	red pine	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : J3, R2, O1. LCR31:0.33.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 51

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
15	A3	M2	18	4	1	0	55	aspen (upland)	immature	N		50-59 years	0	
16	N0	N0	2		0	0		marsh	nonstocked	N		not scheduled	0	
17	J3	U3	19	4	1	10	52	jack pine	immature	N		60-69 years	0	
comnts Fmd : cut 2000, sale 20-97. 10 sq' of oak left. Lots of cherry, RM, and some natural red pine.														
20	A3	M2	8	17	1	0	60	aspen (upland)	low quality	N		30-39 years	0	
21	R3	U3	27	5	0	0	48	red pine	immature	N		60-69 years	0	
comnts Fmd : Cut 2000, sale 20-97. oak left for visual purposes. Plantation														
22	R8	M3	12	68	16	60	60	red pine	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : Plantation red pine. Thinned 2000, sale 20-97.														
23	R3	U3	10	5	0	0	48	red pine	immature	N		60-69 years	0	
comnts Fmd : Cut 2000, sale 20-97. oak left for visual purposes. Plantation														
24	A3	M2	31	16	1	0	51	aspen (upland)	immature	N		40-49 years	0	
25	J2	M1	10	14		0	55	jack pine	nonstocked	N		50-59 years	0	
comnts Fmd : PLANTED IN 1991														
26	R2	O2	33	14	0	0	57	red pine	immature	N		50-59 years	0	
comnts Fmd : PLANTED IN 1991														
30	R9	O3	93	75	15	70	55	red pine	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : Plantation red pine. PARVHa. Natural R1 under O3, in places. O3W1M1. LCR31:0.33.														
31	J3	V0	5	15	2	0	42	jack pine	immature	N		50-59 years	0	
comnts Fmd : A little wetter, and this could have been called a D instead of a J.														
32	O6	O2	7	97	9	90	55	oak	immature	Y		10-19 years	0	

Treatment Limiting Factors:

Inadequate volume due to small acreage

comnts Fmd : Off Road Vandalism (ORV) present. Used for scramble area.

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 51

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					Total	Basal Area								
33	R9	O3	40	75	15	70	55	red pine	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : Plantation red pine. PARVHa. Natural R1 under O3, in places. O3W1M1. LCR31:0.33.														
34	L0	L0	47		0	0		lowland brush	nonstocked	N		not scheduled	0	
35	C6	S2	77	99	8	70	29	cedar	immature	N		not scheduled	0	
comnts Fmd : RESERVED CONIFERS														
36	O7	A3	9	17	12	40	55	oak	immature	N		30-39 years	0	
comnts Fmd : A3W1.														
37	R8	J2	35	75	15	50	55	red pine	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : Plantation red pine. Previously thinned, may be stunted due to original site prep. Cut 2" and larger stems. This may result in open (U) areas within the stand. LCR31:0.33 to 0.5. Red pine is regenerating naturally in portions of the stand .														
40	R9	M2	62	75	16	100	60	red pine	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : plantation red pine. PARVHa. May burn too hot in west parts due to F2.														
41	P2	L0	27	31	2	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
42	C6	L1	24	78	7	100	36	cedar	immature	N		not scheduled	0	
43	R8	F3	35	75	14	60	65	red pine	immature	N	shelterwood-prep	within 0-9 years	1	cleaning & weeding
comnts Fmd : Plantation red pine. Overall PARVHa. LCR31:0.33														
44	C6	L1	4	78	7	100	36	cedar	immature	N		not scheduled	0	
45	U0	U0	6	75	0	0	55	upland brush	nonstocked	N		not scheduled	0	
46	O9	M1	38	79	14	90	56	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : OAK-CROP TREE RELEASE-ELK USE. Cut 2001 sale 021-97														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 51

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
47	O9	M2	39	82	12	80	68	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed to take advantage of exceptional site quality or growth														
comnts Fmd : Scattered WP advanced regeneratrion near white pine clump in east end of stand. Oak and white seedlings present on oak ridge, but not getting past seedling stage. Many oak seedlings less than 1 ft in height. Waiting for aspen in understory to gain size.														
50	A5	A2	5	39	7	50	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Needs diameter growth. Off road vandalism (ORV,) illegal trail runs south from stand 447.														
51	A5	A2	51	39	7	50	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Needs diameter growth.														
52	A5	A2	12	39	7	50	70	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Needs diameter growth. Off road vandalism (ORV,) illegal trail on severe slope.														
53	E3	L0	31	39	2	30	60	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Retain to regenerate white pine. This is a broad drainage with scattered balsam fir, cedar, white pine, and red pine.														
54	E2	F2	47	15	1	0	63	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : WET AREAS. HIGH GROUND WITH STREAM NORTH OF LARGE BOG ON EAST SIDE. Beaver activity along abandoned RR grade.														
55	P2	F1	8	15	1	0	55	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
56	A4	A3	60	34	5	30	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Access impeded by beaver flooding.														
60	A3	M2	37	16	1	0	51	aspen (upland)	immature	N		40-49 years	0	
61	Z0	Z0	3					water	nonstocked	N		not scheduled	0	
comnts Fmd : PART OF LITTLE BRUSH LAKE														
62	A3	U0	28	5	1	10	60	aspen (upland)	immature	N		50-59 years	0	
63	C6	S2	21	95	8	70	40	cedar	immature	N		not scheduled	0	
comnts Fmd : RESERVE CONIFER SWAMP														
64	A3	A3	28	18	3	10	51	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : SOME OAK OVER THE ASPEN-DEER USE														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 51

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
65	U0	U0	4	75	0	0	52	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : STUMPS CHERRY BRUSH														
66	E3	F3	22	21	2	0	48	swamp hardwoods	immature	N		50-59 years	0	
comnts Fmd : PARVCo. Alternating east-west ridge and swale topography. Large, defective (conks) aspen, either dead or cull. Better than usual levels of horizontal material.														
67	C6	L0	39	100	7	170	43	cedar	immature	N		not scheduled	0	
comnts Fmd : RESERVE CONIFER SWAMPS. Includes some marsh-like swamp grass areas.														
70	U0	U0	2	90			64	upland brush	nonstocked	N		not scheduled	0	
71	R8	M2	14	90	17	60	64	red pine	immature	Y	shelterwood-prep	within 0-9 years	1	cleaning & weeding
72	P3	L0	9	30		30	60	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
73	R8	M2	3	90	17	60	64	red pine	immature	Y	shelterwood-prep	within 0-9 years	1	cleaning & weeding
74	R8	M2	9	90	17	60	64	red pine	immature	Y	shelterwood-prep	within 0-9 years	1	cleaning & weeding
75	A4	A3	102	33	6	30	62	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Clumps of mature oak and aspen.														
76	R6	M3	5	46	8	130	67	red pine	immature	N		10-19 years	0	
comnts Fmd : 3RD ROW THINNED, 1998, SALE 033-99. PARVHa.														
77	C6	L0	89	104	8	120	40	cedar	old growth (potential or actual)	N		not scheduled	0	
80	A6	A3	82	41	7	70	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Some large--even defective--stems, but overall this stand needs diameter growth.														
81	A6	A3	26	41	7	70	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Some large--even defective--stems, but overall this stand needs diameter growth.														
82	L0	L0	18				25	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : SOME BLACK ASH & CEDAR 2 STICK														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
83	A5	A2	14	35	6	50	62	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Needs 20 years.														
84	A5	A2	39	35	6	50	62	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Needs 20 years.														
85	J5	J2	40	33	6	40	55	jack pine	immature	N		30-39 years	0	
comnts Fmd : Somewhat shrubby jack pine. Scattered oak and seedlings.														
86	J2	U0	8	6	1	0	55	jack pine	immature	N		60-69 years	0	
comnts Fmd : BRUSH CREEK SNOW MOBILE TRAIL. CUT 1999. Natural regeneration. PArVHa/PVCd.														
87	P3	L0	6	30		30	60	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
90	X0	X0	19		0	0	55	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Roads. 624 and Rush Lake Rd.														
91	X0	X0	13		0	0	55	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Roads. 624 and Angling Rd.														
92	X0	X0	5		0	0	55	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Roads. Brush Creek Truck Trail, west part.														
93	X0	X0	3		0	0	55	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Roads. Brush Creek Truck Trail, east part.														
430	G0	G0	8		0	0	55	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain type with food and cover plantings.														
433	G0	G0	2		0	0	55	upland brush	nonstocked	N		within 0-9 years	0	other - specify in remarks
Wld : allow stand to covert to upland brush naturally.														
437	G0	G0	4		0	0	55	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 51

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H								
441	G0	G0	3	0	0	50	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings.													
442	G0	G0	6	0	0	50	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings.													
443	G0	G0	4	0	0	50	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings													
445	G0	G0	4	0	0	55	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings.													
447	G0	G0	5	0	0	70	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings.													
451	G0	G0	4	0	0	70	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings.													
453	G0	G0	6	0	0	70	grass	nonstocked	N		not scheduled	0	
Wld : maintain with food and cover plantings													
456	G0	G0	12	0	0	70	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings													
475	G0	G1	7	0	0	62	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings.													
476	G0	G1	9	0	0	62	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain stand with food and cover plantings.													
477	G0	G1	1	0	0	62	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings along with stand in next compartment.													
480	G0	G0	3			60	upland brush	nonstocked	N		within 0-9 years	0	other - specify in remarks
Wld : allow stand to convert to upland brush naturally.													
481	G0	G0	3			60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : maintain with food and cover plantings.													

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 51

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
483	G0	G0	10		0	0	62	grass	nonstocked	N		within 0-9 years	0	opening maintenance

Wld : maintain with food and cover plantings.

Total Acres..... 2042