

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 63

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	J6	J1	37	64	6	70	38	jack pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
Delayed treatment for age/size class diversity														
comnts Fmd : Large Cuts to North, hold ten years.														
2	O5	O2	8	43	6	40	40	oak	immature	N		20-29 years	0	
3	J3	O2	48	27	2	0	55	jack pine	immature	N		40-49 years	0	
comnts Fmd : stand has a good mix of jack pine and oak														
4	J4	A2	17	38	4	10	48	jack pine	immature	N		30-39 years	0	
comnts Fmd : mix of jack pine, oak and aspen														
5	J3	J3	87	22	1	0	54	jack pine	immature	N		50-59 years	0	
comnts Fmd : Warbler Weave														
6	J4	J2	8	27	4	20	55	jack pine	immature	N		30-39 years	0	
comnts Fmd : scattered oak, and some small openings														
7	J6	J1	11	64	6	70	38	jack pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
Delayed treatment for age/size class diversity														
comnts Fmd : Large Cuts to North, hold ten years.														
8	J3	J3	25	22	1	0	54	jack pine	immature	N		50-59 years	0	
comnts Fmd :														
9	J6	O3	20	71	8	80	47	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Leave all oak and red pine for visual. Protect oak regen when cut.														
10	O3	J2	17	7	1	10	55	oak	immature	N		50-59 years	0	
comnts Fmd : Mature scattered oak, with a good oak, jack pine, red pine understory.														
11	J3	J3	27	22	1	0	54	jack pine	immature	N		50-59 years	0	
comnts Fmd : Warbler Weave														
12	O3	J2	17	7	1	10	55	oak	immature	N		50-59 years	0	
comnts Fmd : Mature scattered oak, with a good oak, jack pine, red pine understory. Hand planted red pine May 1998.														
13	J6	O2	4	59	7	80	53	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : close North/South roads when harvest complete														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 63

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
14	R6	O1	7	49	8	100	58	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : Cut jack pine, thin red pine.														
15	J3	O2	260	30	1	0	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : Warbler Weave. Some mature residual, and oak stump sprouts.														
19	J6	O1	16	69	7	70	48	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : some aspen/oak mixed in along edges														
20	O6	R1	31	77	8	70	40	oak	mature	N	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Leave 30-40 BA of oak and red pine. May have to plant jack pine next entry. Cut in summer to scarify soil.														
21	O7	A3	9	88	12	40	56	oak	in process of regeneration	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Stand was treated in 1983, good aspen regen in understory														
22	A6	O1	32	69	8	90	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : small diameter aspen. Leave scattered oak (1-2 trees per acre)														
23	O7	A3	14	88	12	40	56	oak	in process of regeneration	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Stand was treated in 1983, good aspen regen in understory														
24	R9	O1	8	72	12	130	50	red pine	mature	N	shelterwood-seed	within 0-9 years	1	
comnts Fmd : cut jack, thin oak and red pine to 30-50 BA. Cut in summer to scarify soil.														
25	J5	J2	18	60	6	60	46	jack pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : hold ten years.														
26	P2	L0	14	25	1	0	48	balsam poplar & swamp aspen and swamp white birch	nonstocked	N		50-59 years	0	
comnts Fmd : Low area filling in with balsam poplar and aspen. ORV Scramble area.														
27	J3	J1	3	22	2	0	48	jack pine	immature	N		30-39 years	0	
28	Z0	Z0	100				0	water	nonstocked	N		not scheduled	0	
comnts Fmd : Tomahawk Creek Flooding. Standing dead timber to south end. Purple Loosetrife around entire edge of lake.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 63

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
29	J3	O1	56	5		0	43	jack pine	immature	N		60-69 years	0	
comnts Fmd : some mature red pine, small fire in summer 2004.														
30	J6	O1	34	57	7	80	42	jack pine	mature	N		10-19 years	0	
comnts Fmd : treat with stand 8 compartment 62 2013YOE.														
31	J5	J1	7	71	7	60	42	jack pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
32	L2	L2	15			0		lowland brush	nonstocked	N		not scheduled	0	
35	J6	J1	42	56	6	70	43	jack pine	immature	N		10-19 years	0	
comnts Fmd : stand is mixture of two age classes hold ten years.														
36	J6	O1	40	57	7	80	45	jack pine	mature	N		10-19 years	0	
37	R6	J1	23	49	8	170	52	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : third row thin. Best quality to north.														
38	R6	J1	5	49	6	90	52	red pine	immature	N		10-19 years	0	
comnts Fmd : clear cut with 36.														
39	J6	J2	9	67	7	80	43	jack pine	mature	Y	final harvest	within 0-9 years	2	planting
40	J3	O1	283	23		0	55	jack pine	immature	N		50-59 years	0	
comnts Fmd : Warbler Weave. Few mature oak.														
41	J3	O2	26	30	1	0	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : Warbler Weave. Some mature residual, and oak stump sprouts.														
42	A3	A2	6	23	1	0	55	aspen (upland)	immature	N		50-59 years	0	
43	A6	M2	10	69	10	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : some scattered red pine. Leave 1-2 Oak and Red Pine per acre. Protect shrubs in understory during harvest. Soil = Millersburg Loamy Sand														
44	J3	J2	25	23	3	0	48	jack pine	immature	N		40-49 years	0	
comnts Fmd : J3 nearly J4														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
45	A3	A3	54	22	3	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Soil = Klacking Sand														
46	A6	M1	13	75	8	110	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave 1-2 oak per acre Soil = Millersburg Loamy Sand														
47	J6	O1	39	67	8	110	52	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : High Country Pathway runs through stand. Should reroute pathway down edge of stand on existing two track while the stand is being harvested. Have loggers block fire lane running through stand 50. Soil=Millersburg Loamy Sand														
48	A3	A3	81	16	2	0	52	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Soil= Millersburg Loamy Sand														
49	O9	M2	8	80	11	70	58	oak	mature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood) Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Stand was cut in 1989 but all oak was left behind. There was very poor regeneration and now understory is red maple. Soil= Millersburg Loamy Sand														
50	C6	F1	5	86	7	120	38	cedar	mature	N		30-39 years	0	
comnts Fmd : Need to block fire lane running through stand. Soil = Millersburg Loamy Sand														
55	A6	M2	48	80	8	110	52	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : No cut white oak, red pine, white pine. Protect white pine regen. May want to mark 1-2 red oak per acre where no other residual is present. Soil = Millersburg Loamy Sand														
56	A6	M2	11	71	8	100	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Hill on South border of stand, some nice white pine regen. Soil = klacking sand														
57	A6	M2	39	71	8	100	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Soil = klacking sand														
58	J6	O1	91	56	6	100	48	jack pine	immature	N		10-19 years	0	
comnts Fmd : mix of age classes														
59	J3	J2	1	30	3	0	48	jack pine	immature	N		40-49 years	0	
60	J3	J2	5	30	3	0	48	jack pine	immature	N		40-49 years	0	

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 63

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
61	J3	J2	49	23	3	0	48	jack pine	immature	N		40-49 years	0	
62	J5	J2	5	66	6	60	48	jack pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
Scenic values/visual values														
63	J6	J2	6	65	8	80	49	jack pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
Scenic values/visual values														
64	A6	M1	37	71	8	90	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
Influence zones														
comnts Fmd : Leaving due to large clear cut to south. Soil = Klacking sand														
65	R6	J1	34	46	6	140	48	red pine	immature	N		10-19 years	0	
66	A6	M2	9	71	8	100	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave white oak and red pine. Protect shrubs. Soil = klacking sand														
67	A6	M2	26	71	8	100	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave white oak and red pine. Protect shrubs. Keep trail road on East side of stand blocked once harvest completed. Soil = klacking sand														
68	A4	A3	18	26	4	30	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : mix of aspen, red maple and oak Soil = Millersburg Loamy sand														
69	J5	J2	44	50	5	70	48	jack pine	immature	N		20-29 years	0	
70	R6	J1	22	46	6	140	48	red pine	immature	N		10-19 years	0	
75	J4	J2	13	37	5	20	48	jack pine	immature	N		30-39 years	0	
comnts Fmd : Keep for Visual														
76	J6	J1	212	66	8	80	48	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : some pockets of younger jack pine mixed in. Plant for KW Past damage by JP Budworm is evident.														
77	R6	J1	2	46	6	140	48	red pine	immature	N		10-19 years	0	

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 63

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	Diversity	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
78	A6	M2	8	69	8	110	58	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
Delayed treatment for age/size class diversity														
comnts Fmd : Soil=Millersburg Loamy Sand Holding due to large cut to west.														
79	J6	J1	51	66	8	80	48	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Include small strip cuts. Plant for KW Some JP Budworm damage from past years.														
80	N0	N0	6			0		marsh	nonstocked	N		not scheduled	0	
81	A6	M2	19	69	8	110	58	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
Delayed treatment for age/size class diversity														
comnts Fmd : Soil=Millersburg Loamy Sand Holding due to large cut to west.														
82	A6	M2	14	69	8	110	58	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
Delayed treatment for age/size class diversity														
comnts Fmd : Soil=Millersburg Loamy Sand Holding due to large cut to west.														
83	J5	J2	14	35	6	40	49	jack pine	immature	N		30-39 years	0	
comnts Fmd : Old strip cuts, 2 mature strips were included in stand 79 for treatment this entry.														
84	J4	J2	30	37	4	20	57	jack pine	immature	N		30-39 years	0	
comnts Fmd : North end has some A4 pockets. Mature oak and red pine mixed in.														
85	L2	L2	8			0		lowland brush	nonstocked	N		not scheduled	0	
86	Q6	M1	8	82	8	90	48	mixed swamp conifer	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : stand includes small E-type along edge of swamp.														
87	R9	M1	7	66	12	120	60	red pine	mature	N		10-19 years	0	
comnts Fmd : Soil = Millersburg Loamy Sand														
88	O6	A2	18	89	8	80	50	oak	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Stand was treated 20-30 yrs ago. Soil = Klacking Sand														
89	A4	A3	51	35	4	20	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Good mix of aspen and oak. Soil = Klacking sand														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 63

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
90	J6	O2	11	63	7	80	49	jack pine	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
Scenic values/visual values														
comnts Fmd : Steep hill along clear cuts.														
91	R7	O3	24	57	10	40	50	red pine	in process of regeneration	N		40-49 years	0	
comnts Fmd : Stand was cut through last entry, leaving red and white pine and scattered oak. Understory is O3, A2, J2. Oak regen is from stump sprouts. Some steep hills in stand.														
92	J3	J3	146	10		0	48	jack pine	immature	N		50-59 years	0	
comnts Fmd : Warbler Weave														
93	J4	J3	71	24	4	10	49	jack pine	immature	N		30-39 years	0	
comnts Fmd : J3/J4														
94	J4	J3	78	24	4	10	49	jack pine	immature	N		30-39 years	0	
comnts Fmd : J3/J4														
95	J4	J3	4	24	4	10	49	jack pine	immature	N		30-39 years	0	
comnts Fmd : J3/J4														
100	J3	J3	52	10		0	48	jack pine	immature	N		50-59 years	0	
comnts Fmd : Warbler Weave														
101	O4	O2	3	31	4	20	54	oak	immature	N		30-39 years	0	
comnts Fmd : O2/O4														
102	O4	O2	5	31	4	20	54	oak	immature	N		30-39 years	0	
comnts Fmd : O2/O4														
103	R6	J2	18	57	8	110	49	red pine	mature	N	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Leave Red Pine, cut jack/aspen/some oak. Leave uncut buffer around pit.														
104	R7	O3	40	57	10	40	50	red pine	in process of regeneration	N		40-49 years	0	
comnts Fmd : Stand was cut through last entry, leaving red and white pine and scattered oak. Understory is O3, A2, J2. Oak regen is from stump sprouts. Some steep hills in stand.														
105	J3	J3	7	10		0	48	jack pine	immature	N		50-59 years	0	
comnts Fmd : Warbler Weave														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 63

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
106	J6	O2	10	63	7	80	49	jack pine	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
Scenic values/visual values														
comnts Fmd : Steep hill along clear cuts.														
107	R7	O3	130	57	10	40	50	red pine	in process of regeneration	N		40-49 years	0	
comnts Fmd : Stand was cut through last entry, leaving red and white pine and scattered oak. Understory is O3, A2, J2. Oak regen is from stump sprouts. Some steep hills in stand.														
108	A4	A3	7	30	5	20	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Mature pine mixed in. Soil = Klacking sand														
110	G0	G0	10			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power Line, Stand 111 has ORV problems														
111	G0	G0	13			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power Line, Stand 111 has ORV problems														
112	X0	X0	5			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Clay Pit Road														
113	X0	X0	13			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Millersburg Road														
114	X0	X0	3			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Millersburg Road														
115	X0	X0	3			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Tower Road														
116	X0	X0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Old Gravel Pit, ORV Scramble area. Trees should be fell around rim to control ORV problem.														
117	X0	X0	13			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Old Gravel Pit, ORV Scramble Area														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 63

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
118	X0	X0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Old Clay Pit,														
119	X0	X0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Old Gravel Pit														
201	U0	U0	2			0		upland brush	nonstocked	N		not scheduled	0	
202	U0	U0	4			0		upland brush	nonstocked	N		not scheduled	0	
203	U0	U0	2			0		upland brush	nonstocked	N		not scheduled	0	
401	G0	G0	2			0		grass	nonstocked	N		not scheduled	0	
402	G0	G0	2			0		grass	nonstocked	N		not scheduled	0	
403	G0	G0	2			0		grass	nonstocked	N		not scheduled	0	
404	G0	G0	2			0		grass	nonstocked	N		not scheduled	0	
405	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
406	G0	G0	4			0		grass	nonstocked	N		not scheduled	0	
407	G0	G0	3			0		grass	nonstocked	N		not scheduled	0	
Total Acres.....			3219											