

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 87

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	P3	Q2	44	17	2	0	48	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
2	C6	L2	39	90	6	120	38	cedar	mature	N		30-39 years	0	
3	Q5	E2	26	86	7	60	65	mixed swamp conifer	mature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u>                      Too wet                      Inadequate volume due to low stocking/small diameter/etc.                      Inferior quality</p> <p>comnts Fmd : Q5/E5 on wet site.</p>														
4	L0	L1	56					lowland brush	mature	N		not scheduled	0	
5	E5	E2	33	79	7	70	48	swamp hardwoods	mature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u>                      Inferior quality                      Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : E5/P5 low wet site.</p>														
6	W9	N1	12	80	10	100	60	white pine	mature	N		20-29 years	0	
<p>comnts Fmd : Nice stand of pine, poor access.</p>														
7	E6	E2	57	77	7	70	50	swamp hardwoods	mature	N		30-39 years	0	
8	R6	L1	63	74	8	120	60	red pine	mature	N		20-29 years	0	
<p>comnts Fmd : Nice Island of Pine, poor access. Soil = Finch Sand</p>														
9	E6	E2	9	77	7	70	50	swamp hardwoods	mature	N		30-39 years	0	
<p>comnts Fmd : Soil = Proper-Deford Rousseau Complex</p>														
10	C5	E2	74	90	6	70	45	cedar	mature	N		20-29 years	0	
11	C6	L2	13	90	6	120	38	cedar	mature	N		30-39 years	0	
<p>comnts Fmd : Soil = Rousseau Fine Sand</p>														
12	L0	L2	39					lowland brush	mature	N		not scheduled	0	
<p>comnts Fmd : Low area, some tamarack and red maple mixed in on higher ground.</p>														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 87

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
13	N0	N0	5			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Marsh, that holds water.														
14	R6	L1	7	74	8	120	60	red pine	mature	N		20-29 years	0	
comnts Fmd : Nice Island of Pine, poor access. Soil = Proper-Deford-Rousseau Complex														
15	P3	Q2	25	17	2	0	48	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
16	E6	E2	79	80	8	80	55	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
17	P2	Q2	75	17	2	0	48	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
18	C6	L2	30	90	6	120	38	cedar	mature	N		30-39 years	0	
19	E2	L2	67	44	1	0	35	swamp hardwoods	immature	N		50-59 years	0	
comnts Fmd : Poor site														
20	E5	E2	41	70	7	60	52	swamp hardwoods	mature	N		20-29 years	0	
comnts Fmd : mix of high and low ground, high ground has some E6/P6 low ground is B4/E4/C4 and tagalder. Occasional oak on ridges.														
25	R8	A3	27	74	15	70	58	red pine	mature	N		20-29 years	0	
comnts Fmd : Shelterwood cut stand in 20 years when aspen is merchantable.														
26	R3	J2	3	15	3	0	58	red pine	immature	N		40-49 years	0	
27	C6	P2	58	110	7	130	32	cedar	mature	N		30-39 years	0	
comnts Fmd : C6 stand with old strip cuts, strip cuts are now P2/Q2. No cedar regen was visible above snow.														
28	C6	L2	139	90	6	100	38	cedar	mature	N		30-39 years	0	
comnts Fmd : Ridges of E5 mixed in, scattered white pine mixed in.														
29	W9	A2	88	87	12	80	56	white pine	mature	N		20-29 years	0	
comnts Fmd : shelterwood in 20 years when aspen is merchantable.														
30	A3	P2	131	25	1	0	59	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : pockets of tagalder and some spruce/fir mixed in.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 87

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
31	E6	E2	39	80	8	80	55	swamp hardwoods	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Winter cut only, leave all Red and White Pine, Cedar and Oak. Block road running through stand.														
32	E4	E2	9	75	6	30	48	swamp hardwoods	sparse	N		40-49 years	0	
comnts Fmd : low quality site														
33	A3	P2	32	16	1	0	59	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : pockets of tagalder and some spruce/fir mixed in.														
34	A3	A2	7	28	2	0	62	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : some mature oak and white pine														
35	R6	N1	10	70	9	80	64	red pine	mature	N		30-39 years	0	
comnts Fmd :														
36	A3	N3	3	25	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
37	A6	N1	2	60	8	90	67	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd :														
38	J4	J2	5	35	5	40	60	jack pine	immature	N		20-29 years	0	
comnts Fmd :														
39	J6	N1	8	72	8	70	56	jack pine	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd :														
40	A6	N1	5	60	8	90	67	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd :														
41	R9	N1	10	74	15	100	62	red pine	mature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : may want to burn before replanting, leave scattered oak.														
42	W8	A2	10	70	14	60	64	white pine	mature	N		40-49 years	0	
comnts Fmd :														
43	O5	A2	12	80	9	60	58	oak	mature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
44	A4	A2	12	35	5	30	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : good conifer component at north end														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
45	R9	M1	27	80	13	110	68	red pine	mature	Y	shelterwood-seed	within 0-9 years	1	natural regeneration
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Mature Pine stand, Reduce pine BA to 30-50. Burn after cutting to reduce competition from red maple. Check stand in 3 years if no natural pine regen burn again and plant red pine.														
46	E6	E2	9	80	8	80	55	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : stand has drainage running through it														
47	E6	E2	24	80	8	90	55	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd :														
48	R8	M2	48	74	14	70	65	red pine	mature	N		20-29 years	0	
comnts Fmd : try to regenerate pine in 10-20 yrs when understory is merchantable														
49	E5	E2	35	40	6	70	48	swamp hardwoods	immature	N		30-39 years	0	
comnts Fmd : stand has pockets of pine and cedar mixed in														
50	R9	M2	40	85	12	120	65	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed to take advantage of exceptional site quality or growth														
comnts Fmd : stand was thinned in 1989 still room in canopy for growth. May want to try to regenerate next entry.														
51	R9	M2	23	85	12	120	68	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed to take advantage of exceptional site quality or growth														
comnts Fmd : stand was thinned in 1989 still room in canopy for growth. Look at results of stand 45 and regenerate in 10 years.														
52	R9	M2	27	85	12	120	65	red pine	mature	Y		within 0-9 years	0	cleaning & weeding
<u>Treatment Limiting Factors:</u>														
Delayed to take advantage of exceptional site quality or growth														
comnts Fmd : Burn to remove red maple understory. To prepare for shelterwood next entry.														
53	A3	M2	12	25	2	0	62	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Mature pine was left for visual														
54	A4	M2	35	35	4	20	62	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Mature pine was left for visual														
55	W8	M2	4	62	12	70	62	white pine	mature	N		30-39 years	0	
comnts Fmd : stand was thinned in 1980														
56	E6	M2	1	65	8	80	52	swamp hardwoods	mature	N		30-39 years	0	
comnts Fmd : stand is mix of white pine and lowland hardwoods,														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 87

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
60	E6	M2	48	65	8	80	52	swamp hardwoods	mature	N		30-39 years	0	
comnts Fmd : stand is mix of white pine and lowland hardwoods,														
61	A3	F2	5	30	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : some cedar regen.														
62	A6	F2	9	68	9	90	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Winter Cut only, due to poor access roads. Leave all Red/White Pine and Oak.														
63	A3	F2	4	30	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : some cedar regen.														
64	C6	F1	22	110	9	130	35	cedar	mature	N		30-39 years	0	
65	A4	M2	26	41	4	20	63	aspen (upland)	immature	N		40-49 years	0	
66	A2	A2	8	25	2	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Old Grass/U type, filled in with young aspen.														
67	E6	E2	57	74	8	90	56	swamp hardwoods	mature	N		20-29 years	0	
comnts Fmd : Stand is mix of species, higher ground is nice hardwoods with white pine pockets and low ground is cedar or low quality hdwds.														
68	E6	E2	8	74	8	80	56	swamp hardwoods	mature	N		20-29 years	0	
comnts Fmd : Poor access through state land.														
69	Q5	Q2	32	50	6	50	48	mixed swamp conifer	immature	N		40-49 years	0	
70	O9	M2	22	80	12	90	60	oak	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : most of stand was species thinned, let regen mature before treating again.														
71	A6	F2	18	66	9	90	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Winter Cut only, due to poor access. Leave all red/white pine and oak. Make sure to get small area at NW corner. Also treat any pockets of Aspen in Stand 70. Close roads in area.														
72	A3	M2	33	23	2	0	62	aspen (upland)	immature	N		50-59 years	0	

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 87

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
73	W6	F2	18	74	9	70	65	white pine	mature	N		20-29 years	0	
comnts Fmd : visual buffer along road, scattered oak, hemlock, birch.														
74	A3	M2	27	23	2	0	62	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Scattered mature oak, lots of conifers mixed in.														
75	R9	F2	9	90	14	80	58	red pine	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
80	X0	X0	6			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Werth Rd														
81	X0	X0	9			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Spruce Rd														
82	X0	X0	5			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Werth Rd														
101	U0	U0	4			0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Old Grass Stand, filling in with trees.														
401	G0	G0	8			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : some young white pine and aspen in stand.														

Total Acres..... 2067