

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 162 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----------|-----|-------|---------|-----------|----------------|-----------|---------------------|------------|------------------|------------------|---------------|
| | | | | | D B H | Tot. BA | | | | | | | | |
| 1 | R6 | R1 | 81 | 69 | 9 | 90 | 52 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : SOME SCATTERED ASPEN POLES | | | | | | | | | | | | | | |
| 3 | R6 | R1 | 67 | 67 | 10 | 120 | 58 | red pine | immature | N | | 20-29 years | 0 | |
| comnts Fmd : CUT 1998, SALE 6-97 | | | | | | | | | | | | | | |
| Wld : Red pine project indicates this stand could be converted to jack pine. Recommend that be done either this period or next review. Little negative impact on existing wildlife habitat potential, but would improve for snowshoe hare and common nighthawk. | | | | | | | | | | | | | | |
| 4 | A3 | X0 | 23 | 17 | 3 | 0 | 52 | aspen (upland) | immature | N | | 60-69 years | 0 | |
| comnts Fmd : VERY MIXED STAND A2,J1,R1, & O1 | | | | | | | | | | | | | | |
| 5 | R6 | O1 | 102 | 64 | 9 | 80 | 57 | red pine | immature | N | | 20-29 years | 0 | |
| 6 | R6 | X0 | 3 | 64 | 9 | 100 | 57 | red pine | immature | N | | not scheduled | 0 | |
| comnts Fmd : ROADSIDE PARK ON US-23. OVERLOOKS LAKE HURON. BUILT SINCE 1987 | | | | | | | | | | | | | | |
| 7 | O3 | O1 | 39 | 4 | 1 | 0 | 46 | oak | immature | N | | 50-59 years | 0 | |
| comnts Fmd : VERY MIXED STAND O2,J1,A1,W1,R1, & U | | | | | | | | | | | | | | |
| 8 | R9 | O1 | 87 | 63 | 14 | 120 | 52 | red pine | immature | N | thinning | within 0-9 years | 2 | |
| comnts Fmd : remove jack pine and some red pine logs, scarify soil. Cut with stands 9 & 16. | | | | | | | | | | | | | | |
| 9 | R9 | O1 | 45 | 67 | 12 | 100 | 58 | red pine | immature | N | thinning | within 0-9 years | 2 | |
| comnts Fmd : remove aspen, jack pine and some red pine logs. Cut with stands 8 & 16. Scarify soil. | | | | | | | | | | | | | | |
| 10 | A1 | O1 | 27 | 7 | 1 | 20 | 46 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : A1,O1, & R1 with some scattered oak and red pine overstory. | | | | | | | | | | | | | | |
| 11 | J3 | O0 | 7 | 17 | 4 | 10 | 49 | oak | sparse | N | | 70-79 years | 0 | |
| comnts Fmd : J2,O4, O1 | | | | | | | | | | | | | | |
| 12 | J1 | O0 | 29 | 17 | 0 | 0 | 54 | jack pine | sparse | N | | 70-79 years | 0 | |
| 13 | O6 | M1 | 19 | 85 | 8 | 80 | 45 | oak | immature | Y | | 10-19 years | 0 | |
| Treatment Limiting Factors: Delayed treatment for age/size class diversity | | | | | | | | | | | | | | |
| 14 | O7 | O1 | 140 | 6 | 12 | 40 | 46 | oak | immature | N | | 50-59 years | 0 | |
| comnts Fmd : OVERSTORY OF RED OAK WITH GOOD REPRODUCTION OF ASPEN, JACK PINE, & OAK UNDERNEATH. | | | | | | | | | | | | | | |

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 162 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----------|-----|-------|---------|-----------|-----------|-----------|---------------------|------------|------------------|------------------|---------------|
| | | | | | D B H | Tot. BA | | | | | | | | |
| 15 | J6 | N 1 | 44 | 30 | 5 | 80 | 46 | jack pine | immature | N | | 40-49 years | 0 | |
| comnts Fmd : JUST CONVERTING TO POLES, VERY MIXED STAND | | | | | | | | | | | | | | |
| 16 | R6 | R 1 | 48 | 81 | 10 | 80 | 49 | red pine | immature | Y | thinning | within 0-9 years | 2 | |
| comnts Fmd : remove jack pine and scattered aspen along with some red pine logs. Scarify soil, cut with stands 8&9. | | | | | | | | | | | | | | |
| 17 | R6 | R 1 | 9 | 81 | 9 | 90 | 49 | red pine | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Delayed treatment for age/size class diversity | | | | | | | | | | | | | | |
| Recreational site | | | | | | | | | | | | | | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 18 | O5 | M 1 | 13 | 81 | 8 | 70 | 49 | oak | immature | Y | thinning | within 0-9 years | 2 | |
| comnts Fmd : remove jack pine , cut with stand 19 | | | | | | | | | | | | | | |
| Wld : Use whole tree leave tree spec. | | | | | | | | | | | | | | |
| 19 | R9 | R 1 | 25 | 81 | 15 | 100 | 54 | red pine | immature | Y | thinning | within 0-9 years | 2 | |
| comnts Fmd : remove aspen , jack pine cut with stand 18. | | | | | | | | | | | | | | |
| 20 | O6 | R 1 | 33 | 85 | 9 | 80 | 46 | oak | immature | Y | selection | within 0-9 years | 2 | |
| comnts Fmd : OAK 5-SPOT, DONE 1998, SALE 17-97: continue 5-spot | | | | | | | | | | | | | | |
| Wld : Use drumming log spec in each cut unit. | | | | | | | | | | | | | | |
| 21 | J6 | O 1 | 8 | 66 | 9 | 80 | 56 | jack pine | mature | Y | selection | within 0-9 years | 2 | |
| comnts Fmd : CUT A 5 SPOT PATCH (2AC). 1998, SALE 17-97; continue 5 spot with stand 20 | | | | | | | | | | | | | | |
| 22 | R9 | U 0 | 3 | 95 | 14 | 100 | 52 | red pine | immature | Y | | 20-29 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 23 | O6 | R 1 | 26 | 30 | 5 | 80 | 46 | oak | immature | N | | 40-49 years | 0 | |
| comnts Fmd : just converting to poles. | | | | | | | | | | | | | | |
| 24 | R9 | R 2 | 17 | 70 | 14 | 100 | 56 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : THIN IN 10 YEARS | | | | | | | | | | | | | | |
| 25 | R9 | O 1 | 61 | 70 | 16 | 120 | 56 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : thin in 10 years. | | | | | | | | | | | | | | |
| 26 | R9 | O 3 | 21 | 75 | 15 | 110 | 50 | red pine | immature | N | | 30-39 years | 0 | |
| comnts Fmd : thin with stand 25 in 10 years. | | | | | | | | | | | | | | |

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|--------|---------|-----------|---|-----------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | Site Indx | | | | | | | |
| 27 | O6 | N2 | 36 | 85 | 10 | 90 | 53 | oak | immature | Y | selection | within 0-9 years | 2 | |
| comnts Fmd : CUT STRIPS, 1998, SALE 17-97; continue strip cuts, steep along south edge of stand. | | | | | | | | | | | | | | |
| Wld : use drumming log spec in cut strips. | | | | | | | | | | | | | | |
| 28 | C6 | L1 | 4 | 106 | 9 | 150 | 30 | cedar | immature | N | | not scheduled | 0 | |
| comnts Fmd : nice cedar, good winter deer useage, steep bank along north edge of stand. | | | | | | | | | | | | | | |
| 29 | R7 | O3 | 92 | 85 | 15 | 20 | 48 | red pine | immature | Y | | 30-39 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Inadequate volume due to low stocking/small diameter/etc. | | | | | | | | | | | | | | |
| comnts Fmd : nice reproduction under scattered red pine. A1,O1, J1, & R1. | | | | | | | | | | | | | | |
| 30 | O6 | M2 | 7 | 81 | 9 | 70 | 49 | oak | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Delayed treatment for age/size class diversity | | | | | | | | | | | | | | |
| Influence zones | | | | | | | | | | | | | | |
| comnts Fmd : OAK 5-SPOT, DONE 1998, SALE 17-97 | | | | | | | | | | | | | | |
| 31 | R8 | O2 | 21 | 66 | 15 | 60 | 56 | red pine | immature | N | | 50-59 years | 0 | |
| 32 | R9 | O1 | 34 | 70 | 15 | 110 | 56 | red pine | immature | N | | 20-29 years | 0 | |
| 33 | R9 | M2 | 24 | 70 | 16 | 70 | 50 | red pine | immature | N | | 20-29 years | 0 | |
| 34 | C6 | L1 | 12 | 106 | 9 | 150 | 30 | cedar | immature | N | | not scheduled | 0 | |
| comnts Fmd : steep bank along north edge, some beaver activity, silver creek and tributaries flow through stand. | | | | | | | | | | | | | | |
| 35 | P6 | F3 | 38 | 76 | 9 | 100 | 66 | balsam poplar & swamp aspen and swamp white birch | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Water quality/bmps | | | | | | | | | | | | | | |
| Adjacent landowner denies access | | | | | | | | | | | | | | |
| comnts Fmd : PROTECT STREAMS-SPECIAL CONCERN SPECIES | | | | | | | | | | | | | | |
| 36 | O6 | O1 | 39 | 86 | 10 | 120 | 52 | oak | immature | Y | selection | within 0-9 years | 2 | |
| comnts Fmd : NOTE TRESPASS IN STAND-FENCE TRESPASS-FENCE ROLLS, STILL THERE 5 SPOT CUT 1998, SALE 17-97. State surveyor, Carl Kiiskila, received information about the property in trespass in the process of being sold. Trespass includes the house and a number of out buildings. 01/16/2003.Continue 5-spot. | | | | | | | | | | | | | | |
| Wld : use drumming log spec in each cutting unit. | | | | | | | | | | | | | | |
| 37 | R9 | O1 | 47 | 75 | 13 | 130 | 50 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : thin & scarify in 10 years, red pine readily regenerates in this area. | | | | | | | | | | | | | | |

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 162 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------|-----|--------|---------|-----------|---|------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 39 | R6 | M1 | 5 | 45 | 6 | 110 | 50 | red pine | immature | N | | 30-39 years | 0 | |
| 40 | O6 | O1 | 51 | 25 | 5 | 70 | 50 | oak | immature | N | | 60-69 years | 0 | |
| comnts Fmd : Just converting to poles. | | | | | | | | | | | | | | |
| 41 | A3 | A1 | 23 | 25 | 4 | 10 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| 42 | A3 | V2 | 40 | 17 | 2 | 0 | 61 | aspen (upland) | nonstocked | N | | 70-79 years | 0 | |
| comnts Fmd : mixed reproduction-aspen,oak,red&jack pine. | | | | | | | | | | | | | | |
| 43 | R9 | M2 | 14 | 82 | 14 | 120 | 47 | red pine | immature | Y | | 20-29 years | 0 | |
| <u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood) | | | | | | | | | | | | | | |
| comnts Fmd : some patches of dogwood in understory, gravelly soil. | | | | | | | | | | | | | | |
| 44 | O6 | M2 | 93 | 86 | 9 | 80 | 52 | oak | immature | Y | | 20-29 years | 0 | |
| <u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood) | | | | | | | | | | | | | | |
| comnts Fmd : very mixed stand, red & white pine in understory, scattered red pine logs through-out stand, south portion of stand has higher aspen component. | | | | | | | | | | | | | | |
| 45 | A3 | V2 | 2 | 17 | 2 | 0 | 61 | aspen (upland) | nonstocked | N | | 70-79 years | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 113 | O6 | M1 | 8 | 85 | 8 | 80 | 45 | oak | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood) | | | | | | | | | | | | | | |
| 127 | O6 | N2 | 12 | 85 | 10 | 90 | 53 | oak | immature | Y | selection | within 0-9 years | 2 | |
| comnts Fmd : CUT STRIPS, 1998, SALE 17-97; continue strip cuts, steep along south edge of stand. Wld : Use drumming log spec in each cut strip. | | | | | | | | | | | | | | |
| 130 | O6 | M2 | 10 | 81 | 9 | 70 | 49 | oak | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity | | | | | | | | | | | | | | |
| comnts Fmd : OAK 5-SPOT, DONE 1998, SALE 17-97 | | | | | | | | | | | | | | |
| 135 | P6 | F3 | 2 | 76 | 9 | 100 | 66 | balsam poplar & swamp aspen and swamp white birch | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Water quality/bmps Adjacent landowner denies access | | | | | | | | | | | | | | |
| comnts Fmd : PROTECT STREAMS-SPECIAL CONCERN SPECIES | | | | | | | | | | | | | | |

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 162 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| S t a n d | Cover Type- Size Dnsty | Under Story- Stkng Level | A c r e s | Age | avg. | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|---------------------------------|-----------------------------------|-----------------------|-----|-------------|------------|--------------|---------------|------------|---------------------------|---------------|------------------|---------------------|------------------|
| | | | | | D B H | Tot. BA | Site Indx | | | | | | | |
| 136 | O6 | O1 | 23 | 86 | 10 | 120 | 52 | oak | immature | Y | selection | within 0-9 years | 2 | |
| comnts Fmd : NOTE TRESPASS IN STAND-FENCE TRESPASS-FENCE ROLLS, STILL THERE 5 SPOT CUT 1998, SALE 17-97. State surveyor, Carl Kiiskila, received information about the property in trespass in the process of being sold. Trespass includes the house and a number of out buildings. 01/16/2003.Continue 5-spot. | | | | | | | | | | | | | | |
| Wld : Use drumming log spec in each cut unit. | | | | | | | | | | | | | | |
| 140 | O6 | O1 | 11 | 25 | 5 | 70 | 50 | oak | immature | N | | 60-69 years | 0 | |
| comnts Fmd : Just converting to poles. | | | | | | | | | | | | | | |
| 141 | V0 | V0 | 1 | | 0 | 0 | 60 | bog or muskeg | immature | N | | not scheduled | 0 | |
| 445 | G0 | G0 | 5 | | 0 | 0 | 65 | grass | nonstocked | N | | not scheduled | 0 | |

Total Acres..... 1631