

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	W 6	W 2	48	77	11	130	48	white pine	mature	N	shelterwood-seed	within 0-9 years	2	
comnts Fmd : Follow BMP's along pond to west. Leave 50-70 BA of Residual. Shortwood to protect advanced white pine regen.														
2	Z 0	Z 0	41			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver Flooding/Pond														
3	C 6	F 1	59	85	6	70	30	cedar	immature	N		not scheduled	0	
comnts Fmd : EMERGENCY DEER FEED AREA														
4	F 4	F 2	14	28	5	30	50	spruce-fir (uplands-including upland black spruce)	immature	N		30-39 years	0	
comnts Fmd : Stand was an Aspen type last entry.														
5	A 6	A 2	10	37	6	70	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Scattered HDWD. Old RR Grade running east/west through stand. Could treat with compartment to the west.														
6	Z 0	Z 0	15			0		water	nonstocked	N		not scheduled	0	
comnts Fmd :														
7	A 6	M 1	13	37	6	70	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Utype mixed in SE portion of the stand.														
8	R 6	A 2	20	67	9	120	44	red pine	immature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 2001. Pockets of A3 where no overstory is present.														
9	R 6	A 2	34	67	9	120	44	red pine	immature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 2001. Pockets of A3 where no overstory is present.														
10	R 9	A 2	65	67	12	100	48	red pine	mature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 2001. Good signs of growth and spacing still. Final Harvest and replant next entry. SW corner of stand was not thinned last entry. Heavy pockets of A3 where overstory is not present. Small wildfire in NW corner in spring of 2006.														
11	R 9	M 1	8	75	12	130	53	red pine	mature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 2000. Still has adequate spacing around tops.														
12	R 9	M 1	3	75	12	130	53	red pine	mature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 2000. Still has adequate spacing around tops.														
13	A 6	A 2	19	30	6	80	56	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : there is a lot of U-type mixed in along Meaford Road. Heavy elk use.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
14	A 6	A 2	56	30	6	80	56	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : There is some U-type mixed in. Heavy elk use. Some pockets of low ground mixed in.														
15	M 6	M 1	7		9	90	56	northern hardwood	mature	N		20-29 years	0	
comnts Fmd : Stand was recently treated with adjacent stands to the West.														
16	Q 6	E 2	4	74	8	100	46	mixed swamp conifer	immature	N		20-29 years	0	
comnts Fmd : Low ground conifer mix. Some aspen/red maple mixed in.														
20	A 6	M 1	39	46	7	100	58	aspen (upland)	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Leave all Red and White Pine. Close 2-track going from 421 to 420. Some small dbh's mixed in. Scattered red maple and oak. Leave drumming logs.														
21	A 6	M 2	15	46	5	100	58	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Stand is young aspen type with mature pine mixed in. Aspen has small diameters, hold ten years for visual and let aspen mature.														
22	A 3	A 2	37	17	2	0	50	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Elk browse damage and some areas of L-type.														
23	A 5	F 1	2	28	4	40	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Lots of Balsam mixed in														
24	A 4	A 2	22	32	4	20	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Wet towards the east edge of the stand.														
25	Q 5	Q 1	8	70	7	50	57	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Stand is young aspen type with mature pine mixed in. Aspen has small diameters, hold ten years for visual and let aspen mature.														
26	R 9	A 2	14	67	12	100	48	red pine	mature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 2001. Good signs of growth and spacing still. Final Harvest and replant next entry. SW corner of stand was not thinned last entry. Heavy pockets of A3 where overstory is not present. Small wildfire in NW corner in spring of 2006.														
27	A 6	M 2	5	36	6	80	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Regenerate stand next entry. Small diameters on aspen.														
28	J 5	A 2	12	28	5	50	50	jack pine	immature	N		20-29 years	0	
comnts Fmd : Stand is a mix of aspen and jack pine. Scattered Red/White Pine														
29	P 3	J 2	13	14	2	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Stand is a mix of aspen and conifers with L type understory.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
30	A 6	A 2	5	30	6	80	56	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : There is some U-type mixed in. Heavy elk use. Some pockets of low ground mixed in.														
35	C 6	F 1	143	76	8	90	45	cedar	immature	N		not scheduled	0	
comnts Fmd : ACQUIRED 6 ACRES IN SECT 15 1995														
36	A 6	M 1	16	32	6	80	50	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Pockets of U-type mixed in middle of stand. Scattered R/W Pine, and mature oak.														
37	R 8	A 2	52	77	12	60	50	red pine	mature	N		20-29 years	0	
38	A 5	M 1	11	39	5	60	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Small dbh's and fairly short. Hold ten years.														
39	R 8	M 2	5	77	13	70	50	red pine	mature	N		20-29 years	0	
comnts Fmd : Cut 2001, left Red Pine ,White Pine and Oak. Understory is mix of Aspen, Oak, Red Maple and Balsam Fir with some pine mixed in.														
40	A 5	A 2	63	30	5	40	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd :														
41	J 4	J 2	27	30	4	20	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : Aspen Mixed in.														
42	J 3	A 2	6	15	1	0	50	jack pine	immature	N		50-59 years	0	
comnts Fmd : scattered aspen and tamarack														
43	A 3	A 2	27	15	1	0	50	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : scattered mixed conifers. Pockets of tagalder and low ground.														
44	Q 6	Q 1	72	106	6	80	26	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
45	D 1	D 0	4			0		treed bog	nonstocked	N		not scheduled	0	
46	T 4	L 2	3	86	6	20	30	tamarack	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to low stocking/small diameter/etc.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
50	W 6	M 1	32	66	7	90	52	white pine	immature	N		20-29 years	0	
comnts Fmd : Stand was species thinned approximately 30 years ago leaving the R/W Pine and Oak. Understory is a mix of species with small diameters. Would do more damage to white pine understory than good trying to remove aspen.														
51	A 6	W 2	9	64	8	90	56	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all oak, red pine, white pine for visual. Protect white pine and oak regen.														
52	A 6	W 2	6	64	8	90	56	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all oak, red pine, white pine for visual. Protect white pine and oak regen.														
53	A 3	A 2	13	17	1	0	65	aspen (upland)	immature	N		50-59 years	0	
54	Q 6	Q 1	16	106	6	80	26	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
55	D 1	D 0	12			0		treed bog	nonstocked	N		not scheduled	0	
56	Q 6	Q 1	12	106	6	80	26	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
57	T 4	L 2	27	86	6	20	30	tamarack	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to low stocking/small diameter/etc.														
58	Q 5	Q 1	55	70	7	50	57	mixed swamp conifer	immature	N		not scheduled	0	
59	A 3	A 2	9	17	1	0	58	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : scattered mature oak and pine left for visual.														
60	W 9	W 1	19	86	18	130	51	white pine	mature	N	shelterwood-seed	within 0-9 years	2	
comnts Fmd : Cut all Red Maple, Aspen, Spruce and Jack Pine. Protect White Pine regen. Cut during winter to protect soils. North end of stand is Aspen/Jack Pine Mix.														
61	Q 5	Q 1	115	70	7	70	57	mixed swamp conifer	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
62	L 0	L 0	6			0		lowland brush	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
63	L 0	L 0	28			0		lowland brush	nonstocked	N		not scheduled	0	
64	A 5	A 2	13	29	5	40	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Aspen is bigger dbh at south end of stand, some mature pine mixed in.														
65	A 5	A 2	1	29	5	40	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : small strip in between pvt and county road.														
66	A 6	M 2	2	50	5	70	58	aspen (upland)	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Recreational site														
comnts Fmd : small strip in between lake and county road. Area is used by campers all summer long.														
67	Q 6	L 1	18	91	6	70	26	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : FAIR SWAMP EDGE ALONG WEST EDGE OF LAKE														
68	Z 0	Z 0	43			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : DeCheau Lake														
69	A 6	M 1	16	46	8	100	54	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Stand is adjacent to DeCheau Lake. There is several areas where people camp throughout the summer. Scattered pine and hardwood, pine is heavier to North end of stand. Hold ten years as visual buffer along lake.														
70	A 6	M 1	1	46	8	100	54	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Stand includes small boat launch area maintained by State Parks. Stand is adjacent to DeCheau Lake and several PVT houses to the west. There is several areas where people camp throughout the summer. Scattered pine and hardwood. Leave all Red/White Pine for visual. Protect Boat Launch area.														
71	A 6	M 1	4	46	8	100	54	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Stand includes small Day Use area maintained by State Parks. Scattered pine and hardwood. Leave all Red/White Pine for visual. Protect Day Use area. Try to include as much as possible to south and east for harvest.														
72	Q 5	Q 1	24	81	7	50	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
73	A 6	M 1	16	46	8	100	54	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Scattered pine and hardwood. Leave all Red/White Pine for visual.														
74	Q 5	Q 1	33	81	7	50	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
75	C 6	L 1	40	91	8	90	28	cedar	mature	N		not scheduled	0	
comnts Fmd : Low ground, hard access.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H								
76	L 0	L 0	16			0	lowland brush	nonstocked	N		not scheduled	0	
77	Q 5	Q 1	6	81	7	50	40 mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>													
Too wet													
78	L 0	L 0	8			0	lowland brush	nonstocked	N		not scheduled	0	
90	X 0	X 0	15			0	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : De Chau Lake Rd & Meaford Road													
91	X 0	X 0	1			0	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : De Chau Lake Rd													
92	X 0	X 0	1			0	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : De Chau Lake Rd													
93	X 0	X 0	2			0	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : De Chau Lake Rd													
101	U 0	U 0	4			0	upland brush	nonstocked	N		not scheduled	0	
103	U 0	U 0	4			0	upland brush	nonstocked	N		not scheduled	0	
129	U 0	U 0	4			0	upland brush	nonstocked	N		not scheduled	0	
140	X 0	X 0	3			0	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Well Facility													
164	U 0	U 0	6			0	upland brush	nonstocked	N		not scheduled	0	

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
401	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Pad with some Utype around edges.														
403	G 0	G 0	24			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening with Gas Well in middle.														
414	G 0	G 0	4			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening with Gas Well in middle.														
415	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening														
416	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening														
420	G 0	G 0	5			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening														
421	G 0	G 0	9			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening														
422	G 0	G 0	7			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Pad in Wildlife Opening														
424	G 0	G 0	8			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening														
425	G 0	G 0	7			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening														
427	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Pad														
430	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Pad														
436	G 0	G 0	7			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Wildlife Opening														
437	G 0	G 0	4			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas Pad in Wildlife Opening														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 45

Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need	
					D B H	Tot. BA									
441	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0		
comnts Fmd : Gas Pad in Wildlife Opening															
442	G 0	G 0	6			0		grass	nonstocked	N		not scheduled	0		
comnts Fmd : Wildlife Opening															
443	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0		
comnts Fmd : Wildlife Opening															
444	G 0	G 0	5			0		grass	nonstocked	N		not scheduled	0		
comnts Fmd : Wildlife Opening															
450	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0		
comnts Fmd : Gas Pad															
454	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0		
comnts Fmd : Gas Pad															
461	G 0	G 0	11			0		grass	nonstocked	N		not scheduled	0		
comnts Fmd : Power Line, Much of the area is low ground.															
<b>Total Acres.....</b>			<b>1772</b>												