

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	U 0	U 0	5			0	49	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : CLEAR-CUT 2002, sale 016-98. Motorized vehicles prohibited by Director's Order.														
2	A 3	M 1	6	4	1	0	56	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CLEAR-CUT 2002, sale 016-98. Motorized vehicles prohibited by Director's Order.														
3	O 5	R 1	8	72	9	60	49	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : 6 acres of 5 spots cut 2000, sale 19-98. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
4	O 6	R 2	37	72	9	130	49	oak	immature	N		20-29 years	0	
comnts Fmd : Motorized vehicles prohibited by Director's Order.														
5	A 3	A 3	11	4	1	0	56	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CLEAR-CUT 2002, sale 016-98. Motorized vehicles prohibited by Director's Order.														
6	A 3	A 3	6	4	1	0	56	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CLEAR-CUT 2002, sale 016-98. Motorized vehicles prohibited by Director's Order.														
7	R 6	X 0	146	47	8	180	52	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Third row thinning. LCR31:0.33-0.50 Highly variable BA over short distances. Motorized vehicles prohibited by Director's Order.														
10	J 3	O 1	23	6	1	0	48	jack pine	immature	N		50-59 years	0	
comnts Fmd : CLEAR-CUT, 1999. Motorized vehicles prohibited by Director's Order.														
11	R 6	X 0	5	47	8	180	52	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Third row thinning. LCR31:0.33-0.50. Motorized vehicles prohibited by Director's Order.														
12	R 6	R 2	8	47	7	90	46	red pine	immature	N		20-29 years	0	
comnts Fmd : 3RD ROW THINNed 2005. Motorized vehicles prohibited by Director's Order.														
13	A 6	E 2	32	70	8	80	54	aspen (upland)	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : Contains complex vernal pond network. Motorized vehicles prohibited by Director's Order.														
14	J 5	O 2	18	41	5	50	46	jack pine	immature	N		20-29 years	0	
comnts Fmd : Motorized vehicles prohibited by Director's Order.														
15	R 4	U 0	20	48	7	20	46	red pine	sparse	N		20-29 years	0	
comnts Fmd : Very PVCd. Motorized vehicles prohibited by Director's Order.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
16	R 5	J 2	24	41	6	60	43	red pine	immature	N		20-29 years	0	
comnts Fmd : A two or three aged stand. The bulk is from 1965, but some is from 1937. This is also a J2 class which looks to be about 20-25 years old. Motorized vehicles prohibited by Director's Order.														
17	R 5	J 2	27	41	6	60	43	red pine	immature	N		20-29 years	0	
comnts Fmd : A two or three aged stand. The bulk is from 1965, but some is from 1937. This is also a J2 class which looks to be about 20-25 years old.														
20	A 3	O 1	24	4	1	0	54	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : LEFT BUFFER AROUND VERNAL PONDS. Cut 2002, sale 106-98														
21	A 3	O 1	8	4	1	0	54	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : LEFT BUFFER AROUND VERNAL PONDS. Cut 2002, sale 106-98														
22	J 3	O 1	50	14	2	0	45	jack pine	immature	N		50-59 years	0	
comnts Fmd : 3RD ROW THINned, 2005.														
24	J 6	R 1	7	66	7	70	47	jack pine	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
25	J 6	R 1	5	66	7	70	47	jack pine	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
26	J 6	R 1	3	66	7	70	47	jack pine	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
27	J 6	R 1	1	66	7	70	47	jack pine	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
30	A 6	E 2	3	70	8	80	54	aspen (upland)	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : Contains complex vernal pond network.														
31	R 6	R 2	85	47	7	90	46	red pine	immature	N		20-29 years	0	
comnts Fmd : 3RD ROW THINned 2005.														
33	O 5	O 1	15	70	8	50	48	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Two 2-acre 5-spots cut 2000, sale 19-98. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
34	P 2	L 1	25	26	2	0	52	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : CUT ON CONTRACT 140-78														
35	J 3	O 1	19	6	1	0	48	jack pine	immature	N		50-59 years	0	
comnts Fmd : CLEAR-CUT, 1999.														
36	R 6	R 1	9	38	7	170	55	red pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : 3RD ROW THINNING														
40	R 9	R 3	5	47	11	160	56	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : Third row thinning. LCR31:0.33-0.50														
41	R 9	R 3	10	47	11	160	56	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : Third row thinning. LCR31:0.33-0.50. Motorized vehicles prohibited by Director's Order.														
42	A 3	U 2	13	4	1	0	54	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CLEAR-CUT 2002, sale 016-98. A browsed-off A2O1. Looks like it will eventually produce an A5 or A6. Motorized vehicles prohibited by Director's Order.														
43	O 6	M 2	16	72	8	70	52	oak	mature	N		not scheduled	0	
comnts Fmd : Mr2 understory. Motorized vehicles prohibited by Director's Order.														
44	O 6	E 1	71	72	9	100	53	oak	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Rare or unique land forms														
comnts Fmd : SCA. Part of buffer for sinkholes fracture line. Motorized vehicles prohibited by Director's Order.														
45	J 5	O 2	19	63	5	60	37	jack pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Rare or unique land forms Threatened, endangered, and special concern species/communities Scenic values/visual values														
comnts Fmd : SCA. Buffer on south side of Shoepac Lake Sinkholes. Motorized vehicles prohibited by Director's Order.														
46	J 5	O 2	19	63	5	60	37	jack pine	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Advanced 02-O3 is often 0.75 to 1 inch at ground level. Cut with 100" spec and shortwood to protect oak regeneration. Motorized vehicles prohibited by Director's Order. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
47	U 0	U 0	2			0	39	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING. Motorized vehicles prohibited by Director's Order.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
50	J 5	O 2	35	61	8	60	43	jack pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : O2J1. Shortwood to protect O2 understory and reduce visual impact. HCP. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
51	O 6	O 1	34	66	8	70	39	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Two 2-acre and one 1-acre 5spots cut 2000, sale 19-98. Regeneration from acorns is present but heavily browsed. Stump sprouts have faired better. Motorized vehicles prohibited by Director's Order. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
52	A 6	M 1	34	72	8	90	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : M1O1. Woodpecker activity. Motorized vehicles prohibited by Director's Order. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand. Wave north edge of cut line to avoid squared off look, but do not cross two-track into stand 53.														
53	A 6	U 1	70	72	9	140	55	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities Rare or unique land forms Scenic values/visual values														
comnts Fmd : SCA. Buffer on south side of Shoepac Lake Sinkholes. Motorized vehicles prohibited by Director's Order.														
54	O 5	O 1	7	66	6	40	39	oak	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Rare or unique land forms Threatened, endangered, and special concern species/communities Scenic values/visual values														
comnts Fmd : SCA. Buffer on south side of Shoepac Lake Sinkholes. Motorized vehicles prohibited by Director's Order.														
55	U 0	U 0	3			0	55	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Motorized vehicles prohibited by Director's Order.														
56	J 3	O 1	18	5	1	0	36	jack pine	immature	N		60-69 years	0	
comnts Fmd : CLEAR-CUT 1999. Replanted. J3O1. Motorized vehicles prohibited by Director's Order.														
57	R 3	O 1	6	18	1	0	55	red pine	immature	N		30-39 years	0	
comnts Fmd : PLANTED RP 1988														
58	R 6	M 1	15	38	5	100	52	red pine	immature	N		10-19 years	0	
comnts Fmd : Motorized vehicles prohibited by Director's Order.														
59	A 3	A 3	5	4	1	10	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3O2. Left OAK OVER 12 IN. DBH. Cut 2002, sale 016-98. Motorized vehicles prohibited by Director's Order.														
60	O 5	O 1	25	66	7	60	36	oak	immature	N		not scheduled	0	
comnts Fmd : TOMAHAWK LAKE CAMPGROUND AND BOAT LAUNCH														

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
61	J 5	O 2	18	35	9	40	36	jack pine	immature	N		not scheduled	0	
comnts Fmd : HCP. O2J2. O3 is 10' or higher in places. Scattered aspen clones. This is something of a two-aged stand, but the older, sparse stand has mostly been replaced.														
62	O 5	J 1	21	63	8	60	36	oak	mature	N	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : One 2-acre and one 1-acre 5-spots cut 2000, sale 19-98. Have been finding heavy browse in five spots in this compartment. Oak appears to be regenerating from acorns, but gets chewed off at the two foot level. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
63	A 3	A 3	34	17	2	0	52	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : HIGH COUNTRY PATHWAY. MANAGE FOR ASPEN-OAK.														
64	R 6	X 0	11	39	6	100	49	red pine	immature	N		20-29 years	0	
65	Y 0	Y 0	1		0	0	36	sand dunes	nonstocked	N		not scheduled	0	
comnts Fmd : Illegal ORV scramble area. On ORV route.														
66	O 5	O 1	34	66	8	60	36	oak	immature	N		10-19 years	0	
comnts Fmd : Some advanced O2 in stand. Advanced O3 beneath jack pine.														
67	R 6	O 2	21	47	6	120	52	red pine	immature	N		20-29 years	0	
comnts Fmd : SOME SCATTERED OAK AND JP.														
68	O 5	O 1	19	66	6	40	37	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : One 2-acre 5-spot cut 2000, sale 19-98. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
69	R 6	X 0	29	47	9	190	50	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Third row thinning. LCR31:0.33-0.50 Yes, the understory is really an X.														
70	A 3	A 3	40	4	1	10	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3O2. Left OAK OVER 12 IN. DBH. Cut 2002, sale 016-98.														
71	V 0	V 0	2			0		bog or muskeg	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA? Fen?														
72	W 4	A 2	25	2	8	30	54	white pine	immature	N		not scheduled	0	
comnts Fmd : Shoepac Lake Campground. Hazard trees cut 2004. Jack pine and aspen were removed. The A2 regeneration with white pine release will produce long rotation white pine for the campground.														
73	O 6	M 1	17	72	8	70	51	oak	immature	N		not scheduled	0	
comnts Fmd : INCLUDES TWO CLOSED LOOPS AT SHOEPAC LAKE.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
74	A 3	A 3	51	16	1	0	58	aspen (upland)	immature	N		40-49 years	0	
75	O 6	W 2	23	72	9	70	50	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : W202 understory. Leave RP. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand. Red pine is regenerating naturally on north side of stand.														
76	A 6	W 3	10	67	8	70	50	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : FRANCIS LAKE BUFFER. CONVERTING TO WP.														
77	N 0	N 0	6					marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Tomahawk Creek.														
80	A 3	W 1	27	4	1	0	57	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Left WHITE PINE. Cut 2002, Sale 016-98														
81	A 6	W 2	16	84	8	120	57	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones Water quality/bmps														
comnts Fmd : Lake frontage on little Tomahawk Lake. This is the buffer zone from the sale to the north.														
82	N 0	N 0	4					marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Tomahawk Creek.														
83	Z 0	Z 0	35					water	nonstocked	N		not scheduled	0	
comnts Fmd : Little Tomahawk Lake and flooded portion of Tomahawk Creek.														
84	A 6	U 1	9	70	8	100	56	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Bridge needed (portable bridge not available or inadequate) Inadequate volume due to small acreage														
comnts Fmd : Has become an island do to beaver floodings. Access would trash regen in nearby stands. Insufficient acreage after buffing for water and slopes.														
85	J 5	J 1	4	60	6	40	36	jack pine	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Manage with stands in adjacent compartments. Leave buffer on stream.														
86	J 3	O 1	21	7	1	0	37	jack pine	mature	N		50-59 years	0	
comnts Fmd : CLEAR-CUT 1999. J3O1A1.														
87	A 3	M 1	33	18	2	0	48	aspen (upland)	immature	N		30-39 years	0	

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 123 Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
90	J 3	O 1	11	7	1	0	37	jack pine	mature	N		50-59 years	0	
comnts Fmd : CLEAR-CUT 1999. J3O1A1.														
91	A 5	A 1	5	66	8	60	53	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps Scenic values/visual values														
comnts Fmd : Buffer between Tomahawk Lake Road and Tomahawk Lake.														
92	O 6	O 2	13	66	8	80	36	oak	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : One 2-acre 5-SPOT cut 2000. Sale 19-98. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand. Do not cut red pine or white pine.														
93	J 5	O 1	21	61	8	60	36	jack pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Recreational site Scenic values/visual values														
comnts Fmd : CAMPGROUND BUFFER.														
94	R 3	O 1	23	18	1	0	55	red pine	immature	N		30-39 years	0	
comnts Fmd : PLANTED RP 1988														
95	L 0	L 0	8			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Drainage channel.														
96	O 5	O 1	6	66	6	40	36	oak	immature	N		not scheduled	0	
comnts Fmd : LITTLE TOMAHAWK PUBLIC ACCESS SITE														
97	X 0	X 0	17			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : COUNTY ROADS														
494	G 0	G 0	2			0	55	grass	nonstocked	N		not scheduled	0	
comnts Fmd : OLD WELL SITE AND ADJACENT NATURAL OPENING.														
<b>Total Acres.....</b>			<b>1725</b>											