

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 140 Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	A c r e s	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
14	N 0	N 0	22			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Grand Lake Pike Spawning Marsh, maintained by Fisheries Division.														
22	A 4	F 2	25	76	7	40	40	aspen (upland)	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones														
comnts Fmd : MANAGE FOR VISUAL,POOR QUALITY- SHORT														
24	E 6	L 2	10	81	9	80	49	swamp hardwoods	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : WET LOWLAND HARDWOOD,POOR QUALITY														
25	X 0	X 0	8			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OLD GRAVEL PIT-TRANSFER SITE TO EAST														
26	A 3	A 3	24	31	4	0	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : UPLAND BRUSH ALONG SOUTH SIDE OF PIT														
28	F 4	A 2	18	76	6	30	51	spruce-fir (uplands-including upland black spruce)	sparse	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : POCKET OF R9 NW CORNER UPLAND SPRUCE TYPE														
29	S 5	F 2	5	76	5	50	49	black spruce-swamp	mature	N		10-19 years	0	
comnts Fmd : SOME CEDAR IN UNDERSTORY														
30	S 4	S 2	46	76	7	20	43	black spruce-swamp	sparse	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : STREAM RUNNING THROUGH-HOLD-POOR ACCESS														
31	P 2	F 1	83	14	2	0	52	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : reproduction is better in south end .P2,F1,S1,C1,WP1														
32	S 5	F 2	35	86	8	60	52	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Very mixed, uneven aged stand.Wet areas. Some cedar in understory. Some scattered, dying jack pine. Rocky.														
33	C 5	C 1	92	76	6	60	29	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : HOLD INDEF. Very unthrifty in north end,may have been flooded.														
34	S 4	L 2	31	76	7	10	30	black spruce-swamp	sparse	N		not scheduled	0	
comnts Fmd : POOR ACCESS HOLD INDEF. A lot of small areas of ponding. Rocky soil. Some blow down.S4,F1,S1,C1,L,U.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
35	C 6	L 1	36	83	9	110	42	cedar	immature	N		not scheduled	0	
comnts Fmd : Appears to be rocky underneath,very little deer activity. Heavier to P in west end of stand.														
36	U 0	U 2	12	76	0	0	45	upland brush	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities														
comnts Fmd : Alvar?Mostly U with scattered R.oak,w. ash,h. maple,r. elm,basswood,w. pine, balsam,w. birch, & aspen. Rocky														
37	M 6	U 1	35	76	5	70	54	northern hardwood	mature	N		10-19 years	0	
comnts Fmd : very unusuall stand, lime stone ridge, other than W. pine and basswood trees are short, poorly formed, and unthrifty. Quite a bit of small rock elm. Mixed hardwood is a mix of w.ash, rock elm, basswood, h. maple, & w. birch.														
38	S 5	F 2	7	86	8	60	52	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Very mixed, uneven aged stand.Wet areas. Some cedar in understory. Some scattered, dying jack pine. Rocky.														
40	U 0	U 0	5	76		0	48	upland brush	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities														
comnts Fmd : SPRUCE CREEPING IN. (U,C1,S1,F1) Very rocky soil. Some aspen encroaching. Alvar?														
41	Q 6	L 1	59	83	7	70	43	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : POOR ACCESS-HOLD INDEF. Small intermittent stream flows through stand.														
42	Q 6	L 1	6	83	7	70	43	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : POOR ACCESS-HOLD INDEF.														
47	Q 6	F 1	40	83	7	70	43	mixed swamp conifer	old growth (potential or actual)	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities														
comnts Fmd : Alvar? Unusual stand- very poor quality-timber is short& unthrifty. Rocky surface w/ some wet areas.White pine seems to be doing the best.														
48	Q 6	F 1	115	83	7	70	43	mixed swamp conifer	old growth (potential or actual)	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities														
comnts Fmd : Alvar? Unusual stand- very poor quality-timber is short& unthrifty. Rocky surface w/ some wet areas.White pine seems to be doing the best.														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 140 Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
49	J 5	F 1	11	51	5	70	51	jack pine	immature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : WEST PART OF STAND IS SOLID J PINE W/THICK SPRUCE UNDER STORY. LET J PINE DIE & CONVERT TO SPRUCE														
50	P 5	F 1	8	81	6	50	68	balsam poplar & swamp aspen and swamp white birch	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
comnts Fmd : Wet!														
53	P 6	F 2	8	81	8	80	50	balsam poplar & swamp aspen and swamp white birch	sparse	Y		50-59 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Quite wet, some areas of ponding.														
54	F 6	F 1	61	69	9	80	68	spruce-fir (uplands-including upland black spruce)	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : A LOT OF BLOW DOWN IN PLACES....MOSTLY TOO WET TO OPERATE WITH BMP'S, ETC.....														
55	C 6	L 1	3	89	6	130	36	cedar	immature	N		20-29 years	0	
58	S 6	F 1	10	76	7	90	51	black spruce-swamp	immature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : No legal access. Wet!														
59	F 6	F 1	11	79	8	80	54	spruce-fir (uplands-including upland black spruce)	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : NO LEGALACCESS														
69	L 0	L 0	3			0		lowland brush	immature	N		not scheduled	0	
71	A 3	A 3	11	36	3	0	56	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : STILL AN A-3. Not a real well stocked A-3. A2,C1,F1														
72	S 4	L 1	1	81	5	30	40	black spruce-swamp	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Bridge needed (portable bridge not available or inadequate)														
comnts Fmd : ISLAND IN GRAND LAKE														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA							
114	N 0	N 0	5			0	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : very wet and marshy in places.													
125	X 0	X 0	2			0	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : OLD GRAVEL PIT-TRANSFER SITE TO EAST													
131	P 5	F 1	15	76	8	50	29	balsam poplar & swamp aspen and swamp white birch	immature	Y	10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity													
comnts Fmd : Narrow uncut strip left between stand 31 and stand 25 in compartment 141- no evidence of section line.													
132	S 5	F 2	15	86	8	60	52	black spruce-swamp	immature	Y		not scheduled	0
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)													
comnts Fmd : Very mixed, uneven aged stand. Wet areas. Some cedar in understory. Some scattered, dying jack pine. Rocky.													
133	X 0	X 0	22			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0
comnts Fmd : ELECTRIC TRANSMISSION LINE, WET IN PLACES.													
134	C 6	L 1	6	83	9	110	42	cedar	immature	N		not scheduled	0
comnts Fmd : Appears to be rocky underneath,very little deer activity. Heavier to P in west end of stand.													
135	C 6	L 1	20	83	9	110	42	cedar	immature	N		not scheduled	0
comnts Fmd : Appears to be rocky underneath,very little deer activity. Heavier to P in west end of stand.													
137	U 0	U 2	84	76	0	0	45	upland brush	old growth (potential or actual)	N		not scheduled	0
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities													
comnts Fmd : Alvar?Mostly U with scattered R.oak,w. ash,h. maple,r. elm,basswood,w. pine, balsam,w. birch, & aspen. Rocky													
140	U 0	U 0	5	76		20	48	upland brush	immature	N		not scheduled	0
comnts Fmd : SPRUCE CREEPING IN. (U,C1,S1,F1) Very rocky soil. Some aspen encroaching. Alvar?													
141	U 0	U 0	10	76		0	48	upland brush	old growth (potential or actual)	N		not scheduled	0
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities													
comnts Fmd : SPRUCE CREEPING IN. (U,C1,S1,F1) Very rocky soil. Some aspen encroaching. Alvar?													

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
148	Q 6	F 1	8	83	7	70	43	mixed swamp conifer	old growth (potential or actual)	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities</p> <p>comnts Fmd : Alvar? Unusual stand- very poor quality-timber is short&amp; unthrifty. Rocky surface w/ some wet areas.White pine seems to be doing the best.</p>														
153	P 6	F 2	1	81	8	80	50	balsam poplar & swamp aspen and swamp white birch	sparse	Y		50-59 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Quite wet, some areas of ponding.</p>														
154	F 6	F 1	3	69	9	80	68	spruce-fir (uplands-including upland black spruce)	immature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : A LOT OF BLOW DOWN IN PLACES....MOSTLY TOO WET TO OPERATE WITH BMP'S, ETC.....</p>														
155	C 6	L 1	1	89	6	130	36	cedar	immature	N		20-29 years	0	
<hr/>														
159	F 6	F 1	28	79	8	80	54	spruce-fir (uplands-including upland black spruce)	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : POOR ACCESS</p>														
172	S 4	L 1	1	81	5	30	40	black spruce-swamp	sparse	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Bridge needed (portable bridge not available or inadequate)</p> <p>comnts Fmd : ISLAND IN GRAND LAKE</p>														
214	N 0	N 0	30			0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Low marshy area between two limestone ridges.</p>														
235	C 3	F 1	1	20	1	0	42	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : Appears to be rocky underneath,very little deer activity.</p>														
237	U 0	U 2	5	76	0	0	45	upland brush	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities</p> <p>comnts Fmd : Alvar?Mostly U with scattered R.oak,w. ash,h. maple,r. elm,basswood,w. pine, balsam,w. birch, &amp; aspen. Rocky</p>														
240	U 0	U 0	17	76		0	48	upland brush	immature	N		not scheduled	0	
<p>comnts Fmd : SPRUCE CREEPING IN. (U,C1,S1,F1) Very rocky soil. Some aspen encroaching.</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
248	Q 6	F 1	7	83	7	70	43	mixed swamp conifer	old growth (potential or actual)	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities</p> <p>comnts Fmd : Alvar? Unusual stand- very poor quality-timber is short&amp; unthrifty. Rocky surface w/ some wet areas.White pine seems to be doing the best.</p>														
253	P 4	F 2	7	81	8	20	50	balsam poplar & swamp aspen and swamp white birch	sparse	Y		50-59 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd :</p>														
269	L 0	L 0	8					lowland brush	immature	N		not scheduled	0	
<p>comnts Fmd : Wet marshy area....Mostly "L".</p>														
314	N 0	N 0	9					marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : low marshy area between two limestone ridges.</p>														
335	C 6	L 1	6	83	9	110	42	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : Appears to be rocky underneath,very little deer activity. Heavier to P in west end of stand.</p>														
340	U 0	U 0	6	76				upland brush	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities</p> <p>comnts Fmd : SPRUCE CREEPING IN. (U,C1,S1,F1) Very rocky soil. Some aspen encroaching. Alvar?</p>														
353	P 4	F 2	7	81	8	20	50	balsam poplar & swamp aspen and swamp white birch	sparse	Y		50-59 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd :</p>														
401	G 0	G 1	17					grass	nonstocked	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : ROCKY-POOR ACCESS-TREES MOVING IN SLOWLY.Alvar?</p>														
402	G 0	G 1	3					grass	nonstocked	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : ROCKY-POOR ACCESS-TREES MOVING IN SLOWLY.Alvar?</p>														
403	G 0	U 1	1					grass	nonstocked	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : ROCKY-POOR ACCESS-TREES MOVING IN SLOWLY.Alvar?</p>														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 140 Entry Year: 2008

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA							
404	G 0	U 1	6			0	54	grass	nonstocked	N		not scheduled	0
<u>Treatment Limiting Factors:</u>													
Adjacent landowner denies access													
comnts Fmd : ROCKY-POOR ACCESS-TREES MOVING IN SLOWLY.G, U,S4,F1,C1.Alvar?													
405	G 0	U 1	6			0	54	grass	nonstocked	N		not scheduled	0
<u>Treatment Limiting Factors:</u>													
Adjacent landowner denies access													
comnts Fmd : ROCKY-POOR ACCESS-TREES MOVING IN SLOWLY.G,F1,WA4.Alvar?													
<b>Total Acres.....</b>			<b>1203</b>										