

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnstry	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
1	L 0	L 0	14			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
2	A 3	P 3	157	13	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : A3/P3/F2 Small pockets of tagalder mixed in low areas.														
3	L 0	L 0	5			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
4	E 6	F 2	35	66	9	100	55	swamp hardwoods	mature	N	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Winter Cut. Southern area of stand may be to wet to treat, look at ground conditions in the fall. Scattered Ash, Birch, and balsam fir. No cut cedar or pine if present. Mixture of Hdwd and aspen regeneration is acceptable.														
5	P 9	E 2	101	80	13	100	55	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Winter Cut, Leave any Cedar, Hemlock and White Pine. Only acceptable access into stand is through the private to the West off the end of Black Bear Hwy. Leave Drumming Logs for Grouse. Mixture of aspen, red maple and white pine is acceptable regeneration.														
6	L 0	E 1	115			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Very sparse areas of E4 through out stand.. The northern edge along Stand 5 is P3/E3. Didn't make it all the way through the stand there may be some pockets of C4/C5 towards Southern edge.														
7	C 6	E 1	45	99	8	110	33	cedar	mature	N		not scheduled	0	
comnts Fmd : Poor access into stand.														
8	Q 6	E 2	186	99	8	80	33	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Inferior quality														
comnts Fmd : Stand is a big mix of small stands. It would take a large amount of time to break out into very small stands of Low, Cedar, Mixed Conifer and Lowland Hardwoods.														
10	P 6	F 2	3	66	9	110	55	balsam poplar & swamp aspen and swamp white birch	mature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access Too wet														
comnts Fmd : No access to stand.														
11	L 0	L 0	16			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
12	P 6	F 2	16	66	9	110	55	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Winter Cut. Do not cut scattered Hemlock or Cedar. Areas of blowdown. Pocket of heavy cedar in NW corner of stand. May want to keep operations out of cedar area. Mixture of conifer, aspen and red maple is acceptable regeneration.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
13	P 5	F 2	380	41	6	70	60	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : Large stand of low ground aspen. NW corner of the stand is heavy to hardwoods but will be treated at the same time and same fashion as the rest of stand. Finger towards NE corner of stand is pretty wet. Pockets of cedar or hemlock mixed throughout the northern half of stand. Several illegal blinds. Good deer and grouse habitat.														
14	P 5	F 3	57	41	6	70	55	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : Same as stand 13 only heavy Baslam Fir component.														
15	L 0	L 0	5					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
16	L 0	L 0	5					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
17	L 0	L 0	3					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
18	L 0	L 0	6					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
20	L 0	L 0	7					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
21	L 0	L 0	10					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
22	L 0	L 0	4					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
23	L 0	L 0	4					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
24	P 3	A 3	226	15	1	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : some low areas with tagalder. Some of the old skid trails are rutted as well as main road. Illegal blinds throughout stand.														
25	P 9	F 3	179	70	12	100	55	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Featured species is log sized. Winter cut. Build road from North down high ridge. Ridge in center of stand is E/B type. No cut Cedar or Hemlock. Lots of striped maple in stand. Mixture of aspen, birch, maple and pine is acceptable regen.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
26	C 4	F 1	48	86	6	30	26	cedar	sparse	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inferior quality														
Too wet														
comnts Fmd : Lots of Standing water, not a nice place to be in June.														
27	C 6	E 1	36	96	8	110	26	cedar	mature	N		not scheduled	0	
comnts Fmd : Very poor access into stand through state land.														
28	L 0	L 0	12					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
29	L 0	L 0	26					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : low areas with standing water														
30	C 6	E 1	34	96	8	110	26	cedar	mature	N		not scheduled	0	
comnts Fmd : Very poor access into stand through state land.														
40	R 9	W 3	8	86	12	80	50	red pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Rare or unique land forms														
Too steep														
comnts Fmd : Stand is old dune area, steep sandy slopes.														
41	J 3	J 3	57	15			0	50	jack pine	immature	N	40-49 years	0	
42	O 4	J 2	33	86	9	30	52	oak	in process of regeneration	Y		60-69 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Stand was cut in 2001, Jack Pine is seeding in. No treatments necessary at this time. Monitor JP survival and plant if necessary next entry.														
43	O 4	J 2	17	86	9	30	52	oak	in process of regeneration	Y		60-69 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Stand was cut in 2001, Jack Pine is seeding in. No treatments necessary at this time. Monitor JP survival and plant if necessary next entry.														
44	O 6	J 1	5	74	8	70	52	oak	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : Steep sand slopes. Leave for visual.														
50	R 9	W 3	15	71	12	90	58	red pine	mature	N		30-39 years	0	
comnts Fmd : Leave for Visual Management. Had Timber Trespass in stand summer 2005. CO Milkowski handled the case. Wet ground to the west end.														
51	R 6	W 1	5	67	9	190	48	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Red Pine Pole stand, with a subcanopy of Hemlock in areas. Protect Hemlock when treating.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
52	R 6	W 2	5	64	8	110	58	red pine	mature	N		10-19 years	0	
comnts Fmd : Steep Slope in middle of stand.														
53	R 6	W 2	8	64	8	110	58	red pine	mature	N		10-19 years	0	
comnts Fmd : Steep Slope in middle of stand.														
54	R 6	W 2	1	64	8	110	58	red pine	mature	N		10-19 years	0	
comnts Fmd :														
55	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Old Sand Pit.														
56	R 6	W 1	31	67	9	190	48	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Red Pine Pole stand, with a subcanopy of Hemlock in areas. Protect Hemlock when treating. Small Strip of cedar to west end of stand.														
57	X 0	X 0	5			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : State Police Tower.														
58	A 6	W 2	9	74	8	80	68	aspen (upland)	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Previous Stand examiner wanted to hold indefinitely to convert to WP. Look at closer when lease is up on State Police tower. It may be possible to remove the aspen overstory without much damage to WP at that time.														
59	R 9	W 2	24	66	11	80	51	red pine	mature	N	seed tree	within 0-9 years	2	
comnts Fmd : Harvest in summer to scarify soil. Try to protect existing White Pine regen. Leave scattered oak, red pine and white pine for seed source and visual management. Mixture of pine, oak and maple regeneration is acceptable.														
60	R 6	W 1	3	67	9	190	48	red pine	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Influence zones Scenic values/visual values														
comnts Fmd : Leave for Visual. Red Pine Pole stand, with a subcanopy of Hemlock in areas.														
61	R 6	W 2	1	64	8	110	58	red pine	mature	N		10-19 years	0	
comnts Fmd :														
62	R 6	W 2	2	64	8	110	58	red pine	mature	N		10-19 years	0	
comnts Fmd :														
70	X 0	X 0	6			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : US-23														

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 152 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H								
71	X 0	X 0	3		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : US-23 & 40 Mile Pte Road													
72	X 0	X 0	1		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : 40 Mile Pte Road													
73	X 0	X 0	2		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Co Rd 646													
74	X 0	X 0	4		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : US-23, Huron Shores and 40 Mile Pt Rd													
75	X 0	X 0	1		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Black Bear Hwy													
Total Acres.....			1982										