

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	A 7	A 1	40	41	10	30	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : GAS WELL ON WEST EDGE OF STAND-Steep slopes west of trail leading to gas pad, gate is usually locked. Areas of smaller aspen with an overstory of oak. Red pine saw timber near gas pad. Larger aspen along Co. Rd. 612. Understory mostly red maple. Could cut to stagger aspen age class in compartment, if so, leave 3 to 4 oak and 3 to 4 aspen per acre, Leave red and white pine.														
2	A 3	W 1	3	7	2	40	62	aspen (upland)	immature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : cut 2000, sale 18-99, Left some oak and red pine.														
3	R 9	O 2	7	101	12	90	58	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : Natural stand of red pine. Leave for protection of stand 4. Need to block trail to stand 4, vehicle damage to stand 4.														
4	N 0	X 0	34		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER ACTIVITY-TRAIL RD ON EAST END FLOODED. 2006, water level has dropped where vehicles are driving out onto area and mud bogging, this needs to be stopped.														
5	A 5	A 3	51	41	5	40	62	aspen (upland)	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : Steep slopes through out the stand, operations are severely limited.														
6	A 5	X 0	16	41	6	60	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Turning into a pole stand, along Co. Rd. 612. Some white and red pine in stand. Trash along pipeline, failed berm.														
7	O 9	O 1	22	88	14	80	56	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Stay off steep slopes, slopes will be retention. A mix of regeneration will be satisfactory. Leave any red or white pine. Keep retention along 612 and on slopes.														
8	A 6	A 2	9	41	8	70	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Pipe line in stand. Similar to stand 1.														
9	A 5	A 2	7	41	6	50	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Marure aspen on south side of trail.														
10	O 9	O 1	26	92	12	110	53	oak	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Travel area to Sage Lake. Retention along stand 4.														
11	A 5	O 3	20	41	10	60	62	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Retention along west edge of stand, follow BMP's. Winter harvest, due to soil conditions and understory (oak and some white pine). Any type of regeneration is satisfactory. East side drier soils.														
12	W 9	F 2	8	91	18	100	53	white pine	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Natural stand. Wet soil conditions. Split by power line.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B								
13	L 0	X 0	21	41	0	0		lowland brush	immature	N		not scheduled	0	
comnts Fmd : Back waters of Sage Lake, lake level currently low.														
14	O 9	O 2	12	92	14	70	53	oak	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
Water quality/bmps														
comnts Fmd : Steep-Resource Damage, Blocked in past. Just west of public access.														
15	A 4	A 3	54	17	4	20	51	aspen (upland)	immature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : Slope issues. Some areas of "L". Quad trail through stand, need to block.														
16	C 6	L 1	24	92	6	100	40	cedar	immature	N		not scheduled	0	
comnts Fmd : Portions flodded in past, mortality.														
17	C 6	L 1	7	92	6	110	40	cedar	immature	N		not scheduled	0	
18	A 3	X 0	7	7	1	0	56	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut 2000, sale 2-99 left oak. Snowmobile trail in west. Historic hunting camp to east.														
19	A 3	X 0	7	11	1	0	58	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : CUT WITH SALE FROM THE NORTH														
20	A 6	U 1	8	81	10	70	58	aspen (upland)	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : STEEP SLOPES														
21	A 3	U 1	3	10	3	10	58	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut with stand to the north in comp. 4.														
22	L 0	X 0	5		0	0		lowland brush	immature	N		not scheduled	0	
comnts Fmd : Stream through stand.														
23	N 0	X 0	1		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Water level is lower this entry compared to last.														
24	Z 0	Z 0	62		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : SAGE LAKE. Water levels have dropped considerably.														
25	N 0	X 0	2		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Water level has dropped considerably. Part of Sage Lake when water level is up.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
26	C 6	M 2	46	92	8	110	45	cedar	immature	N		30-39 years	0	
comnts Fmd : Large stand near and along Sage Lake. M= Black Ash.														
27	W 6	S 1	5	102	10	70	54	white pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Boggy soil conditions, drainage along east side, contains black spruce.														
28	A 5	A 2	15	41	9	50	62	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Hilly in spots, Smaller trees along 612. Leave retention along west edge. Cut aspen , red maple and jack pine. Stand contains some white pine in the understory to the east..														
29	A 6	A 2	26	41	6	80	62	aspen (upland)	immature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
comnts Fmd : THREE GAS WELLS IN ADJACENT STAND. Use as a buffer for stand 434, trail gated most of the time, Some oak, red, white, jack pine. Some hills.														
30	O 8	A 3	13	92	10	50	66	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : MODERATLY HILLY-thinned 2000, sale 18-99														
31	O 9	O 1	98	92	14	100	66	oak	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : EXTREMELY HILLY-HOLD														
32	A 5	O 1	21	41	8	50	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Pockets of smaller trees. Could cut now?? Along 612.														
33	A 5	O 2	24	29	5	40	56	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Some pine content														
34	J 2	G 0	7	17	2	0	50	jack pine	sparse	N		40-49 years	0	
comnts Fmd : Mixture of oak, aspen, jackpine and red pine in an upland brush setting, some cherry. Kettle.														
35	A 3	X 0	13	17	2	0	60	aspen (upland)	immature	N		30-39 years	0	
36	A 6	O 1	19	38	7	80	58	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Pockets OF A3 IN STAND, some pine, Scattered oak sawtimber.														
37	A 6	A 3	100	38	8	100	58	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : SOME AREAS OF A3 IN STAND. Slopes present.														
38	R 6	X 0	12	46	8	200	60	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : NUMEROUS MULTIPLE STEMS. Third row thin														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
39	A 6	U 1	40	86	10	120	59	aspen (upland)	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Steep along Halberg Rd. leave this for retention. Some Juneberry. Leave Oak and any conifer.														
40	A 3	A 1	70	17	2	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 with scattered red pine and oak (<10 BA). Old logging trail being used by quadrunners.														
41	A 9	U 1	18	78	9	80	56	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
Too steep														
comnts Fmd : Some steep sopes, hold for visual.														
42	S 6	F 1	27	92	9	100	41	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Scenic values/visual values														
comnts Fmd : Small area along 612 flooded by beaver.														
43	A 3	U 1	31	16	1	0	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Aspen looking good. N type in north.														
44	O 6	U 1	78	86	9	90	58	oak	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : Stand is steep in most areas.														
45	A 4	A 3	11	32	5	40	58	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd :														
46	N 0	X 0	3		0	0		marsh	nonstocked	N		not scheduled	0	
47	A 5	O 2	61	31	4	60	65	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Some oak saw and poles in stand. Some conifer in the south of stand. Some mature aspen along edge of stand 447.														
48	O 6	O 1	3	77	10	100	58	oak	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : Along Co. Rd. 612, LEAVE FOR VISUAL MGT														
49	O 6	O 1	11	77	9	100	58	oak	immature	N		not scheduled	0	
comnts Fmd : LEAVE FOR VISUAL MGT, some slope issues also.														
50	N 0	X 0	4		0	0		marsh	immature	N		not scheduled	0	
comnts Fmd : Scattered trees, north of 612.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B								
51	S 6	L 1	3	92	8	110	41	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Scenic values/visual values														
comnts Fmd : Some beaver damage along east edge.														
52	A 3	M 1	8	7	1	10	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : cut 2000, sale 2-99, left oak. Good reproduction.														
53	W 9	F 2	4	92	14	100	54	white pine	immature	N		not scheduled	0	
comnts Fmd : HOLD INDEF-LOW AREA														
54	P 6	V 1	2	88	9	110	51	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
comnts Fmd : HIGHER GROUND IN THE SOUTH-POOR ACCESS														
55	A 3	U 1	20	7	1	20	62	aspen (upland)	nonstocked	N		40-49 years	0	
comnts Fmd : Cut 2000, sale 2-99. Left oak														
56	O 7	U 2	11	92	18	20	53	oak	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : SHOULD LEAVE AS A BUFFER FOR STAND 26, conifer component in the north.														
57	O 9	M 1	4	88	10	100	58	oak	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Red Maple in understory.														
58	N 0	X 0	2			0		marsh	nonstocked	N		not scheduled	0	
59	C 6	L 1	1	92	6	80	40	cedar	immature	N		not scheduled	0	
60	O 9	M 3	8	88	10	100	58	oak	immature	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : GAS WELL IN STAND-SOME WHAT HILLY but operable, some aspen and red maple. Red maple in understory.														
61	A 5	A 3	28	31	6	50	65	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Some pine content.														
62	A 4	X 0	12	31	4	40	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Larger trees along road.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
63	A 3	O 1	2	7	1	0	63	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : cut 2000, sale 2-99														
64	A 3	O 1	5	7	1	0	63	aspen (upland)	nonstocked	N		40-49 years	0	
comnts Fmd : cut 2000, sale 2-99														
65	R 9	O 3	58	58	13	110	56	red pine	immature	N		10-19 years	0	
comnts Fmd : REMOVE JACK PINE; done 2000, sale 3-99. Areas of fewer trees.														
66	A 3	X 0	3	27	0	0	61	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CUT WITH COMP 5														
67	O 9	M 1	33	88	16	110	58	oak	immature	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Aspen in the west. More slope issues to the west, some to the east but could come in from thr north (Comp. 5) Oak looks healthy. Stand contains some white ash. Stay off steep slopes.														
68	R 9	A 2	53	58	10	80	57	red pine	immature	N		10-19 years	0	
comnts Fmd : REMOVE JACK PINE AND RED PINE DOUBLES, done, 2000, sale 3-99. The northern part of the stand is heavy to an A3 understory, this was not thinned previously.														
69	J 9	A 1	3	58	12	90	57	jack pine	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Jack pine mortality, do not cut red pine. Juneberry and cherry, some hardwood seedlings. Cut with stand 164. Any natural regeneration will be acceptable.														
70	O 9	M 1	65	77	11	90	66	oak	immature	N		10-19 years	0	
comnts Fmd : THE WEST END IMPORTANT FOR WILDLIFE TRAVEL (Wildlife comment 1997). Some steep slopes. Red maple understory														
71	A 3	O 2	5	7	1	30	61	aspen (upland)	nonstocked	N		40-49 years	0	
comnts Fmd : cut 2000, sale 2-99, left oak.														
72	O 9	O 1	94	77	10	110	58	oak	immature	N	selection	within 0-9 years	1	
comnts Fmd : FIVE SPOT*THORNAPPLE&JUNEBERRY. 9 patches totaling 16 acres cut 2000. Regeneration is good. Continue oak spots but remove half of what is remaining, 4 acres each, silviculture is working here and attracting a variety of songbirds. Do not treat where steep slopes are present. Any regeneration is acceptable.														
73	O 6	O 1	6	77	10	90	58	oak	immature	N		10-19 years	0	
comnts Fmd : FIVE SPOT*THORNAPPLE&JUNEBERRY. 2 patches totaling 3 acres cut 2000. Same as stand 72, cut half of remaining acres.														
74	A 3	A 1	12	15	3	0	60	aspen (upland)	immature	N		40-49 years	0	
75	A 3	A 1	70	15	3	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : SOME RED MAPLE IN WEST STAND HAS GAS WELL. ORV trail and snowmobile trail.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
76	A 9	M 1	69	38	9	90	58	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Land exchange along the west edge, due to a trespass. Stand has several vernal ponds. Conifer component. Leave oak and pine, thin oak where required. Snowmobile and ORV trails. Several different age groups in the stand. Follow BMP's around ponds.														
77	A 3	M 1	17	7	1	0	63	aspen (upland)	nonstocked	N		40-49 years	0	
comnts Fmd : cut 2000, sale 2-99, left oak. Some oak and pine in the overstory.														
78	A 9	M 2	11	82	14	150	60	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : STEEP-HOLD.														
79	O 9	O 1	39	88	12	100	58	oak	mature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Steep along east. Cut the stand in comp. 6 along with this stand due to slopes, access is from the west through gas pad..														
80	A 2	X 0	38	16	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Aspen is patchy in areas. STAND HAS GAS WELL. Aspen with some oak mixed in.														
81	O 9	O 2	28	89	9	80	53	oak	mature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Areas of small aspen and shrub. Thick understory along north south rd. Some areas thick with oak.														
82	A 6	M 1	18	57	6	80	60	aspen (upland)	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave some oak and pine along snowmobile trail for visual. Any type of mixed regeneration is acceptable.														
83	O 9	A 1	14	88	12	70	58	oak	mature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Aspen removed in past.														
84	O 9	W 2	22	88	11	130	58	oak	immature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Red Maple in understory.														
85	A 5	M 1	20	29	5	40	61	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Red Maple in understory.														
86	O 9	W 1	17	88	12	90	56	oak	mature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Young aspen patches. Some areas of thick understory. Recent survey along private.														
87	V 0	V 0	3			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : ORV trail splits stand, the trail is on higher ground. Some white pine.														
88	Q 6	F 1	30	82	9	100	41	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Some areas are sparse.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
89	A 5	X 0	27	38	5	40	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Some oak and aspen in the overstory.														
91	A 4	A 3	11	30	4	20	58	aspen (upland)	immature	N		30-39 years	0	
92	M 6	W 2	19		10	110	55	northern hardwood	unevenaged	N	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Cut birch and aspen. Not a high quality stand.														
93	Q 6	F 1	3	82	7	70	41	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : Keep for protection of stand 192 (N).														
94	A 4	M 2	10	35	4	40	56	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Mostly hardwoods along road and aspen along powerline.														
95	A 5	X 0	12	35	4	40	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : larger trees in stand near gas pad. Conifer content.														
96	M 6	M 1	18		8	80	66	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Thinned 2000.														
97	A 4	A 3	33	35	4	20	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Some slope issues.														
98	A 5	A 3	25	35	6	50	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Conifer component														
99	Q 6	F 1	13	82	7	130	41	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
100	U 2	U 2	4	77	0	0	58	upland brush	immature	N		not scheduled	0	
comnts Fmd : POWER LINE and strip of trees along 612.														
101	A 9	O 2	42	78	12	90	65	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : STEEP SLOPES-OAK-THORNAPPLE DOGWOOD Some conifer in understory--stand 252 created to act as buffer between upland and lowland--buffer is at least 2 chains wide														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
102	A 9	U 1	22	81	9	110	62	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : STAY OFF STEEP SLOPES-LEAVE SOME OAK--leave at least 2 chain buffer in stand 255 between upland and lowland.. Heavier to oak in the south east.														
104	O 8	O 1	8	92	10	40	66	oak	nonstocked	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : MODERATLY HILLY, Removed aspen 2000, sale 18-99														
105	U 0	U 0	4	88		0	50	upland brush	sparse	N		10-19 years	0	
comnts Fmd : Filling in.														
106	O 6	W 2	25	88	10	150	54	oak	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : Steep slopes														
107	M 6	M 1	24		8	150	66	northern hardwood	unevenaged	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : Level stand cut, what remains is too steep and is this stand.														
108	A 5	A 3	8	41	6	60	62	aspen (upland)	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : South of powerline, was part of stand 5.														
109	G 0	G 0	3		0	0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWER LINE along 612 East of stand 13. Some steep slopes.														
110	G 0	G 0	2		0	0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWER LINE along 612 West of stand 13.														
111	U 0	U 0	2	88		0	50	upland brush	sparse	N		10-19 years	0	
comnts Fmd : Filling in. A portion of this stand may be cut with stand 11.														
112	U 0	U 0	9	88		0	50	upland brush	nonstocked	N		10-19 years	0	
114	G 0	G 0	1		0	0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : POWER LINEand gas pipeline south and east of 612														
115	N 0	X 0	1		0	0		marsh	immature	N		not scheduled	0	
comnts Fmd : North of 612.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
125	N 0	X 0	5		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Flooded, water level varies.														
126	U 0	U 0	3	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Aspen, cherry and white pine, getting harder to locate, filling in. Between stands 72 and 101.														
127	C 6	M 2	40	92	8	100	45	cedar	immature	N		30-39 years	0	
comnts Fmd : Large stand near and along Sage Lake. M= Black Ash.														
128	U 0	U 0	1	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Small upland brush area, east of private 40ty.														
129	A 5	A 2	2	41	9	50	62	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Cut with stand 28 , red maple and jack pine. Stand contains some white pine in the understory to the east..														
130	U 0	U 0	1	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Along 612 on the south side, east of production facility.														
134	X 0	X 0	3			0	58	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Compression facility and GAS WELL IN STAND														
136	U 0	U 0	16	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Filling in with Jack pine , aspen and cherry, portions A-5/J-4														
137	U 0	U 0	4	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Filling in with aspen and cherry.														
138	J 5	U 0	4	22	5	50	53	jack pine	nonstocked	N		10-19 years	0	
comnts Fmd : Filling in with Jack pine , aspen and cherry, portions A-5/J-4, was part of stand 136.														
139	U 0	U 0	12	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Filling in with Jack pine , aspen and cherry, portions A-5/J-4, was part of 136.														
140	A 3	A 1	2	17	2	0	59	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : East side of power line.														
142	U 0	U 0	6	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Filling in with aspen and cherry.														
143	U 0	U 0	1	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd :														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
144	O 9	W 1	43	86	10	90	58	oak	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Stay off steep slopes. Do not cut conifer. Some oak may need thinning.														
145	U 0	U 0	2	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Filling in with Jack pine , aspen and cherry, portions A-5/J-4, was part of 45.														
146	N 0	X 0	1		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
147	Q 5	M 2	7	72	10	50	58	mixed swamp conifer	immature	N		not scheduled	0	
Treatment Limiting Factors: Too wet														
comnts Fmd : Wet soils, surrounds stand 48, some white pine.														
148	N 0	X 0	1		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
150	N 0	X 0	1		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Water in the south end, steep slopes adjacent to stand. In stand 101.														
151	W 6	W 2	2	47	8	80	56	white pine	immature	N		not scheduled	0	
comnts Fmd : Narrow strip, between trail road and stand 53. Slopes down to the east.														
153	U 0	U 0	8	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Aspen creeping in.														
154	U 0	U 0	15	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : TRAIL INTERSECTION. Scattered oak, filling in with oak and cherry. Some trash dumboing. South-east corner is a G used as a bear camp. Possible old homestead.														
155	N 0	X 0	1		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Flooded by beaver, still has some water flowing through. Dead cedar. South side of 612.														
160	U 0	U 0	1	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Adjacent to gas well														
164	U 4	U 0	26	88	4	10	50	upland brush	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Contains pockets of aspen, jack pine and cherry, cut portion of stand (West portion) along with stand 69.														
167	U 0	U 0	2	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : A4 mixed in, jack pine and cherry.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
172	U 0	G 0	2			0	58	upland brush	nonstocked	N		20-29 years	0	
comnts Fmd : Filling in with cherry.														
173	U 0	U 0	3	88		0	50	upland brush	nonstocked	N		10-19 years	0	
175	U 0	U 0	13	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Filling in with aspen from stand 75, some cherry. Snowmobile trail.														
176	X 0	X 0	2			0		jack pine	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : OLD GRAVEL PIT USED BY ORVS. Plant and post.														
177	U 0	U 0	24	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Scattered trees, cherry.														
178	X 0	X 0	3			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : GRAVEL PIT USED Montmorency County, as recent as 2005.														
179	U 0	U 0	3	88		0	50	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Adjacent to stands 79, 78 and 81.														
192	N 0	X 0	1		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : At the end of trail through stand 93.														
194	U 0	G 0	3			0	60	upland brush	nonstocked	N		20-29 years	0	
195	U 0	G 0	1			0	58	upland brush	nonstocked	N		20-29 years	0	
comnts Fmd :														
197	N 0	X 0	2		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : In stand 97. Slope issues. Surrounded by conifer.														
199	Q 6	F 1	1	82	7	130	41	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
comnts Fmd : Surrounds stand 197.														
200	X 0	X 0	13			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : ROADS														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
201	A 7	A 1	3	41	10	30	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : GAS WELL ON WEST EDGE OF STAND-Steep slopes west of trail leading to gas pad, gate is usually locked. Areas of smaller aspen with an overstory of oak. Red pine saw timber near gas pad. Larger aspen along Co. Rd. 612. Understory mostly red maple. Could cut to stagger aspen age class in compartment, if so, leave 3 to 4 oak and 3 to 4 aspen per acre, Leave red and white pine.														
202	X 0	X 0	12			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : ROADS														
206	R 9	W 1	13	88	13	120	54	red pine	mature	Y	thinning	within 0-9 years	1	
comnts Fmd : Natural stand of oak and pine (red and white). More oak to the north. Stand slopes away from gas pad.														
211	A 5	O 3	9	41	10	60	62	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Retention along west edge of stand, follow BMP's. Winter harvest, due to soil conditions and understory (oak and some white pine). Any type of regeneration is satisfactory.														
227	W 6	S 1	6	102	10	70	54	white pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Boggy soil conditions, drainage along east side, contains black spruce.														
228	O 9	O 1	7	92	14	80	53	oak	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : Steep. Does provide protection for stand 127.														
252	A 9	M 2	10	78	11	90	65	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities														
comnts Fmd : Created as a buffer from stand 52--permanent noncut area. See MNFI data.														
255	A 6	U 1	5	81	9	120	62	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Threatened, endangered, and special concern species/communities														
comnts Fmd : created as at least 2 chain buffer south side of 55														
276	Q 5	F 1	6	82	9	50	41	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Water quality/bmps														
comnts Fmd : Vernal ponds in stand 76, need to stay out of these areas.														
401	G 0	G 0	1			0	58	grass	nonstocked	N		10-19 years	0	
comnts Fmd : GAS WELL, access is gated.														
411	G 0	G 0	1			0	58	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : GAS WELL, State Albert C3-24, Autumn Olive.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	Classes	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
418	G 0	G 0	2		0	56		grass	nonstocked	N		20-29 years	0	
comnts Fmd : Used for camping during hunting season.														
426	G 0	G 0	1		0	56		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : GAS WELL, State Albert D2-23, Autumn Olive.														
429	G 0	G 0	2		0	56		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : GAS WELL, East of production facility.														
431	G 0	G 0	7		0	56		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : In stand 31 and 33, Autumn Olive.														
433	G 0	G 0	2		0	56		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : GAS WELL, Autumn Olive.														
435	G 0	G 0	2		0	58		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Grass and sweet fern, aspen and cherry saplings.														
436	G 0	G 0	2		0	56		grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL.														
437	G 0	G 0	1		0	56		grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL.														
438	G 0	G 0	1		0	58		grass	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : GAS WELL C4-26, well and small compressor, Autumn Olive.														
439	G 0	G 0	5		0	58		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Along powerline between stands 39 and 40.														
440	G 0	G 0	4		0	58		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : GAS WELL IN STAND														
441	G 0	G 0	1		0	50		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Small kettle, visable from Halberg Rd.														
443	G 0	G 0	1		0	50		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Second opening past the gate.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
444	G 0	G 0	1			0	56	grass	nonstocked	N		10-19 years	0	
comnts Fmd : GAS WELL.														
445	G 0	G 0	1			0	56	grass	nonstocked	N		10-19 years	0	
comnts Fmd : GAS WELL in ssouthern part of stand 44 along Fishlab Rd. St. Albert c1-26														
447	G 0	G 0	5			0	65	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Sweet fern, autumn olive, scattered Oak saw timber, opening not maintained.														
448	G 0	G 0	2			0	65	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : GAS WELL IN STAND, first opening past gate, well is in the center of opening.														
453	X 0	X 0	3			0	50	other non-stocked or non-forest or non-productive	nonstocked	N		10-19 years	0	
comnts Fmd : Gas well, industial site. Spotted knapweed.														
454	G 0	G 0	1			0	56	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : GAS WELL, .														
460	G 0	G 0	2			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL														
465	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL														
468	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL														
472	G 0	G 0	5			0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass stand along 612, contains gas pipe line and other utilities.														
473	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL														
474	G 0	G 0	4			0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : SITE OF CAMP LUNDEN CCC CAMP, maintained by Lewistn Historical Society														
475	G 0	G 0	1			0	58	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : GAS WELL St. Albert C3-22.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
476	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL St. Albert D2-22.														
479	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL, installed 2006/2007														
480	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL														
481	G 0	G 0	4			0	55	grass	nonstocked	N		within 0-9 years	0	opening maintenance
482	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL														
492	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL, Clover.														
495	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL														
497	G 0	G 0	1			0	58	grass	nonstocked	N		20-29 years	0	
comnts Fmd : GAS WELL along Soden Rd.														
498	G 0	G 0	2			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
499	G 0	G 0	1			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Total Acres..... 2803														