

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	C 6	F 1	20	105	9	150	33	cedar	mature	N		not scheduled	0	
comnts Fmd :														
2	P 5	F 3	21	44	7	60	55	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : Heavy Balsam Understory														
3	Q 5	F 2	28	82	8	70	50	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones Water quality/bmps														
comnts Fmd : Hunt Creek Corridor. Beaver dam in middle of stand.														
4	P 4	P 3	24	28	5	40	50	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Stand is wet in areas.														
5	N 0	N 0	1			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : open wet meadow.														
6	P 8	F 2	8	79	11	70	55	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : No good access into stand, several small springs drain through-out stand.														
7	A 6	F 3	25	44	7	90	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Heavy Balsam Understory, NW corner of stand has mature white pine and a few pockets of cedar.														
8	Q 5	F 2	14	82	8	70	50	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones Water quality/bmps														
comnts Fmd : Hunt Creek Corridor.														
9	A 6	F 3	3	44	7	90	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Heavy Balsam Understory,														
15	P 6	M 2	82	44	6	100	62	balsam poplar & swamp aspen and swamp white birch	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Need to verify access into stand before sale work starts. Leave any Oak, Red and White Pine. There is a lot of small L-types scattered through out stand that the logger will have to carefully work around. Winter Cut only. Regen mix of aspen, maple and pine is acceptable. Leave Drumming Logs. Sale acres may be reduced due to inoperable soil conditions.														
16	L 0	L 0	29			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : L0/Q4														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
17	Q 5	F 2	6	68	8	50	45	mixed swamp conifer	low quality	N		40-49 years	0	
comnts Fmd : Nice stand of cedar poles.														
18	C 6	L 0	5	78	8	140	46	cedar	mature	N		40-49 years	0	
comnts Fmd : scattered mature pine, some pockets of low ground mixed in.														
19	A 3	P 3	19	6	1	0	59	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : scattered mature pine, some pockets of low ground mixed in.														
20	P 6	M 2	73	44	6	100	62	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : There is a lot of small L-types scattered through out stand. Middle part of stand is very wet, probably not treatable.														
21	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
22	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
23	L 0	L 0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
24	L 0	L 0	24			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
25	Q 5	L 2	3	87	7	50	47	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
26	A 3	P 3	8	6	1	0	59	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : scattered mature pine, some pockets of low ground mixed in.														
30	P 6	M 2	8	44	6	100	62	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd :														
31	A 3	P 3	19	6	1	0	59	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : scattered mature pine, some pockets of low ground mixed in.														
32	Q 5	L 2	11	87	7	50	47	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : L types mixed in.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
33	L 0	L 0	12				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
34	P 6	M 2	24	44	6	100	62	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd :														
35	Q 5	L 2	21	87	7	50	47	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
40	P 6	F 2	15	47	6	80	62	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : Heavy Balsam Fir Understory.														
41	P 9	F 2	12	55	11	110	60	balsam poplar & swamp aspen and swamp white birch	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Stand is a mix of Aspen/White and Red Pine. Hold stand ten years and treat with adjacent aspen stands.														
42	P 6	F 2	24	47	6	80	62	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : There is a lot of small Low types scattered throughout stand.														
43	A 3	P 3	23	6	1	0	59	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : scattered mature pine, some pockets of low ground mixed in.														
44	P 6	M 1	37	55	9	110	58	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : stand is a mix of P6/A6/E6. Leave any oak, Red and White Pine. Regen mix of Aspen, mixed hdwd and pine is acceptable. Leave Drumming Logs Sale acres may be reduced due to inoperable soil conditions.														
45	L 0	L 0	35				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : portion of stand is marsh.														
46	L 0	L 0	4				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
47	A 3	P 3	13	6	1	0	59	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : scattered mature pine, some pockets of low ground mixed in.														
48	N 0	N 0	18				0	marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
49	P 6	F 2	19	44	6	100	62	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : Access through PVT only. There is a lot of small L-types scattered through out stand.														
50	L 0	L 0	23			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
51	P 6	F 2	74	44	6	100	62	balsam poplar & swamp aspen and swamp white birch	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Need to verify access into stand before sale work starts. Leave any Oak, Red and White Pine. There is a lot of small L-types scattered through out stand that the logger will have to carefully work around. Winter Cut only. Regen mix of aspen, maple and pine is acceptable. Leave Drumming Logs. Sale acres may be reduced due to inoperable soil conditions.														
52	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
55	D 0	D 0	6			0		treed bog	nonstocked	N		not scheduled	0	
comnts Fmd : scattered spruce and white pine.														
56	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
57	A 5	M 1	17	43	6	50	50	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : small pocket of Red Pine on west edge of stand lumped in.														
58	L 0	L 0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
59	Q 6	P 2	7	81	8	70	42	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : used old site index. Most of stand is very wet. One pocket of high ground cedar on east end of stand.														
60	P 5	F 2	16	41	6	50	55	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : south edge of stand get verys wet, few pockts of Q6 mixed in.														
61	L 0	L 0	9			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : beaver flooding in middle of stand.														
62	Q 6	P 2	3	81	8	70	42	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : no access to stand. used old site index.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
63	P 5	F 2	5	41	6	50	55	balsam poplar & swamp aspen and swamp white birch	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : no access into stand, Hold for retention. few pockets of Q6 mixed in.														
75	O 8	W 2	5	83	14	70	57	oak	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Oak overstory with M3/W3 understory. Steep slopes going down to swamp.														
76	O 8	W 2	2	83	14	70	57	oak	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Oak/Red Pine overstory with M2/W2 understory. Steep slopes going down to swamp.														
77	Q 3	P 3	2	27	1	0	48	mixed swamp conifer	immature	N		40-49 years	0	
comnts Fmd : there is a small stand very similar to this on west side of 487 to small to type out.														
78	C 6	L 0	9	78	9	120	50	cedar	mature	N		not scheduled	0	
comnts Fmd : Nice Cedar with Scattered White Pine. Small pocket of Q3 that was cut in 1980, no cedar regen is present.														
79	C 6	L 0	18	78	9	120	50	cedar	mature	N		not scheduled	0	
comnts Fmd : Nice Cedar with Scattered White Pine.														
80	P 5	F 2	7	39	5	50	55	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : scattered red maple and white pine.														
81	P 5	F 2	8	39	5	50	55	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : scattered red maple and white pine.														
82	J 5	O 1	35	39	6	60	53	jack pine	immature	N		20-29 years	0	
comnts Fmd : scattered oak, white pine & balsam fir. Stand is variable on size and stocking.														
83	J 5	O 1	15	39	6	60	53	jack pine	immature	N		20-29 years	0	
comnts Fmd : scattered oak, white pine & balsam fir. Stand is variable on size and stocking.														
84	O 7	J 2	29	78	12	30	50	oak	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : stand is mix of O7, J4, O4 and has pockets of Upland brush mixed in as well. Timber is poor quality.														
85	J 5	O 1	11	39	6	60	53	jack pine	immature	N		20-29 years	0	
comnts Fmd : scattered oak, white pine & balsam fir. Stand is variable on size and stocking.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
86	A 5	M 1	4	39	6	60	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : scattered pine through-out stand, hold ten years due to high visual area.														
87	O 7	A 3	26	77		20	55	oak	in process of regeneration	N		50-59 years	0	
comnts Fmd : Stand was species thinned in 1990, Aspen regen is light in areas of heavy oak residual.														
88	C 6	L 2	8	91	9	90	33	cedar	mature	N		not scheduled	0	
comnts Fmd : lots of windthrow, no regen present in areas of windthrow.														
91	A 3	A 0	14	17	1	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : nice aspen														
92	C 6	F 1	25	92		120	50	cedar	mature	N		not scheduled	0	
93	L 3	L 0	5			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : standing water.														
94	Z 0	Z 0	3			0		water	nonstocked	N		not scheduled	0	
95	A 6	M 2	11	55	8	70	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Clear Cut, protect Oak and White and Red Pine. No retention necessary due to small size and scattered aspen surrounding stand. Regen mix of aspen, oak and pine is acceptable.														
96	O 7	U 2	20	92	14	30	53	oak	sparse	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Stand is a U-type with Oak Overstory. Lots of Cherry brush and some young aspen through-out stand.														
97	O 9	W 2	24	72	12	90	58	oak	mature	N		20-29 years	0	
comnts Fmd : stand appears to have been species thinned around 1970. Hold ten years.														
98	L 0	L 0	1			0		lowland brush	nonstocked	N		not scheduled	0	
99	C 6	F 1	3	92		100	50	cedar	mature	N		not scheduled	0	
100	A 6	M 2	13	47	6	80	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : holding due to small diameters and high visual.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
101	A 6	M 2	11	47	6	80	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : holding due to small diameters and high visual.														
102	C 6	F 1	4	92		100	50	cedar	mature	N		not scheduled	0	
103	A 6	M 2	7	47	6	80	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : holding due to small diameters and high visual. Stand has small U-type in middle as well as pipe/power lines crossing it.														
104	P 6	F 2	4	47	6	80	60	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : holding due to small diameters and high visual.														
105	C 6	F 1	21	92		100	50	cedar	mature	N		not scheduled	0	
106	L 0	L 0	2				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : L/N type, standing water.														
107	C 6	F 1	16	92		100	50	cedar	mature	N		not scheduled	0	
108	A 6	M 1	25	47	7	80	55	aspen (upland)	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Clear Cut, leave a 1-2 oak per acre, and small pockets of retention. Regen mix of aspen, oak & red maple is acceptable.														
109	P 4	F 2	2	33	4	20	55	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
110	A 6	M 1	10	47	7	80	55	aspen (upland)	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Clear Cut, leave a 1-2 oak per acre, and small pockets of retention. Regen mix of aspen, oak & red maple is acceptable. Include small Ptype at west end.														
111	L 0	L 0	1				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : standing water.														
112	O 6	M 1	5	83	8	90	58	oak	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : steep slope down to road.														
113	O 6	M 1	4	83	8	90	58	oak	mature	Y	shelterwood-seed	within 0-9 years	2	
comnts Fmd : treat with adjacent aspen stand. Species thin down to 40-50 BA. No retention needed due to stand 112 is same species and will never be cut. Regen mix of aspen, oak, and pine is acceptable. May want to underplant white pine.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrses	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
120	A 5	M 1	7	42	6	70	50	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : access to stand is across narrow finger of cedar stand.														
121	A 5	M 1	4	42	6	70	50	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : No access for equipment, unless come across private from north.														
122	C 9	F 1	21	77	12	140	52	cedar	mature	N		not scheduled	0	
comnts Fmd : several small streams/seeps in stand. Old fence post still up from deer exclosure. Best cedar is along east edge of stand. Scattered White Pine on pockets of high ground.														
123	A 5	M 1	5	42	6	70	50	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd :														
130	E 6	F 2	15	72	9	100	50	swamp hardwoods	mature	N		not scheduled	0	
Treatment Limiting Factors: Water quality/bmps Influence zones														
comnts Fmd : Gilchrist Creek buffer zone.														
131	P 6	F 3	35	47	6	100	65	balsam poplar & swamp aspen and swamp white birch	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Leave any Oak, Red and White Pine. There is a few small L-types scattered through out stand that the logger will have to carefully work around. Winter Cut only. Regen mix of aspen, maple and pine is acceptable. Leave Drumming Logs. Close Road when sale is completed. Sale acres may be reduced due to inoperable soil conditions.														
132	L 0	L 0	11			0		lowland brush	nonstocked	N		not scheduled	0	
133	C 6	F 2	55	75	9	110	51	cedar	mature	N		not scheduled	0	
comnts Fmd : Stand has several small Ptypes mixed in but surrounded by low/wet ground. Hold stand for retention/wildlife and stream buffer.														
134	L 0	L 0	4			0		lowland brush	nonstocked	N		not scheduled	0	
135	P 6	F 3	15	55	9	100	60	balsam poplar & swamp aspen and swamp white birch	immature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Only access to stand is through private from east. Leave any Oak, Cedar, Red and White Pine. There is a few small L-types scattered through out stand that the logger will have to carefully work around. Winter Cut only. Regen mix of aspen, maple and pine is acceptable. Leave Drumming Logs. Close Road when sale is completed.														
136	P 3	A 3	12	16	1	0	54	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
137	L 0	L 0	3			0		lowland brush	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	Acrs	avg. D B Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
138	L 0	L 0	3		0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : County roads 612													
222	X 0	X 0	1		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : County roads 612													
223	U 1	U 1	2		0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : u-type scattered Oak. Appears to be a trespass in stand from south west PVT owners													
243	X 0	X 0	1		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : gas facility site.													
257	X 0	X 0	3		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : gas facility site.													
282	U 1	J 1	5		0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : u-type filling in with JP, Oak.													
283	X 0	X 0	8		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : County roads 612 & 487													
286	X 0	X 0	1		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : appears to be old gas facility site, now it is gravel.													
295	U 1	J 1	4		0		upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : u-type filling in with JP, Oak.													
299	X 0	X 0	9		0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : County roads 612, Hunt Creek and Blue Lake													
403	G 0	G 0	1		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Well													
407	G 0	G 0	1		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Well													

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	Acrs	avg. D B Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
415	G 0	G 0	3		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
419	G 0	G 0	1		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Well													
420	G 0	G 0	9		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
424	G 0	G 0	3		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Well													
425	G 0	G 0	2		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
430	G 0	G 0	2		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
431	G 0	G 0	2		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
432	G 0	G 0	2		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : gas well in stand													
435	G 0	G 0	4		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
438	G 0	G 0	2		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
441	G 0	G 0	1		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
442	G 0	G 0	2		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
444	G 0	G 0	2		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :													
446	G 0	G 0	2		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : gas well in stand													

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
447	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
448	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
450	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Well														
451	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
457	G 0	G 0	12			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
459	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
475	G 0	G 0	4			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : scattered mature oak,														
484	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Well														
487	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Well														
496	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Antrim Gas Well														
<b>Total Acres.....</b>													<b>1558</b>	