

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	A 3	U 1	8	37	5	40	60	aspen (upland)	immature	N		20-29 years	0	
2	C 6	L 0	15	92	7	100	38	cedar	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps</p> <p>comnts Fmd : BRUSH CREEK DRAINAGE</p>														
3	A 3	R 1	19	4	1	20	56	aspen (upland)	mature	N		50-59 years	0	
<p>comnts Fmd : Did CUT ASPEN & RED MAPLE-LEFT OAK AND LARGE PINE-SNO-MO & STREAM. Cut 2003, sale 035-00</p>														
4	A 6	M 2	31	39	7	90	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : SNOWMOBILE TRAIL</p>														
5	N 0	N 0	20			0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Beaver-flooding killed conifers on Brush Creek.</p>														
6	A 6	F 2	15	47	6	100	60	aspen (upland)	immature	N	final harvest	within 0-9 years	1	natural regeneration
<p>comnts Fmd : SOME OAK AND RED MAPLE SAWTIMBER-NEXT TO OPENING. Leave red pine, white pine, hemlock, and cedar, if present. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.</p>														
7	A 6	A 2	39	38	6	80	60	aspen (upland)	immature	N	final harvest	within 0-9 years	1	natural regeneration
<p>comnts Fmd : a2m2. Leave red pine, white pine, hemlock, and cedar, if present. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand. Buffers on wetlands, steep slopes, and cedar stands may result in a sale acreage somewhat less than the total stand acreage.</p>														
8	A 9	A 2	38	39	10	70	60	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : SCATTERED PINE AND OAK.</p>														
9	O 6	W 2	32	70	10	90	66	oak	immature	N		20-29 years	0	
<p>comnts Fmd : OAK OVER WHITE PINE AND ASPEN.-TRAVEL ZONE. MANAGE FOR OAK & PINE.</p>														
12	N 0	N 0	17		0	0	17	marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : DEAD CEDAR. ROAD TO 15 and 115 DESTROYED by beaver flooding..</p>														
14	N 0	N 0	19			0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : MARSH WITH STREAM-WOOD DUCK BOXES.</p>														
15	A 5	U 1	13	34	5	40	60	aspen (upland)	immature	N		20-29 years	0	
16	Q 6	U 1	28	81	7	110	57	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Regeneration technology inadequate Too wet</p> <p>comnts Fmd : The north part of this stand is Compartment 51, stand 54. Harvesting resulted in an E2. Beaver problems are common in this area.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
17	R 9	A 3	12	77	10	80	65	red pine	two aged	N		10-19 years	0	
comnts Fmd : PINE AND OAK OVER 20 YEAR OLD ASPEN REGEN.														
18	W 9	M 3	24	55	13	90	60	white pine	immature	N		20-29 years	0	
comnts Fmd : This stand is characterized by a soil which is relatively rich and moist for the compartment. There is evidence of a permanent high water table. Oak is recruiting well. Red pine runs throughout in high density streaks, but the red maple understory is probably too aggressive for red pine reproduction without heavy site prep. Part of the aspen was removed in the mid-60's, when adjacent stands were clearcut. Manage for quality red oak and white pine. Has a few larger (24-30") white pine along a central drainage.														
20	A 2	M 2	13	3	1	20	68	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Left OAK AND LARGE PINE. Cut 2003, sale 035-00														
21	W 9	M 3	59	55	13	90	60	white pine	immature	N		20-29 years	0	
comnts Fmd : This stand is characterized by a soil which is relatively rich and moist for the compartment. There is evidence of a permanent high water table. Oak is recruiting well. Red pine runs throughout in high density streaks, but the red maple understory is probably too aggressive for red pine reproduction without heavy site prep. Part of the aspen was removed in the mid-60's, when adjacent stands were clearcut. Manage for quality red oak and white pine. Has a few larger (24-30") white pine along a central drainage.														
23	A 3	U 2	21	15	0	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : SNO-MO & GAS PAD														
26	O 5	M 2	37	83	9	50	61	oak	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : LEAVE OAK, SUGAR MAPLE, ASH, & LARGE PINE PROTECT WP REGEN-SNO-MO-VISUAL-DEER USE. Thinned 2001 sale 13-00														
27	A 3	U 2	31	15	0	0	64	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
28	M 6	M 2	44		6	90	55	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd :														
30	O 6	M 2	30		9	80	59	oak	unevenaged	N		20-29 years	0	
comnts Fmd : Thinned 2001, sale 13-00.														
31	M 3	U 0	23	35	2	0	60	aspen (upland)	immature	N		70-79 years	0	
comnts Fmd :														
32	A 3	U 1	20	15	0	0	63	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : a3m2. This site appears as if it would be well suited to oak. Hemlock present.														
36	A 6	M 2	122	40	6	80	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Scattered white pine, red pine, sugar maple and ash. A good bit of recruited oak saps 1-2" DBH. Pockets of aspen in places. Understory a w2 in north part. Manage long term as oak/pine.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
41	O 6	M 2	172	42	8	80	60	oak	immature	N		30-39 years	0	
comnts Fmd : Scattered white pine, red pine, sugar maple and ash. A good bit of recruited oak saps. Pockets of aspen in places. Understory a w2 in north part.														
43	A 2	U 0	7	28	3	30	56	aspen (upland)	immature	N		30-39 years	0	
44	R 9	M 1	16	72	12	80	55	red pine	mature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : 1/2 to 3/4 live crown. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
45	R 8	J 1	20	74	10	50	60	jack pine	immature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : Cut jack and aspen, left red pine and oak. Done on sale 026-01. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
Emphasize visual management.														
46	J 6	L 0	7	61	8	90	55	jack pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Recreational site														
Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : Used by wintering elk. Bog holes and ORV trail. Tamarack & aspen present. Maintain as jack pine retention and to help keep ORV out of the bogs.														
47	J 3	R 2	26	16	0	0	51	jack pine	immature	N		40-49 years	0	
comnts Fmd : j3r2a1. Jack pine wildlings over red pine seedlings.														
48	J 6	J 2	18	47	5	80	48	jack pine	immature	N		10-19 years	0	
comnts Fmd :														
49	M 2	J 2	28	16	0	0	66	northern hardwood	immature	N		60-69 years	0	
comnts Fmd : IMPACTED BY ELK BROWSING.														
51	A 6	M 3	50	41	6	70	60	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Red maple understory. If cut early, retain all white pine, red pine, oak, and ash. Becomes more of an oak stand near stand 49. May need to exclude some areas due to hardwood/oak mix. Acceptable regeneration is any combination of aspen, oak, ash, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
55	L 0	L 0	6			0		lowland brush	nonstocked	N		not scheduled	0	
56	C 6	L 1	8	106	9	130	40	cedar	immature	N		not scheduled	0	
comnts Fmd : WINTER THERMAL-ELK-DEER-GROUSE-HARE														
58	J 3	O 1	39	16	0	0	59	jack pine	immature	N		40-49 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
59	R 8	M 2	60	70	14	50	50	red pine	two aged	N		20-29 years	0	
comnts Fmd : CUT JACK & RED MAPLE in 2003, sale 010-00. ORV trail. 1/2 live crown red pine in clumps. Could use delimiting.														
61	U 0	U 0	2				0	53	upland brush	nonstocked	N		not scheduled	0
comnts Fmd : ROAD IN IS JUST A TRACE.														
62	R 6	M 1	10	47	8	130	58	red pine	immature	N		20-29 years	0	
comnts Fmd : Was third row thinned in 2002, sale 015-00. BA around 130, but crown have not grown out yet. Some 2 log trees, but very limby on the second log.														
64	Q 5	L 1	51	69	4	40	17	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd : HOLD FOR WINTER COVER.														
66	P 5	L 0	7	73	6	50	52	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Too wet														
comnts Fmd : NO ACCESS. ASPEN RIDGE USED AS SECURITY COVER.														
67	Q 5	L 1	26	69	4	40	17	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd : IMPORTANT WINTER COVER.														
68	L 0	L 0	107				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : HEADWATERS OF NORTH BRANCH THUNDER BAY INTO RUSH LAKE.														
69	A 2	U 1	20	28	4	30	54	aspen (upland)	immature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u> Deer yards														
comnts Fmd : IMPORTANT WINTER COVER.														
71	A 2	U 1	16	20	3	0	51	aspen (upland)	immature	N		30-39 years	0	
73	Q 5	L 0	11	69	4	40	17	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd : SCATTERED CONIFER AND CLUMPS BY DRAINAGE														
74	R 5	A 3	32	73	9	50	60	red pine	immature	N		30-39 years	0	
comnts Fmd : a3r1j1. Cut jack and aspen in 2003. Growing oak and mixed pine. Left den trees. Visually important.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
80	X 0	X 0	9			0	60	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Co. Rd. 624														
81	X 0	X 0	10			0	60	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Brush Creek Truck Trail														
102	C 6	L 0	15	92	7	100	38	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : BRUSH CREEK DRAINAGE														
106	A 6	F 2	33	47	6	100	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : SOME OAK AND RED MAPLE SAWTIMBER-NEXT TO OPENING. Would benefit from 10 years diameter growth. If cut early, leave red pine, white pine, hemlock, and cedar, if present. Protect railroad grade.														
109	O 6	W 2	27	70	10	90	66	oak	immature	N		20-29 years	0	
comnts Fmd : OAK OVER WHITE PINE AND ASPEN.-TRAVEL ZONE. MANAGE FOR OAK & PINE.														
115	U 0	U 0	3			0	65	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : ROAD OUT-BEAVERS-														
120	A 3	M 2	7	15	1	0	60	aspen (upland)	nonstocked	N		40-49 years	0	
comnts Fmd : RECENT SURVEY DONE														
143	A 2	U 0	2	28	3	30	56	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Thin in 10 with stand 44.														
144	R 9	M 1	11	72	13	150	55	red pine	immature	N		10-19 years	0	
comnts Fmd : Cut jack and aspen, left red pine and oak. Done on sale 026-01. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
Emphasize visual management.														
146	U 0	U 0	10			0	51	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : NATURAL OPENING-SCATTERED big red maple, GRASS, BLUEBERRY														
147	J 3	R 2	2	16	0	0	51	jack pine	immature	N		40-49 years	0	
comnts Fmd : j3r2a1. Jack pine wildlings over red pine seedlings.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
151	A 6	M 3	22	41	6	70	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Red maple understory.														
158	U 0	U 0	2			0	58	upland brush	nonstocked	N		not scheduled	0	
159	R 8	M 2	15	70	14	50	50	red pine	two aged	N		20-29 years	0	
comnts Fmd : CUT JACK & RED MAPLE in 2003, sale 010-00. ORV trail. 1/2 live crown red pine in clumps. Could use delimiting.														
160	U 0	U 0	25			0	50	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
162	R 6	M 1	6	47	8	130	58	red pine	immature	N		20-29 years	0	
comnts Fmd : Was third row thinned in 2002, sale 015-00. BA around 130, but crown have not grown out yet. Some 2 log trees, but very limby on the second log.														
164	Q 5	L 1	17	69	4	40	17	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd : HOLD FOR WINTER COVER.														
169	U 0	U 0	5			0	51	upland brush	nonstocked	N		not scheduled	0	
173	Q 5	L 0	7	69	4	40	17	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd : SCATTERED CONIFER AND CLUMPS BY DRAINAGE														
174	R 5	A 3	17	73	9	50	60	red pine	immature	N		30-39 years	0	
comnts Fmd : a3r1j1. Cut jack and aspen in 2003. Growing oak and mixed pine. Left den trees. Visually important.														
202	C 6	L 0	7	92	7	100	38	cedar	immature	N		not scheduled	0	
Treatment Limiting Factors: Water quality/bmps														
comnts Fmd : BRUSH CREEK DRAINAGE														
220	A 2	M 2	12	3	1	20	68	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Left OAK AND LARGE PINE. Cut 2003, sale 035-00														
244	M 3	M 3	9	47	2	20	56	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : Failed pine plantation.														
251	A 6	M 3	5	41	6	70	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Red maple understory. Retention/visual management from harvest in stand 251.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
260	U 4	U 0	5			30	50	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lots of cherry, plus scruffy 6" jack pine.														
264	Q 5	L 1	5	69	4	40	17	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd : HOLD FOR WINTER COVER.														
302	C 6	L 0	4	92	7	100	38	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : BRUSH CREEK DRAINAGE														
320	U 0	U 0	4			0	60	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : RECENT SURVEY DONE														
344	R 9	M 1	21	72	12	80	55	red pine	mature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : 1/2 to 3/4 live crown. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
404	G 0	G 0	7			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : MAINTAINED OPENING														
406	G 0	G 0	10			0	60	grass	nonstocked	N		10-19 years	0	
comnts Fmd : MAINTAINED OPENING WITH SOME OAK AND GAS PAD														
408	G 0	G 0	1			0	70	grass	nonstocked	N		not scheduled	0	
comnts Fmd : GAS well														
423	G 0	G 0	2			0	70	grass	nonstocked	N		not scheduled	0	
comnts Fmd : GAS well														
428	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : GAS PAD														
431	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : GAS PAD														
437	X 0	X 0	3			0	60	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : GAS well and CPF.														
440	G 0	G 0	1			0	70	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Gas well.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
444	G 0	G 0	1		0	0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : GAS PAD														
459	G 0	G 0	1		0	0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : GAS PAD														
460	G 0	G 0	6			0	60	grass	nonstocked	N		not scheduled	0	
461	G 0	G 0	5			0	60	grass	nonstocked	N		not scheduled	0	
462	G 0	G 0	4			0	60	grass	nonstocked	N		not scheduled	0	
464	G 0	G 0	2			0	60	grass	nonstocked	N		not scheduled	0	
474	G 0	G 0	1		0	0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : GAS PAD														
Total Acres.....			1960											