

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	E 3	L 0	9	26	3	0	50	swamp hardwoods	immature	N		50-59 years	0	
comnts Fmd : E2S2L														
2	S 2	L 0	8	26	3	0	50	black spruce-swamp	immature	N		50-59 years	0	
comnts Fmd :														
3	V 0	V 0	30		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
4	Q 3	P 2	24	27	3	0	45	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Aspen mostly on and near narrow ridge along north edge of stand.														
5	V 0	V 0	8		0	0		bog or muskeg	nonstocked	N		not scheduled	0	
6	R 9	S 1	6	84	14	70	66	red pine	immature	Y		not scheduled	0	
Treatment Limiting Factors: Influence zones Scenic values/visual values														
comnts Fmd : Shannon Road(s.) Much of the stand width is occupied by parallel threads of Shannon Road. These occur two or three are a time.														
7	S 2	L 0	6	26	3	0	50	black spruce-swamp	immature	N		50-59 years	0	
comnts Fmd : Wetter than stand 11.														
8	P 3	F 3	38	36	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd :														
11	S 2	L 0	39	26	3	0	50	black spruce-swamp	immature	N		50-59 years	0	
12	A 3	A 3	8	36	3	30	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
13	P 5	P 2	5	36	5	40	60	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
14	L 0	L 0	3		0	0		lowland brush	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
15	R 8	S 1	2	84	14	60	66	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity Scenic values/visual values Inadequate volume due to small acreage comnts Fmd : A natural stand on a bit of an island. Causing an R3 to form along the boundry with stand 12.														
16	R 9	S 1	5	84	14	70	66	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Recreational site Scenic values/visual values comnts Fmd : A natural stand. Part of this stand is on a narrow ridge, the rest is on leather leaf which fades into spruce swamp. Used by public for camping. Some natural red pine regeneration.														
17	N 0	N 0	18		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Cattails and stumps.														
18	E 3	Q 2	23	20	2	20	56	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Some areas are bigger than 2 inches. F1, S1, and Rm2.														
21	R 9	S 1	4	84	14	70	66	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones Scenic values/visual values comnts Fmd : Shannon Road. Natural red pine stand.														
22	P 3	F 3	18	17	2	0	58	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : Was CUT WITH STAND TO WEST. The northeast part of this has about 30 BA of 4" aspen--2 stick.														
23	T 5	L 0	46	92	6	40	48	tamarack	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet comnts Fmd : Stand has largely fallen apart. More of an L stand in places, esp. around the edges.														
24	S 5	S 1	8	92	7	50	47	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
25	L 0	L 0	234		0	0	34	lowland brush	nonstocked	N		not scheduled	0	
<hr/>														
27	S 5	S 1	2	92	7	50	47	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
28	S 5	S 1	3	92	7	50	47	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
31	S 5	S 1	3	92	7	50	47	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
32	S 5	S 1	13	92	7	50	47	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
33	L 0	L 0	55		0	0	34	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Differs from stand 25 by being wetter and having more lowland hardwood patches.														
34	E 6	L 0	42	93	9	70	56	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : REAL WET														
37	T 5	L 0	28	92	6	50	48	tamarack	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
38	P 3	F 3	8	36	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		not scheduled	0	
comnts Fmd : Access is wet.														
42	P 3	F 2	15	36	3	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
43	A 3	A 3	22	36	3	0	60	aspen (upland)	immature	N		30-39 years	0	
44	R 9	S 1	13	85	12	90	58	red pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Recreational site														
Scenic values/visual values														
comnts Fmd : Another natural red pine stand on a ridge.														
45	A 3	A 3	12	36	3	0	60	aspen (upland)	immature	N		30-39 years	0	
46	J 2	A 2	23	24		0	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : A mix of aspen and jack pine.														
47	P 3	F 3	69	36	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
48	S 6	S 1	11	77	7	70	40	black spruce-swamp	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
51	N 0	N 0	8		0	0		marsh	nonstocked	N		not scheduled	0	
52	S 6	S 1	25	77	7	70	40	black spruce-swamp	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : R9 on ridge along south edge of stand.</p>														
53	L 0	L 0	277		0	0	34	lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Differs from stand 25 by being wetter and having more lowland hardwood patches.</p>														
54	T 5	L 0	71	92	6	60	48	tamarack	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Most spruce in center 1/3 of stand.</p>														
55	P 5	L 0	15	27	7	40	52	balsam poplar & swamp aspen and swamp white birch	low quality	N		not scheduled	0	
56	P 3	P 3	25	36		10	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
<p>comnts Fmd : Mostly a low aspen stand, but includes oak on south ridge.</p>														
57	J 3	J 3	24	24		0	50	jack pine	immature	N		30-39 years	0	
<p>comnts Fmd : plantation JACK PINE</p>														
58	P 3	Q 3	33	36	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
<p>comnts Fmd : A wetter stand than 47.</p>														
61	C 5	L 0	6	72	8	60	52	cedar	immature	N		not scheduled	0	
62	P 3	F 2	10	35	3	20	60	balsam poplar & swamp aspen and swamp white birch	immature	N		not scheduled	0	
63	C 5	L 0	7	72	8	60	52	cedar	immature	N		not scheduled	0	
64	A 2	R 1	11	14	1	10	52	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : CUT LEFT OAK 1993. A2R1S1. Natural red pine seeding in on this ridge stand. The conifer regeneration tends to be red pine on that side of the ridge which faces the red pine stand. The swamp side of the ridge tends to be spruce.</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
65	R 9	S 1	16	81	12	110	61	red pine	immature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u>                      Too steep                      Too wet</p> <p>comnts Fmd : THINNED 1993. Accessing this stand involves crossing an N/L stand which was created by cutting a swath across a cedar stand. Next, the A2 ridge in stand 64 must be crossed, with potential BMP problems due to slope.</p> <p>The red pine occupies a shallow, leatherleaf lined bowl. As one travels farther into the bowl, the leatherleaf gets springier and the red pine get both smaller and farther apart. BA ranges from 200 to 70. Diameter runs up to 18 inches, but most trees are from 5 to 12 inches. The northern ¼ of this stand is mostly spruce.</p> <p>Recommend holding at least 10 years, until local unit has had a chance to evaluate ongoing experiments in natural red pine regeneration.</p>														
66	S 5	L 0	1	67	7	70	45	black spruce-swamp	immature	N		not scheduled	0	
67	P 5	L 0	12	27	7	60	52	balsam poplar & swamp aspen and swamp white birch	low quality	N		not scheduled	0	
68	S 5	L 0	3	67	7	70	45	black spruce-swamp	immature	N		not scheduled	0	
71	F 3	L 0	14	28	3	0	55	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
72	P 3	F 2	28	28	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
73	E 6	S 2	8	74	9	100	61	swamp hardwoods	immature	N		50-59 years	0	
<p>comnts Fmd : Scattered cedar and white pine. Nice patch of aspen in the south.</p>														
74	P 3	L 0	22	28	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
<p>comnts Fmd : Some larger stems are found on higher ground, but overall a P3 plus L.</p>														
75	P 5	F 2	9	84	7	50	54	balsam poplar & swamp aspen and swamp white birch	immature	Y	final harvest	within 0-9 years	3	natural regeneration
<p>comnts Fmd : Acceptable regeneration would be any combination of oak, aspen, maple, ash, spruce, balsam fir or white pine resulting in a medium to fully stocked stand. Cut no red pine, white pine, oak, cedar, or hemlock, if they occur. Buffer drainages and wet areas.</p>														
76	P 3	F 3	25	38	3	30	60	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
77	P 2	L 0	13	38	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
<p>comnts Fmd : A very wet P stand.</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
78	S 5	F 3	7	67	4	50	45	black spruce-swamp	immature	N		40-49 years	0	
81	E 6	E 1	11	94	9	110	61	swamp hardwoods	mature	Y	final harvest	within 0-9 years	1	natural regeneration
82	L 0	L 0	48		0	0	34	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
83	E 5	L 0	10	94	9	40	48	swamp hardwoods	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : This stand consists of tiny islands of E surrounded by L and V.														
84	P 2	L 0	4	38	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : A very wet P stand.														
<b>Total Acres..... 1604</b>														