

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	E 1	E 1	6	15	0	0	45	swamp hardwoods	sparse	N		50-59 years	0	
comnts Fmd : A3/J3 ON SOUTH CENTRAL PORTION, Some wet areas, seasonally.														
2	R 9	O 1	77	68	12	130	68	red pine	immature	N		10-19 years	0	
comnts Fmd : THINNED IN 92. Removed only jack pine, LANDINGS PLANTED TOTP IN 1994. Still has segments where the third row is still present.														
3	A 4	J 1	12	36	4	20	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : EAST PART HARVESTED IN 1992. PARTIALLY PLANTED TO JP. Stand is a mix of jack pine and aspen.														
4	J 4	X 0	38	15	4	10	50	jack pine	immature	N		50-59 years	0	
comnts Fmd : Some areas with slightly larger trees in the east and south, may have been residual from cutting. Scattered oak saw timber in overstory.														
5	J 3	J 3	9	13	0	0	50	jack pine	immature	N		50-59 years	0	
comnts Fmd : MACHINE TRENCHED AND HAND PLANTED AUGUST 1994														
6	O 8	J 1	56	74	10	60	52	oak	low quality	N		within 0-9 years	0	natural regeneration
comnts Fmd : Young aspen along north edge. Some mature aspen and Jack pine on hill. Illegal firewood cutting. Slopes are an issue. Scarifying would help establish an understory.														
7	J 3	J 3	1	13	0	0	50	jack pine	immature	N		60-69 years	0	
comnts Fmd : Old landing, planted in 1994.														
8	J 4	J 2	9	41	7	30	48	jack pine	immature	N		30-39 years	0	
comnts Fmd : HIGHLY VARIABLE, SCATT RP and oak LOGS AND MIXED PINE REPRO ALONG E EDGE,														
9	J 4	X 0	22	24	4	10	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : PLANTED W/ WHITFIELD PLANTERS IN SPRING OF 1983. Pole sized trees along edges.														
10	J 4	J 2	31	41	4	30	48	jack pine	immature	N		30-39 years	0	
comnts Fmd : Signs of fire, plow furrows and charred stumps. Some areas of larger trees (jack pine and aspen). Oak saw timber in overstory.														
11	R 9	W 1	74	75	10	90	47	red pine	immature	N		10-19 years	0	
comnts Fmd : Mostly red pine, aspen and oak mixed in.														
12	J 4	J 3	79	24	4	20	50	jack pine	immature	N		50-59 years	0	
comnts Fmd : Scattered oak in overstory.														
13	J 4	J 3	4	24	4	30	50	jack pine	immature	N		40-49 years	0	
comnts Fmd : Pockets of grass.														
14	R 9	R 1	15	57	11	120	66	red pine	immature	N		10-19 years	0	
comnts Fmd : THINNED IN 1991, some oak saw timber in overstory. Some hills.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
15	A 3	X 0	50	16	1	0	60	aspen (upland)	immature	N		not scheduled	0	
comnts Fmd : Pockets of upland brush with jack pine mixed in. Hill top and slopes on west side of Richard road (we harvested this?). RDR issues along Co Rd .														
17	J 4	J 3	12	42	4	30	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Two ages stand J4/J3, some red pine.														
18	O 9	W 1	40	75	10	90	47	oak	immature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : SOME ASPEN CLONES IN EAST END. STEEP SLOPE. Some conifer on the top.														
19	V 0	V 0	13			0		bog or muskeg	nonstocked	N		not scheduled	0	
comnts Fmd : BOG WITH BURNED OUT WP STUMPS, jack and white pine along edges.														
20	W 6	W 2	7		9	70	60	white pine	immature	N		not scheduled	0	
comnts Fmd : A PREVIOUSLY ONRECORDED STAND HIDDEN BETWEEN A BOG AND STEEP PLACE.														
21	J 5	J 2	8		8	50	50	jack pine	unevenaged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : SOME VERY STEEP SLOPES. ACCESS DOWN TO STAND IS DOUBTFUL. Areas of u-type.														
22	J 4	X 0	15	39	4	40	50	jack pine	nonstocked	N		30-39 years	0	
comnts Fmd : Scattered red pine in overstory. Open areas.														
23	R 9	O 2	35	68	13	150	58	red pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : Fair amount of double stems, Hilly but operable. Some oak and aspen. More jack pine to the east.														
24	Q 5	S 1	10		7	50	30	mixed swamp conifer	unevenaged	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : North = L and conifer saplings. South is a Q-type. Fair amount of mortality.														
25	R 9	O 1	22	65	10	80	55	red pine	immature	N		10-19 years	0	
comnts Fmd : Areas of steep hills. Good mix, some oak.														
26	O 9	J 1	30	74	9	70	52	oak	low quality	N		within 0-9 years	0	natural regeneration
comnts Fmd : Illegal firewood cutting. Slopes are an issue. Scarifying would help establish an understory. Some jack pine and aspen.														
27	A 6	W 1	50	69	8	70	52	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Some areas too steep. Close off trail. W3/A2 IN NE. Some jack pine and red maple. Leave clumps of oak. Any type of regeneration is acceptableLeave red and white pine.														
28	J 5	J 2	7		9	50	50	jack pine	unevenaged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : SOME VERY STEEP SLOPES. ACCESS DOWN TO STAND IS DOUBTFUL														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
29	O 6	W 1	50	63	8	70	46	oak	two aged	N	final harvest	within 0-9 years	1	
comnts Fmd : Mix of aspen and oak. Leave clumps of oak. Leave some scattered Red and White pine where present. Stay off steep slopes. Any type of regeneration is acceptable														
30	J 5	J 1	8	65	6	70	48	jack pine	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : Leave oak, more aspen in the south. Any type of regeneration is acceptable														
31	A 4	A 2	26	32	4	20	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Some mature oak in overstory.														
32	A 2	U 2	8	14	1	0	64	aspen (upland)	immature	N		60-69 years	0	
comnts Fmd : A-2 on and along hill, with upland brush species. More jack pine to the east. POUNDED BY DEER.														
33	J 6	X 0	3	65	7	90	50	jack pine	mature	Y	final harvest	within 0-9 years	3	natural regeneration
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : STEEP SLOPES. ACCESS DOWN through stand 29, TO STAND IS DOUBTFUL, if we cut this ground is low enough that natural regen will work.														
34	J 4	O 1	7	37	5	30	50	jack pine	immature	N		30-39 years	0	
comnts Fmd : Sparse in areas.														
35	A 3	G 0	66	13	2	0	52	aspen (upland)	immature	N		60-69 years	0	
comnts Fmd : A3 with areas of U-type. SCATTERED 01 AND J1.														
37	A 6	A 2	92	33	6	70	60	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : OAK DENSITY VARIABLE. YOUNG ASPEN CLONES NEAR CENTER OF STAND. Stand contains some jack pine. Portions of stand more like an oak savannah. Some areas harvestable now.														
38	O 6	M 1	42	81	9	100	52	oak	immature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : 5-SPOT. AVOID STEEP SLOPES(1997). 5 spots totaling 9 acres cut 2001. Leave clumps of residual 30-60 BA, leave red and white pine. Furrow between clumps and plant red or white pine. Whole tree skid as an option. Some deer damage to reproduction.														
39	J 6	E 2	11	80	9	120	50	jack pine	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : LEATHERLEAF BOG--Protects stand 40.														
40	Q 5	L 1	37	65	5	40	35	mixed swamp conifer	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
41	O 6	M 1	23	79	8	100	53	oak	mature	Y	selection	within 0-9 years	1	
comnts Fmd : 5-SPOT cut 2001, one spot of two acres. Cut half of remaining acres this entry.														
42	A 5	A 3	16	38	5	50	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : ASPEN & MAPLE WERE REMOVED-TOO MUCH OAK LEFT-BUT NOT ENOUGH FOR STD. Block trails again.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	H								
43	O 9	J 1	25	70	9	70	56	oak	mature	N		10-19 years	0	
comnts Fmd : 16" RP IN PLACES. NORTH SIDE OF ROAD IS MOSTLY OAK. 5-SPOT. REMOVE ASPEN SOUTH OF ROAD. Two spots totaling 4 acres cut 2001. Steep on the north side of Peltz Rd. this may restrict the amount of acreage cut.														
44	J 3	X 0	33	6	0	0	50	jack pine	nonstocked	N		50-59 years	0	
comnts Fmd : HIGH WATER TABLE. INCLUDE ASPEN CLONE FROM STAND 43. Cut 2001. FTP C-54-754.														
46	E 2	E 2	24	15	1	0	65	swamp hardwoods	immature	N		60-69 years	0	
comnts Fmd : Conifer component.														
47	A 6	A 1	36	32	6	90	64	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Areas of A-3														
48	J 3	J 3	70	12	1	0	54	jack pine	immature	N		50-59 years	0	
comnts Fmd : DIRECT SEEDED FALL OF 1995. Mix of J2/A2 and some upland brush mixed in. Upland brush along ridge, some jack pine. Some low areas, mostly along east edge.														
49	A 5	A 2	10	36	6	50	58	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Scattered Jack pine and upland brush, pockets of larger aspen.														
50	A 3	X 0	18	6	0	0	50	aspen (upland)	nonstocked	N		40-49 years	0	
comnts Fmd : Cut 2001. Lots of A3 with jack pine seedlings. FTP C-54-715.														
51	J 3	X 0	46	6	0	0	50	jack pine	nonstocked	N		40-49 years	0	
comnts Fmd : LEATHERLEAF BOG. J2 ON EAST EDGE cut 2001. Some natural regeneration in the center of the stand. FTP C-54-754														
52	A 4	A 2	15	36	5	30	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Some red and jack pine, oak is thicker in spots.														
53	O 6	A 2	22	72	9	70	52	oak	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : A & M REMOVED IN 1971. 3 spots totaling 4 acres cut 2001. Leave 3-4 oak per acre in clumps.														
54	A 2	X 0	44	15	1	0	65	aspen (upland)	immature	N		50-59 years	0	
55	S 4	S 3	27	63	6	30	48	black spruce-swamp	sparse	N		30-39 years	0	
56	Q 5	F 2	9	107	7	60	28	mixed swamp conifer	low quality	Y		not scheduled	0	

Treatment Limiting Factors:
Too wet

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
58	C 4	C 2	43	90	7	30	22	cedar	low quality	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : FAIR QUALITY ON TRANSITION ZONES, OTHERWISE ALL POOR</p>														
59	V 0	V 0	10					bog or muskeg	nonstocked	N		not scheduled	0	
60	J 4	J 1	10	22	4	20	48	jack pine	immature	N		10-19 years	0	
<p>comnts Fmd : Natural regeneration, this stand was part of stand 438. Could cut this stand with stand 30 to return to a G/U type.</p>														
61	J 4	J 1	6	22	4	20	48	jack pine	immature	N		10-19 years	0	
<p>comnts Fmd : Natural regeneration, this stand was part of stand 438. Could cut this stand with stand 30 to return to a G/U type.</p>														
62	A 1	U 2	5	14	1	0	64	aspen (upland)	immature	N		60-69 years	0	
<p>comnts Fmd : Mix of upland brush species, aspen and jack pine. Heavy deer browsing in the past.</p>														
63	Q 5	L 1	4	65	5	40	35	mixed swamp conifer	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
64	O 8	J 1	7	74	10	60	52	oak	low quality	N		within 0-9 years	0	natural regeneration
<p><u>Treatment Limiting Factors:</u> Too steep</p> <p>comnts Fmd : Oak ridge. Some mature aspen and Jack pine on hill. Illegal firewood cutting. Slopes are an issue. Scarifying would help establish an understory.</p>														
65	E 3	E 1	1	21	2	0	52	swamp hardwoods	immature	N		50-59 years	0	
<p>comnts Fmd : Conifer component.</p>														
66	Q 6	L 1	3	72	8	90	33	mixed swamp conifer	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet Blocked by other physical obstacle</p> <p>comnts Fmd : Bottom of hill.</p>														
68	J 5	J 2	13	41	7	50	48	jack pine	immature	N		30-39 years	0	
<p>comnts Fmd : HIGHLY VARIABLE, SCATT RP and oak LOGS AND MIXED PINE REPRO ALONG E EDGE,</p>														
69	V 0	V 0	1					bog or muskeg	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Bog, jack pine along edges.</p>														
70	O 9	R 2	8	75	12	80	47	oak	immature	N		10-19 years	0	
<p>comnts Fmd : Some slopes, good mix.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
71	A 8	F 1	2	38	10	50	55	aspen (upland)	mature	N		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Access through private. Old stumps show fire damage.</p>														
72	J 5	X 0	4	45	5	50	50	jack pine	mature	N		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Access through private.</p>														
427	G 0	G 0	1			0	52	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Natural stand in a hole, Jack pine creeping in.</p>														
428	G 0	G 0	1			0	52	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Natural stand in a hole, Jack pine creeping in.</p>														
430	G 0	G 0	1			0	52	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Natural stand, may loose this stand after harvest, to aspen.</p>														
431	G 0	G 0	4			0	52	grass	nonstocked	N		10-19 years	0	
<p>comnts Fmd : Nort part old gas well, lots of gravel on the surface. Surrounding tree species moving in.</p> <p>Wld : BURN TO MAINTAIN U</p>														
432	G 0	G 0	3			0	52	grass	nonstocked	N		within 0-9 years	0	opening maintenance
<p>comnts Fmd : Old gas pad. Party spot (tire burning), gravel surface. This includes the access road. Some autum olive.</p>														
437	G 0	G 0	6			0	52	grass	nonstocked	N		10-19 years	0	
<p>comnts Fmd : Surrounding tree species moving in.</p>														
438	G 0	G 0	12			0	52	grass	nonstocked	N		within 0-9 years	0	opening maintenance
<p>comnts Fmd : Jack pine, oak and aspen moving in.</p>														
458	U 0	U 0	28			0	52	upland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Scattered trees, reindeer lichen. Aspen stunted. Old stumps show fire damage. The northern portion of this stand was planted in the past, probably by private land owners.</p>														

Total Acres..... 1673