

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|------|-----|--------|---------|-----------|--|-------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 1 | A 4 | F 1 | 60 | 91 | 6 | 40 | 30 | aspen (upland) | low quality | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inferior quality</p> <p>comnts Fmd : STUNTED TREES AND US 23 FRONTAGE.UNDERSTORY ALSO INCLUDES RED PINE, JACK PINE, AND U</p> | | | | | | | | | | | | | | |
| 4 | F 6 | F 1 | 41 | 79 | 8 | 70 | 46 | spruce-fir (uplands-including upland black spruce) | mature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : POOR ACCESS.SOME AREAS OF ALVAR IN WEST PART OF STAND.</p> | | | | | | | | | | | | | | |
| 5 | Q 5 | Q 1 | 103 | 91 | 6 | 50 | 28 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inferior quality</p> <p>comnts Fmd : VERY POOR QUALITY, WET, SOME AREAS ARE PROBABLY NON-COMMERCIAL. SHORT, STUNTED, WITH DEAD TOPS.</p> | | | | | | | | | | | | | | |
| 6 | R 9 | F 1 | 14 | 91 | 10 | 70 | 46 | red pine | immature | Y | | 20-29 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Influence zones</p> <p>comnts Fmd : SMALL STAND ALONG US-23, USED BY DEER HUNTERS TO CAMP.</p> | | | | | | | | | | | | | | |
| 7 | N 0 | N 0 | 38 | | | | | marsh | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : SCHALKS CREEK</p> | | | | | | | | | | | | | | |
| 8 | T 4 | L 1 | 46 | 90 | 6 | 40 | 20 | tamarack | low quality | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inferior quality</p> <p>comnts Fmd : WET, THICKL-F1 UNDERSTORY. TREES ARE SHORT & NOT THRIFTY. DEAD TOPS.</p> | | | | | | | | | | | | | | |
| 13 | P 2 | F 1 | 133 | 13 | 2 | 0 | 51 | balsam poplar & swamp aspen and swamp white birch | immature | N | | not scheduled | 0 | |
| <p>comnts Fmd : MARGINAL UPLAND, some areas came back as "L" and cattails.</p> | | | | | | | | | | | | | | |
| 15 | L 0 | L 0 | 82 | | | | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : SCHALKS CREEK-GRAND LAKE PIKE SPAWNING MARSH OPERATED BY FISHERIES DIVISION.</p> | | | | | | | | | | | | | | |
| 16 | S 5 | Q 2 | 41 | 81 | 6 | 40 | 30 | black spruce-swamp | immature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : ROCKY SOIL ALONG EDGE</p> | | | | | | | | | | | | | | |
| 17 | P 6 | F 2 | 25 | 85 | 8 | 70 | 50 | balsam poplar & swamp aspen and swamp white birch | immature | Y | | 20-29 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : MARGINAL UPLAND, POOR ACCESS.</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|------------|---------|-----------|---|------------|---------------------|------------|---------------|------------------|---------------|
| 20 | P 6 | F 2 | 142 | 87 | 8 | 80 | 53 | balsam poplar & swamp aspen and swamp white birch | mature | Y | | 20-29 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : DIFFICULT ACCESS ACROSS MARSH OR COMPARTMENT 142 STAND 27</p> | | | | | | | | | | | | | | |
| 21 | P 3 | X 0 | 20 | 3 | 1 | 0 | 52 | balsam poplar & swamp aspen and swamp white birch | mature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : cut 03/04, sale 034-00,Some areas of vernal ponding.Alvar in some places.Mixed reproduction.</p> | | | | | | | | | | | | | | |
| 22 | C 6 | F 1 | 25 | 84 | 6 | 90 | 32 | cedar | immature | N | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too steep Too wet</p> <p>comnts Fmd : RIDGE ALONG SOUTH EDGE OF STAND.</p> | | | | | | | | | | | | | | |
| 23 | P 5 | F 2 | 30 | 43 | 5 | 50 | 47 | balsam poplar & swamp aspen and swamp white birch | sparse | N | | 20-29 years | 0 | |
| <p>comnts Fmd : cut 03/04, sale 034-00. Very mixed reproduction.A little bit of everything came back- aspen,hard andred maple,ash, cedar,spruce,balsam,r.oak,hawthorne, r.o. dogwood.</p> | | | | | | | | | | | | | | |
| 25 | P 6 | F 2 | 74 | 87 | 8 | 80 | 53 | balsam poplar & swamp aspen and swamp white birch | mature | Y | | 20-29 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : VERY DIFFICULT ACCESS. STANDS TO EAST AND WEST DID NOT REGENERATE WELL.</p> | | | | | | | | | | | | | | |
| 26 | C 6 | L 0 | 29 | 84 | 6 | 80 | 32 | cedar | immature | N | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too steep Too wet</p> <p>comnts Fmd : GOOD CEDAR ALONG EDGES. RIDGE ALONG SOUTH EDGE OF STAND.</p> | | | | | | | | | | | | | | |
| 27 | P 5 | F 2 | 37 | 43 | 5 | 50 | 47 | balsam poplar & swamp aspen and swamp white birch | sparse | N | | 20-29 years | 0 | |
| <p>comnts Fmd : SOME SAPS-ASP,BALSAM. MOSTLY OPEN. ROCKY ALVAR.</p> | | | | | | | | | | | | | | |
| 28 | U 0 | U 0 | 29 | | | 0 | 40 | upland brush | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : WET MARSHY AREA ALONG SCHOUT CREEK. VERY SHORT TIMBER.</p> | | | | | | | | | | | | | | |
| 31 | S 4 | L 1 | 10 | 77 | 6 | 40 | 48 | black spruce-swamp | mature | N | | not scheduled | 0 | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|--------|---------|-----------|--|-------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 35 | P 6 | L 0 | 190 | 78 | 7 | 70 | 51 | balsam poplar & swamp aspen and swamp white birch | low quality | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : MARGINAL UPLAND. VERY WET IN PLACES.SCHOUT CREEK RUN THROUGH STAND. | | | | | | | | | | | | | | |
| 37 | Q 6 | F 1 | 79 | 78 | 7 | 90 | 37 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Too wet | | | | | | | | | | | | | | |
| comnts Fmd : OLD DATA LOOKS GOOD. HEAD WATERS OF SCHOUT CREEK. | | | | | | | | | | | | | | |
| 40 | P 3 | F 1 | 111 | 17 | 2 | 0 | 54 | balsam poplar & swamp aspen and swamp white birch | immature | N | | 50-59 years | 0 | |
| 42 | Q 5 | F 2 | 72 | 77 | 6 | 50 | 32 | mixed swamp conifer | sparse | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Inferior quality | | | | | | | | | | | | | | |
| comnts Fmd : ROCKY-SEMI OPEN,CLAY SOIL.SHORT, POOR QUALITY TIMBER. | | | | | | | | | | | | | | |
| 43 | Q 6 | Q 1 | 22 | 96 | 6 | 70 | 30 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : WET,POOR QUALITY JACK PINE MIX IN SOUTH PART OF STAND. MORE BALSAM & SPRUCE IN NORTH PART.WET ROCKY SOIL. | | | | | | | | | | | | | | |
| 44 | R 6 | F 1 | 15 | 75 | 8 | 90 | 46 | red pine | immature | N | | not scheduled | 0 | |
| comnts Fmd : WET, ROCKY SOIL. | | | | | | | | | | | | | | |
| 45 | Q 6 | F 1 | 16 | 47 | 7 | 80 | 46 | mixed swamp conifer | immature | N | | not scheduled | 0 | |
| comnts Fmd : WET | | | | | | | | | | | | | | |
| 46 | W 6 | F 1 | 39 | 59 | 8 | 70 | 50 | white pine | immature | N | | not scheduled | 0 | |
| comnts Fmd : DUKES MIXTURE. SHORT,LOW QUALITY TIMBER.WET AREAS.SHALLOW ROCKY, CLAY SOILS. | | | | | | | | | | | | | | |
| 47 | Q 6 | F 2 | 1 | 81 | 7 | 80 | 52 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : WET | | | | | | | | | | | | | | |
| 48 | F 6 | F 3 | 9 | 81 | 7 | 90 | 52 | spruce-fir (uplands-including upland black spruce) | mature | Y | | 30-39 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : WET | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|-------|---------|-----------|---|------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | D B H | Tot. BA | | | | | | | | |
| 52 | P 6 | L 3 | 103 | 78 | 8 | 80 | 43 | balsam poplar & swamp aspen and swamp white birch | sparse | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : WET,SIMILAR STANDS IN THIS AREA HAVE NOT REGENERATED WELL AFTER BEING CUT.Difficult to harvest on these soils without creating rus.</p> | | | | | | | | | | | | | | |
| 53 | X 0 | X 0 | 7 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : M-23</p> | | | | | | | | | | | | | | |
| 106 | S 4 | F 1 | 68 | 91 | 5 | 20 | 46 | black spruce-swamp | immature | Y | | 20-29 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inferior quality</p> <p>comnts Fmd : VERY UNTHRIFTY, TOPS ARE DEAD. OCASSIONAL RED AND WHITE PINE POLE.</p> | | | | | | | | | | | | | | |
| 110 | L 0 | L 0 | 11 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : WET.</p> | | | | | | | | | | | | | | |
| 115 | Z 0 | Z 0 | 13 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : SCHALKS CREEK-GRAND LAKE PIKE SPAWNING MARSH OPERATED BY FISHERIES DIVISION.</p> | | | | | | | | | | | | | | |
| 120 | P 2 | F 1 | 11 | 13 | 2 | 0 | 51 | balsam poplar & swamp aspen and swamp white birch | immature | N | | not scheduled | 0 | |
| <p>comnts Fmd : MARGINAL UPLAND, some areas came back as "L" and cattails.</p> | | | | | | | | | | | | | | |
| 137 | Q 6 | F 1 | 8 | 78 | 7 | 90 | 37 | mixed swamp conifer | immature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Too wet</p> <p>comnts Fmd : OLD DATA LOOKS GOOD. HEAD WATERS OF SCHOUT CREEK.</p> | | | | | | | | | | | | | | |
| 142 | U 0 | G 0 | 3 | | | 0 | 46 | upland brush | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : ALVAR</p> | | | | | | | | | | | | | | |
| 144 | U 0 | G 0 | 31 | | | 0 | 46 | upland brush | nonstocked | N | | not scheduled | 0 | |
| <p>comnts Fmd : ALVAR</p> | | | | | | | | | | | | | | |
| 146 | W 6 | F 1 | 1 | 59 | 8 | 70 | 50 | white pine | immature | N | | not scheduled | 0 | |
| <p>comnts Fmd : DUKES MIXTURE. SHORT,LOW QUALITY TIMBER.WET AREAS.SHALLOW ROCKY, CLAY SOILS.</p> | | | | | | | | | | | | | | |
| 147 | Q 6 | F 2 | 1 | 81 | 7 | 80 | 52 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : WET</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. DBH | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|----------|---------|-----------|--|------------|---------------------|------------|---------------|------------------|---------------|
| 148 | F 6 | F 3 | 3 | 81 | 7 | 90 | 52 | spruce-fir (uplands-including upland black spruce) | mature | Y | | 30-39 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : WET | | | | | | | | | | | | | | |
| 152 | U 0 | G 0 | 12 | | | 0 | 51 | upland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : ALVAR | | | | | | | | | | | | | | |
| 242 | U 0 | G 0 | 4 | | | 0 | 46 | upland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : ALVAR | | | | | | | | | | | | | | |
| 244 | R 6 | F 1 | 13 | 75 | 8 | 90 | 46 | red pine | immature | N | | not scheduled | 0 | |
| comnts Fmd : A FEW CLONES OF ASPEN ALONG SOUTH EDGE. WET, ROCKY SOIL. | | | | | | | | | | | | | | |
| 248 | F 6 | F 3 | 6 | 81 | 7 | 90 | 52 | spruce-fir (uplands-including upland black spruce) | mature | Y | | 30-39 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : WET | | | | | | | | | | | | | | |
| 252 | U 0 | G 0 | 7 | | | 0 | 51 | upland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : ALVAR | | | | | | | | | | | | | | |
| 344 | U 0 | G 0 | 5 | | | 0 | 46 | upland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : ALVAR | | | | | | | | | | | | | | |
| 352 | U 0 | G 0 | 3 | | | 0 | 51 | upland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : ALVAR | | | | | | | | | | | | | | |
| 443 | G 0 | G 0 | 12 | | | 0 | 51 | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : ELECTRIC TRANSMISSION LINE R.O.W. | | | | | | | | | | | | | | |
| Total Acres..... 1967 | | | | | | | | | | | | | | |