

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
1	R 9	M 2	19	68	10	100	60	red pine	immature	N		10-19 years	0	
comnts Fmd : SOME SCATTERED ASPEN.														
2	Q 6	F 1	29	90	7	180	30	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps Too steep														
comnts Fmd : HAS BEEN SOME CEDAR LOG THEFT IN THE PAST,STEEP BANKS,BEAVER ACTIVITY.														
3	L 0	L 0	13			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : SOME BEAVER ACTIVITY.														
4	A 6	F 1	25	70	8	90	66	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : A FEW SCATTERED R.OAKS & RED PINE LOGS.SEVERAL WET DRAINAGES RUN FROM SW TO NE TOWARDS COLD CREEK. CUT WITH STAND 14 IN 10 YEARS.														
5	A 3	A 3	34	15	3	0	68	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : MIX OF ASPEN,RED PINE,JACK PINE,ALDER, RED MAPLE, AND SHRUBS. WET IN PLACES.														
6	P 6	M 2	29	72	8	80	69	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : W. BIRCH IS DYING OUT, WET AREAS.														
7	R 9	X 0	49	68	12	80	56	red pine	immature	N		10-19 years	0	
comnts Fmd : THINNED 1990. CANOPY NOT COMPLETELY CLOSED YET, CUT IN TEN YEARS.														
8	L 0	L 0	5			0		lowland brush	nonstocked	N		not scheduled	0	
9	R 6	X 0	17	45	9	170	52	red pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : THINNED 1990. Thin, remove every other row.														
10	Q 6	F 1	2	90	8	170	32	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : Small area of swamp conifer with drainage running to the north.														
11	A 3	A 3	25	15	3	0	57	aspen (upland)	immature	N		50-59 years	0	
12	C 6	F 1	3	15	8	170	32	cedar	immature	N		not scheduled	0	
comnts Fmd : SMALL NARROW CEDAR STAND BETWEEN TWO HIGH RIDGES, SMALL STREAM IN BOTTOM FLOWING INTO COLD CREEK.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
13	Q 6	F 1	4	68	8	70	48	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : SMALL NARROW DRAINAGE BETWEEN TWO HIGHER STANDS.														
14	A 6	F 2	25	75	8	90	62	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : VIGOROUS LOOKING STAND -WILL HOLD FOR TEN YEARS														
15	P 6	F 2	39	75	8	100	62	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : A LOT OF BLOW DOWN. CLEARCUT. WILL ACCEPT MIXED REGERATION OF ASPEN,RED MAPLE,BALSAM FIR,WHITE BIRCH. LEAVE OAK.														
17	S 6	S 1	31	87	8	80	50	black spruce-swamp	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : SOME BLOW DOWN, CLEARCUT WITH STAND# 15. WILL ACCEPT A MIX OF PINE ,ASPEN, AND SWAMP CONIFER REPRODUCTION.POCKET OF OFF SITE RED AND WHITE PINE IN CENTRAL PART OF STAND.														
18	O 8	A 2	12	92	13	60	56	oak	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : RIDGE OF 07 AND R7														
19	Q 5	L 0	6	76	8	50	30	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : WET.														
20	J 3	M 1	13	5	1	0	58	jack pine	nonstocked	N		60-69 years	0	
comnts Fmd : WINTER CUT-HIGH WATER TABLE CUT 2001. SOME ASPEN REPRODUCTION.														
21	A 2	A 1	20	33	4	20	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : JUST STARTING TO CONVERT TO POLES.														
22	A 3	O 1	62	6	1	20	63	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CUT 2001. REPRODUCTION IS A MIX OF ASPEN,OAK,RED PINE,JACK PINE, AND RED MAPLE.														
24	A 3	O 1	6	6	1	20	63	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CUT 2001. REPRODUCTION IS A MIX OF ASPEN,OAK,RED PINE,JACK PINE, AND RED MAPLE.														
25	R 6	X 0	19	52	8	170	52	red pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : A FEW SCATTERED JACK AND WHITE PINE.REMOVE JACK PINE DURING THINNING OPERATION.														
26	O 6	O 2	15	81	8	70	58	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : POCKETS OF ASPEN IN EAST- LOW RIDGE.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
27	R 9	M 2	50	77	13	170	64	red pine	immature	N	shelterwood-seed	within 0-9 years	2	
comnts Fmd : HIGH WATER TABLE. SHELTERWOOD ,PATCHY RESIDUAL W/POSSIBLE SCARIFICATION- AVERAGE RESIDUAL OF 40-50, MIXED REGENERATION IS ACCEPTABLE.														
28	R 9	M 1	8	74	14	100	59	red pine	immature	N	shelterwood-seed	within 0-9 years	2	
comnts Fmd : HIGH WATER TABLE.SHELTERWOOD, PATCHY RESIDUAL W/POSSIBLE SCARIFICATION, AVERAGE RESIDUAL OF 40-50. MIXED REGENERATION IS ACCEPTABLE.														
29	Z 0	Z 0	2			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : POND- OLD BORROW PIT. SOME WATER FOWL USE. AFAIR AMOUNT OF RECREATIONAL USE.														
30	R 9	W 1	8	77	13	220	60	red pine	immature	Y	selection	within 0-9 years	2	
comnts Fmd : HIGH WATER TABLE.A LOT OF RECREATIONAL USE.														
31	R 6	X 0	8	55	9	220	59	red pine	immature	Y	final harvest	within 0-9 years	2	planting
comnts Fmd : CLEARCUT,PLANT TO RED PINE, LEAVE NATURAL LOOKING POCKETS OF RETENTION.														
32	O 6	W 1	7	90	10	70	61	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Influence zones														
comnts Fmd : STEEP SLOPES ALONG RAINY RIVER-CAMP SITES ALONG RIVER BANK. WOOD DUCK HABITAT.														
33	A 3	O 1	35	6	1	20	59	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : CUT 2001. A FEW SCATTERED RED PINE POLES.														
35	L 0	L 0	13			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : RAINY RIVER FLAT. STEEP BANKS.														
36	C 6	F 1	21	95	8	220	39	cedar	immature	N		not scheduled	0	
comnts Fmd : CEDAR LOG THEFT IN PAST.STEEP BANKS ALONG EDGES OF STAND. SOME AREAS OF BLOW DOWN.														
37	R 6	W 1	19	68	11	130	61	red pine	immature	N		10-19 years	0	
comnts Fmd : SOME VERY NICE WHITE PINE POLES, NO WEAVIL DAMAGE, TALL&STRAIGHT.														
38	A 3	O 2	25	6	9	120	60	oak	immature	N		30-39 years	0	
comnts Fmd :														
39	J 6	X 0	10	45	6	120	50	jack pine	immature	N		10-19 years	0	
comnts Fmd : SHORT, CUT IN TEN YEARS.														
40	A 3	O 1	9	6	1	20	61	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : THIN														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
41	R 9	X 0	4	45	11	130	51	red pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd :														
42	R 6	A 2	27	6	7	70	63	red pine	immature	N		30-39 years	0	
comnts Fmd : LEAVE OAK,RED PINE & WHITE PINE; AT COMPARTMENT REVIEW WE AGREED TO MANAGE PORTIONS OF STANDS 40 AND 42 AS ASPEN WHERE IT WAS PREDOMINATELY ASPEN AND OTHER WISE MANAGE THEM FOR A MIXTURE LEAVING OAK AND PINE. KEEP ENOUGH TREES ALONG ROAD IN STAND 74 TO HELP KEEP ROAD CLOSED. CUT 2001. A POCKET OF RED PINE POLES EXISTS ALONG THE EDGE OF STAND 74 MIXED WITH ASPEN AND RED MAPLE REPRODUCTION.														
43	R 6	W 1	15	68	11	100	61	red pine	immature	N		10-19 years	0	
comnts Fmd : MIXED PINE OAK STAND. SOME WHITE OAK.														
44	Q 3	O 0	21	17	2	0	60	mixed swamp conifer	immature	N		60-69 years	0	
comnts Fmd : CUT 1990. R1,w1,a1,s1,f1, WO1,RO1														
45	Q 3	F 1	45	17	2	0	49	mixed swamp conifer	nonstocked	N		not scheduled	0	
comnts Fmd : MIXED REPRODUCTION,ASPEN,FIR,SPRUCE,OAK, RED PINE, AND TAMARACK.														
46	C 6	F 1	46	95	8	180	42	cedar	immature	N		not scheduled	0	
comnts Fmd : CEDAR THEFT IN THE PAST. SINGLE STRAND FENCE ALONG PRIVATE BOUNDARY.														
47	A 6	F 1	28	36	6	70	53	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : HAS CONIFER COMPONENT														
48	L 0	L 0	22			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER ACTIVITY IN PAST. SOME AREAS ARE MORE OF A GRASSY BEAVER MEADOW.														
51	P 6	F 2	79	87	9	110	53	balsam poplar & swamp aspen and swamp white birch	two aged	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Bridge needed (portable bridge not available or inadequate)														
comnts Fmd : POOR ACCESS														
53	R 9	X 0	20	68	13	100	56	red pine	mature	N	selection	within 0-9 years	1	
comnts Fmd : LEAVE BUFFER ALONG HWY.-PORTION OF STAND .														
54	E 6	F 2	14	78	8	70	67	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : LOW AND WET IN MOST AREAS.SOME ARES HAVE BEEN AFFECTED BY BEAVER FLOODING.														
56	S 6	S 1	6	87	8	70	50	black spruce-swamp	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : SOME BLOW DOWN.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	Acrs	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
57	M 6	M 1	32	8	110	76	northern hardwood	immature	N	selection	within 0-9 years	1		
comnts Fmd : THINNED 1990. NORTH ASPECT, QUALITY AND DIAMETER DECREASE AS YOU GO NORTH. SCATTERED ASH LOG.														
58	M 6	M 3	10	7	100	50	northern hardwood	immature	N		20-29 years	0		
comnts Fmd : SOME WHITE PINE AND FIR IN UNDERSTORY. W. BIRCH IS DECLINING.														
59	Q 6	F 2	9	82	9	120	37	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : SOME CEDAR LOG THEFT IN PAST. ROCKY SOIL, GOOD DEER YARD.														
60	A 3	F 2	22	15	3	0	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : ASPEN COMING IN PATCHY-SOME GOOD SOME NOT														
61	C 6	F 1	16	80	8	150	51	cedar	immature	N		not scheduled	0	
comnts Fmd : HAS HEMLOCK CONTENT-CEDAR THEFT EVIDENT IN PAST. ROCKY SOIL. NICE STAND. UPLAND CEDAR.														
62	M 6	M 3	19	9	90	50	northern hardwood	immature	N		20-29 years	0		
comnts Fmd : ASPEN PATCHES-ROCK PILES SCATTERED THROUGHT POSSIBLE OLD FARM. LOTS OF BEAR CLAW MARKS ON BEECH TREES.														
63	A 3	F 2	33	25	4	0	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : ASPEN COMING IN PATCHY-SOME GOOD SOME NOT														
64	C 6	F 1	2	77	6	110	49	cedar	immature	N		not scheduled	0	
comnts Fmd : SMALL WET PATCH OF CEDAR, SOME BLOW DOWN, PRIVATE TO NORTH WAS JUST HARVESTED.														
66	P 6	Q 3	24	76	8	90	57	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : HIGH WATER TABLE BUT A ROCKYGRAVEL SOIL MIX-STAY OUT OF Q TYPE. WET IN SOME AREAS.														
67	P 3	F 1	5	28	4	20	54	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : JUST CONVERTING TO POLES. WET IN SOME PLACES.														
68	C 6	F 1	10	88	7	210	42	cedar	immature	N		not scheduled	0	
comnts Fmd : CEDAR THEFT SEEMS TO HAVE STOPPED. QUITE WET IN SOME PLACES.														
69	R 5	O 1	27	83	8	50	62	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : SOME AREAS OF "U". OPEN GROWN STAND WITH SCATTERED RED PINE, RED MAPLE, ASPEN, AND WHITE OAK.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
70	A 3	F 1	44	17	3	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : MIX OF ASPEN, SPRUCE, FIR, AND WHITE PINE.														
71	X 0	X 0	16			0	58	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : RIGHTS-OF-WAY FOR ELECTRIC TRANSMISSION LINE.														
73	E 5	L 2	12	51	5	60	49	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : COLD CREEK TRIBUTARY														
74	R 6	X 0	8	45	7	120	51	red pine	immature	N		10-19 years	0	
comnts Fmd : SMALLER RED PINE .														
75	R 6	W 1	25	77	10	100	64	red pine	immature	N		10-19 years	0	
comnts Fmd :														
78	R 6	O 1	22	33	6	70	58	red pine	immature	N		30-39 years	0	
comnts Fmd : VERY MIXED STAND. ASPEN & JACK PINE REMOVED IN 1978. SCATTERED MIXED RED & WHITE PINE POLES WITH POCKETS OF ASPEN REPRODUCTION.														
80	Q 6	F 2	6	68	8	80	48	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : SMALL WET AREA OF JACK PINE AND SPRUCE.														
81	R 6	X 0	14	45	7	200	51	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : SMALLER RED PINE .														
106	P 6	M 2	18	72	8	80	69	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : VERY WET.														
120	J 3	M 1	5	5	1	0	58	jack pine	nonstocked	N		10-19 years	0	
comnts Fmd : CUT 2001.J1,RM1,A1,U														
125	U 0	U 0	1			0	45	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : SOME WHITE PINE,RED PINE, AND JACK PINE.														
129	Z 0	Z 0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : POND- OLD BORROW PIT. SOME WATER FOWL USE. A FAIR AMOUNT OF RECREATIONAL USE.														
131	J 6	X 0	23	55	6	170	59	red pine	immature	N	final harvest	within 0-9 years	2	planting
comnts Fmd : CLEARCUT,PLANT TO RED PINE, LEAVE NATURAL LOOKING POCKETS OF RETENTION.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
140	A 3	O 2	21	6	9	120	60	oak	immature	N		30-39 years	0	
comnts Fmd :														
148	A 6	F 1	2	36	6	70	53	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : HAS CONIFER COMPONENT														
151	S 6	S 1	13	87	8	70	50	black spruce-swamp	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : SOME BLOW DOWN.														
156	P 6	F 2	7	75	8	90	62	balsam poplar & swamp aspen and swamp white birch	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : WET.														
158	M 6	M 3	29		7	100	50	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : SOME WHITE PINE AND FIR IN UNDERSTORY.W. BIRCH IS DECLINING.														
163	A 3	F 2	9	25	4	0	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : ASPEN COMING IN PATCHY-SOME GOOD SOME NOT														
169	R 5	O 1	10	83	8	50	62	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : SOME AREAS OF "U".OPEN GROWN STAND WITH SCATTERED RED PINE,RED MAPLE,ASPEN, AND WHITE OAK. THIS TEN ACRES WAS DEEDED TO MSP FOR RADIO TOWER, WILL REVERT TO DNR SHORTLY.														
181	R 9	W 1	18	45	13	80	60	red pine	immature	N		10-19 years	0	
comnts Fmd : STOCKING AND DBH VARY.THIN IN 10 YRS. SCATTERED RED AND WHITE OAK.														
258	M 6	M 3	7		7	80	50	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : SOME WHITE PINE AND FIR IN UNDERSTORY.W. BIRCH IS DECLINING.														
401	G 0	G 0	20		0	0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : MAINTAINED OPENING.														
404	G 0	G 0	15			0	66	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : NICE OPENING.														
405	G 0	G 0	2			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance

ATLANTA FOREST MGT UNIT

Stand Level Information

Compartment: 144 Entry Year: 2009

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
421	G 0	G 0	18			0	58	grass	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : NICE OPENING, SHOULD BE MAINTAINED. PLANT JACK PINE INFURROWS ALONG SOUTHERN BOUNDARY.														
425	G 0	G 0	9			0	52	grass	nonstocked	N		20-29 years	0	
comnts Fmd : SOME AREAS OF "U", A LOT OF BLUEBERRY AND SWEETFERN... NOT MUCH GRASS														
432	U 0	G 0	12			0	61	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : FILLING IN WITH W.PINE,ASPEN,W. OAK, AND RED OAK.														
443	G 0	G 0	2			0	64	grass	nonstocked	N		30-39 years	0	
comnts Fmd : NOT REALLY A "G" TYPE.GROUND COVER IS MOSS, BRACKEN, BLUEBERRY, AND WINTERGREEN.														
460	G 0	G 0	10			0	65	grass	nonstocked	N		10-19 years	0	
comnts Fmd : VERY ROCKY, NOT MUCH GRASS.														
470	G 0	G 0	1			0	70	grass	nonstocked	N		20-29 years	0	
comnts Fmd : ASPEN ENCROACHING, VERY ROCKY.														
Total Acres.....													1653	