

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	C 6	S 1	3	100	9	120	40	cedar	mature	N		not scheduled	0	
2	P 5	F 1	12	68	9	60	52	balsam poplar & swamp aspen and swamp white birch	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Stand is very wet and poor quality with no legal access.														
3	L 0	L 0	23			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
4	P 3	F 1	31	15	1	0	68	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : some low areas in stand.														
6	C 6	F 1	30	98	9	140	34	cedar	mature	N		not scheduled	0	
comnts Fmd : Miller Creek runs through stand.														
7	P 5	P 1	88	41	6	50	50	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : several small L-types scattered through-out stand. Scattered oak, balsam & Pine.														
8	P 4	P 1	32	41	6	30	50	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : same stand as 7 only lower ground and more tagalder. several small L-types scattered through-out stand. Scattered oak, balsam & Pine.														
9	L 0	L 0	11			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag-alder brush with scattered timber.														
10	Q 6	F 2	20	103	7	90	30	mixed swamp conifer	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Water quality/bmps														
Too wet														
comnts Fmd : Miller creek runs through stand.														
11	Q 4	F 3	40	22	5	30	49	mixed swamp conifer	immature	N		40-49 years	0	
comnts Fmd : stand is a big mix of species. It appears to have been cut in the 80's. Leaving only scattered Red Maple in the overstory and the understory is prodominately Balsam Fir. Low ground.														
12	P 3	F 1	102	23	4	0	55	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : P3/P4 stand. Scattered oak, balsam, pine and red maple regen. Several small L-types in stand.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
13	P 5	Q 2	2	91	10	50	57	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet Adjacent landowner denies access comnts Fmd : no access into stand, low ground.</p>														
14	C 6	F 1	25	98	9	140	34	cedar	mature	N		not scheduled	0	
<p>comnts Fmd : No good access, possible Trespass from PVT on all sides.</p>														
15	E 4	L 2	4	88	10	30	39	swamp hardwoods	sparse	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Influence zones Too wet comnts Fmd : Miller Creek runs through stand</p>														
16	C 5	L 3	8	103	7	40	29	cedar	low quality	N		not scheduled	0	
<p>comnts Fmd : Miller Creek runs through stand</p>														
20	Q 6	F 2	15	103	7	90	30	mixed swamp conifer	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Influence zones Water quality/bmps Too wet comnts Fmd : Miller creek runs through stand.</p>														
21	P 3	P 3	77	16	2	0	55	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
<p>comnts Fmd : stand looks good, several small L-types scattered through-out stand.</p>														
22	D 0	D 0	1					treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : small bog with scattered spruce</p>														
23	Q 5	F 2	8	65	8	50	44	mixed swamp conifer	mature	N		50-59 years	0	
<p>comnts Fmd : Hold and treat with adjacent stands.</p>														
24	L 0	L 0	6					lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Tag-alder brush with scattered timber.</p>														
25	L 0	L 0	3					lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Tag-alder brush with scattered timber.</p>														
30	C 6	L 1	52	121	9	140	28	cedar	mature	N		not scheduled	0	
<p>comnts Fmd : east edge of stand is Q/C/L type.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
31	L 0	L 0	9			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag-alder brush with scattered timber.														
32	P 3	F 1	14	28	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : Stand lines may vary.														
33	P 6	F 2	30	43	7	70	63	balsam poplar & swamp aspen and swamp white birch	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Clear Cut: Leave 3 % retention in any wet areas. Follow fish recommendations for buffer to north, include this area in retention. Leave any oak. Acceptable regen is any mix of aspen or hdwd.														
34	P 5	F 1	23	34	6	40	63	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : Hold ten yrs due to small diameters, age and travel corridor. Scattered spruce and Pine														
35	L 0	L 0	7			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag-alder brush with scattered timber.														
36	P 6	F 2	2	43	7	70	63	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : Hold stand 10 yrs and treat with stand 34.														
37	X 0	X 0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : M32														
40	Q 6	F 2	10	63	9	70	52	mixed swamp conifer	mature	N	final harvest	within 0-9 years	2	
comnts Fmd : Clear cut as much of stand as possible with sale in stand 33. Clear Cut, leave any oak if present and 1 small retention pocket out by M33. No other retention needed because stands to south will likely never be treated. Acceptable regen will be any mix of conifer or hdwd.														
41	L 0	L 0	17			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag-alder brush with scattered timber.														
42	Q 6	F 2	64	63	9	90	52	mixed swamp conifer	mature	N		10-19 years	0	
comnts Fmd :														
45	Q 6	F 2	5	78	8	70	40	mixed swamp conifer	mature	Y		not scheduled	0	

Treatment Limiting Factors:

- Too wet
- Influence zones
- Adjacent landowner denies access

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
46	L 0	L 0	9			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag-alder brush with scattered timber.														
47	L 0	L 0	3			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag-alder brush with scattered timber.														
48	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag-alder brush with scattered timber.														
49	E 6	F 2	3	79	8	90	55	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Adjacent landowner denies access														
comnts Fmd : Pockets of P6. Low ground in most of stand. Pretty limited access into area, roads on private don't appear to be able to handle heavy truck traffic. Good area to let natural succession take place stand will slowly convert to a pine/hdwd mix.														
50	W 8	W 1	25	83	16	60	56	white pine	low quality	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Old R&R grade through stand and across Thunder Bay River. Small openings in stand look like they have been burnt in the past. Pockets of P6. Pretty limited access into area, roads on private don't appear to be able to handle heavy truck traffic. Good area to let natural succession take place stand will slowly convert to a pine/hdwd mix.														
51	E 6	F 2	15	79	8	90	55	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Adjacent landowner denies access														
comnts Fmd : Pockets of P6. Low ground in most of stand. Pretty limited access into area, roads on private don't appear to be able to handle heavy truck traffic. Good area to let natural succession take place stand will slowly convert to a pine/hdwd mix.														
52	E 6	F 2	8	79	8	90	55	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Adjacent landowner denies access														
comnts Fmd : Few small L-types mixed in. Low ground in most of stand. Pretty limited access into area, roads on private don't appear to be able to handle heavy truck traffic. Good area to let natural succession take place stand will slowly convert to a pine/hdwd mix.														
53	L 0	L 0	30			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag-alder brush with scattered timber.														
54	F 6	F 3	13	54	8	90	52	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Pretty limited access into area, roads on private don't appear to be able to handle heavy truck traffic. Small U-type on south end of stand filling in with spruce.														
55	P 5	F 3	3	66	8	50	46	balsam poplar & swamp aspen and swamp white birch	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Adjacent landowner denies access														
comnts Fmd : Low ground in most of stand. Pretty limited access into area, roads on private don't appear to be able to handle heavy truck traffic.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
56	Z 0	Z 0	3			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Thunder Bay River														
60	P 4	W 1	11	27	4	30	51	balsam poplar & swamp aspen and swamp white birch	mature	N		30-39 years	0	
61	Q 6	X 0	23	103	7	110	38	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access Too wet														
62	Q 6	F 1	7	87	10	70	51	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
101	U 0	U 0	1			0		upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Old G-type filling in with brush and trees.														
102	U 0	U 0	1			0		upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Old G-type filling in with brush and trees.														
103	U 0	U 0	1			0		upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Old G-type filling in with brush and trees.														
104	U 0	U 0	1			0		upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Old G-type filling in with brush and trees.														
105	U 0	U 0	1			0		upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Old G-type filling in with brush and trees.														
Total Acres.....			936											