

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	O 9	M 1	28	84	12	100	50	oak	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood) Delayed treatment for age/size class diversity</p> <p>comnts Fmd :</p>														
2	R 9	O 1	68	86	13	130	60	red pine	mature	Y	final harvest	within 0-9 years	1	planting
<p>comnts Fmd : Clear Cut: Leave 1-3 Red Pine/Oak per acre and 3% retention in pockets along road for visual management. Replant to Red Pine. Cut in buffer zone along river but leave residual per fish division recommendations.</p>														
3	R 9	O 1	9	86	13	130	60	red pine	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : Leaving for Visual this entry, cut & regenerate in ten years.</p>														
4	R 9	O 1	14	86	13	150	60	red pine	mature	Y	thinning	within 0-9 years	1	
<p>comnts Fmd : Thin to roughly 100 BA. Focus on releasing potential Utility poles to increase diameter. Treat right up to camp sites. Final Harvest in 10-20 years.</p>														
5	R 9	O 1	7	86	13	140	60	red pine	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Recreational site</p> <p>comnts Fmd : Thunder Bay River Campground</p>														
6	O 8	W 2	13	90	14	70	48	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
<p>comnts Fmd : Poor Quality stems. Shelterwood: Leave 30-40 BA of Oak & Pine. Will accept mix of pine, oak and maple for regeneration.</p>														
7	E 9	L 1	54	93	14	110	49	swamp hardwoods	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps Too wet Influence zones</p> <p>comnts Fmd : Flood Plain along River, Standing Water 1-3ft deep in January of 2008. 91=Green Ash</p>														
10	R 9	M 1	40	86	15	130	60	red pine	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : Hold ten years and regenerate.</p>														
11	R 9	M 1	19	86	15	100	60	red pine	mature	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Scenic values/visual values</p> <p>comnts Fmd : Hold and allow young hdwd stems to mature.</p>														
12	A 3	A 2	7	16	2	0	52	aspen (upland)	immature	N		40-49 years	0	
<hr/>														
13	E 6	E 1	12	76	9	80	52	swamp hardwoods	mature	N	final harvest	within 0-9 years	2	
<p>comnts Fmd : Clearcut: leave oak, White & Red Pine and Cedar. Will accept any mix of species for regeneration. No retention is needed because we are leaving stand 14 which is same species composition only to wet to harvest.</p> <hr/>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
14	E 6	E 1	17	76	9	80	52	swamp hardwoods	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd :</p>														
15	E 5	E 1	58	38	6	60	60	swamp hardwoods	immature	N		40-49 years	0	
16	P 2	L 2	18	15	1	0	47	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
<p>comnts Fmd : Low ground, spotty regen.</p>														
17	L 3	P 1	21	15		0		lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Stand never regenerated after cut, very wet.</p>														
18	P 3	L 2	4	15	1	0	47	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
<p>comnts Fmd : Low ground.</p>														
20	R 9	O 1	48	86	13	150	60	red pine	mature	Y	thinning	within 0-9 years	1	
<p>comnts Fmd : Thin to roughly 100 BA. Focus on releasing potential Utility poles to increase diameter. Final Harvest in 10-20 years.</p>														
21	A 3	A 2	6	16	2	0	52	aspen (upland)	immature	N		40-49 years	0	
22	O 8	M 2	19	90	14	70	48	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
<p>comnts Fmd : Poor Quality stems. Shelterwood: Leave 30-40 BA of Oak & Pine. Will accept mix of pine, oak and maple for regeneration.</p>														
23	R 6	M 2	21	88	10	130	55	red pine	mature	Y	thinning	within 0-9 years	6	
<p>comnts Fmd : OLD COMMENTS: MARK 70% CROWN COVER. Sale is currently under contract "Stop 105". Used Old OI data to match sale data.</p>														
24	R 9	M 1	34	88	11	150	58	red pine	mature	Y	thinning	within 0-9 years	1	
<p>comnts Fmd : Thin stand to allow diameter growth on residual stems. Focus marking on suppressed stems and mature logs. If stems grow well, do shelterwood next entry.</p>														
25	E 6	E 1	51	76	9	80	52	swamp hardwoods	mature	N		30-39 years	0	
<p>comnts Fmd : Holding to prevent raising water table in surrounding stands. Cut in 20-30 yrs.</p>														
26	A 4	A 2	9	38	6	30	58	aspen (upland)	immature	N		20-29 years	0	
27	W 6	M 2	10	91	10	130	58	white pine	immature	N		10-19 years	0	
<p>comnts Fmd : Stand is mix of White Logs and Poles with some RP mixed in. Holding ten years and then shelterwood with surrounding stands.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acr es	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
28	R 9	M 2	11	91	15	120	64	red pine	mature	Y	final harvest	within 0-9 years	1	planting
comnts Fmd : Clear Cut: Leave 3% retention along road for retention. Replant to Red Pine. Stand has a fair amount of Red Maple regen in understory, it may need to be burned to reduce competition with planting. Evaluate with TMS after sale is cut.														
29	R 8	M 3	23	88	14	70	58	red pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Stand is a mix of overstory with a heavy understory of Red Maple/Aspen. Hold ten years and then shelterwood with surrounding stands.														
39	Q 5	P 3	10	73	7	70	48	mixed swamp conifer	mature	N		not scheduled	0	
comnts Fmd : Low ground, mix of overstory.														
40	P 4	P 3	15	37	5	30	58	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
41	O 9	M 2	41	88	10	80	52	oak	two aged	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : Some young aspen and red maple mixed in stand. Hold until young trees are merchantable.														
42	R 9	M 2	28	78	12	100	60	red pine	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Stand thinned in 2002, hold until next entry and final harvest allow residual stems to put on diameter.														
43	R 6	M 1	5	56	8	120	53	red pine	immature	N		10-19 years	0	
comnts Fmd : Stand was 3rd row thinned in 2002 "54-018-01-01"														
44	O 6	W 1	13	88	10	90	50	oak	mature	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Shelterwood cut: leave 30-40 BA of Oak and Pine(Red & White). Try to protect advanced pine regen. Will accept any mix of pine, oak and aspen for regeneration.														
45	L 0	L 0	43			0		lowland brush	nonstocked	N		not scheduled	0	
46	P 4	P 3	141	37	5	30	58	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : some low areas mixed in, low ground spot had high percentage of Red Maple. Poor access into south part of stand.														
47	E 9	L 1	17	93	14	110	49	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps Too wet Influence zones														
comnts Fmd : Flood Plain along River, Standing Water 1-3ft deep in January of 2008. 91=Green Ash														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
48	R 9	F 1	10	86	12	80	55	red pine	immature	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : Stand was treated last entry. County ditched road and never replaced culvert.</p>														
49	L 0	L 0	21			0		lowland brush	nonstocked	N		not scheduled	0	
50	L 0	L 0	10			0		lowland brush	nonstocked	N		not scheduled	0	
51	L 0	L 0	3			0		lowland brush	nonstocked	N		not scheduled	0	
60	P 5	Q 2	27	54	8	70	50	balsam poplar & swamp aspen and swamp white birch	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : Pockets of low ground scattered in stand. Road will require a fair amount of work before wood can be hauled. Hold stand and treat with either 61 or 62 in ten years.</p>														
61	P 5	F 3	52	36	6	50	54	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
<p>comnts Fmd : Stand has scattered mature Oak & White Pine. Pockets of low ground scattered throughout stand.</p>														
62	P 5	F 1	45	36	6	50	54	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
<p>comnts Fmd : Stand has scattered mature Oak & White Pine. Pockets of low ground scattered throughout stand. Same as 61 only less conifer in stand and more low ground.</p>														
63	N 0	N 0	53			0		marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : some scattered red maple and ash.</p>														
64	E 9	F 2	8	93	14	90	49	swamp hardwoods	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps Too wet Influence zones</p> <p>comnts Fmd : Ground is slightly higher than surrounding stand supporting more conifers in understory</p>														
65	E 9	L 1	47	93	14	110	49	swamp hardwoods	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps Too wet Influence zones</p> <p>comnts Fmd : Flood Plain along River, Standing Water 1-3ft deep in January of 2008. 91=Green Ash</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
66	P 3	F 2	87	15	2	0	51	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : pockets of low ground and tagalder.														
67	C 6	F 1	6	98	9	90	41	cedar	mature	N		not scheduled	0	
comnts Fmd : Wind throw along edges.														
68	P 5	F 2	209	36	6	50	54	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : Lots of small L types mixed especially closer to river. Possible Tpass by PVT 40 but couldn't find corners due to snow.														
69	C 6	F 1	11	98	9	90	41	cedar	mature	N		not scheduled	0	
comnts Fmd : Wind throw along edges.														
70	L 0	L 0	4			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Scattered Timber.														
71	E 9	L 1	17	93	14	110	49	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
Too wet														
Influence zones														
comnts Fmd : Flood Plain along River, Standing Water 1-3ft deep in January of 2008. 91=Green Ash														
72	L 0	L 0	5			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Scattered Timber.														
80	P 5	L 1	14	74	9	70	53	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Land Locked. Aspen overtop conifer.														
81	L 0	L 0	6			0		lowland brush	nonstocked	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Scattered Timber.														
82	P 6	L 1	13	74	9	80	53	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
83	L 0	L 0	54			0		lowland brush	nonstocked	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
comnts Fmd : Scattered Timber but non merchantable due to poor form and wet soil conditions.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
84	P 6	L 1	13	74	9	80	53	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : Need to contact landowner on North edge to see if we can access this stand for treatment. If we can access stand we should cut it this entry.														
85	L 0	L 0	10			0		lowland brush	nonstocked	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : Scattered Timber.														
86	E 9	L 1	3	93	14	110	49	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps Too wet Adjacent landowner denies access														
comnts Fmd : Flood Plain along River, Standing Water 1-3ft deep in January of 2008. 91=Green Ash														
87	P 6	L 1	8	74	9	80	53	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
103	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Snowmobile Parking Lot														
107	Z 0	Z 0	14			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Lower South Branch Thunderbay River														
110	X 0	X 0	7			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Indian Reserve Road														
140	Z 0	Z 0	20			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Lower South Branch Thunderbay River														
166	U 0	U 0	1			0		upland brush	nonstocked	N		not scheduled	0	
421	G 0	G 0	4			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : Some trees & brush.														
441	G 0	G 0	4			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : Some trees & brush.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
445	G 0	G 0	3			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : Some trees & brush.														
446	G 0	G 0	1			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : Some trees & brush.														
460	G 0	G 0	1			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : Some trees & brush.														
461	G 0	G 0	2			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : Some trees & brush.														
468	G 0	G 0	1			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : Some trees & brush.														
Total Acres.....													1729	