

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	L 0	L 0	10		0	0	20	lowland brush	low quality	N		not scheduled	0	
2	P 5	F 2	39	94	9	60	63	balsam poplar & swamp aspen and swamp white birch	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to small acreage														
comnts Fmd : IRREGULAR TYPE.ASPEN RIDGE W/ALDER POCKETS-INC. 3-4 ACRES OF Q6, MATURE ASPEN, BUT LOTS OF SMALL CONIFERS. access problematic. Only 3-4 acres is workable for sale area.														
3	C 6	Q 3	183	81	7	110	35	cedar	immature	N		not scheduled	0	
comnts Fmd : possible access from farm fields to the west if management is desired. Good thermal cover.														
4	L 0	L 0	43		0	0	20	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : wet. used by deer mostly and some hare. probably beaver impacted seems like water level is higher than what the vegetation is accustomed to.														
5	P 6	F 3	11	86	9	70	50	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : sandy ridge slightly above water line. deer hare and grouse use. 2 mile haul across private to county road.														
7	C 6	C 1	348	108	8	180	30	cedar	immature	N		not scheduled	0	
comnts Fmd : BETTER QUALITY IN WESTERN PART. in good shape.														
8	C 6	Q 1	26	113	7	150	34	cedar	immature	N		not scheduled	0	
comnts Fmd : N PART IS SOMEWHAT WETTER.														
10	L 0	L 0	9		0	0	15	lowland brush	low quality	N		not scheduled	0	
11	C 6	C 1	109	54	7	110	40	cedar	low quality	N		not scheduled	0	
comnts Fmd : SOME LARCH, SPRUCE & SCATT ASPEN.														
13	Q 3	E 2	15	58	3	0	25	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd : APPARENTLY CUT as part of OLD TRESPASS.														
14	P 3	L 0	9	34	2	0	48	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : SCATT MAPLE & CONIFERS, NO TMT NEEDED.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					BH	Tot. BA								
15	P 3	F 3	10	21	1	0	52	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : WAS CUT BY TRESPASS, SMALL PATCH OF BALSAM WAS LEFT IN WEST SIDE														
16	L 0	L 0	90		0	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : tHIS VALLEY HAS VERY NICE FALL COLOR[?]														
17	C 6	E 1	67	54	8	100	26	cedar	low quality	N		not scheduled	0	
comnts Fmd : SOME DEER USE, OLD ICE ROAD														
19	P 3	Q 1	20	26	2	0	54	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : A TRASH DUMP AREA--ADJACENT TO OLD PAD.														
20	P 2	F 1	13	4	1	0	48	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : SAME AS STD TO SOUTH BUT MORE BIRCH, Cut 2003, sale 027-00.														
21	D 3	D 3	49		1	0	20	treed bog	low quality	N		not scheduled	0	
comnts Fmd : BEAVER FLOODING OF RECENT ORIGIN.														
22	Q 3	L 1	4	54	3	0	25	mixed swamp conifer	low quality	N		not scheduled	0	
comnts Fmd : VARIES FROM P4Q3 TO P2L WET														
23	P 5	F 1	62	70	7	60	48	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
Treatment Limiting Factors: Too wet														
comnts Fmd : LESS BIRCH, VARIABLE STD, SOME BIG TOOTH, SMALL DBH. Several very narrow DRY SANDY RIDGES, but otherwise a true P-stand.														
24	L 0	L 0	8		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : part bog, part TAG ALDER-- WET														
25	C 5	L 0	9	99	6	60	26	cedar	low quality	N		not scheduled	0	
27	T 1	W 1	11	43		0	20	tamarack	sparse	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
28	F 6	L 0	5	88	8	80	48	spruce-fir (uplands-including upland black spruce)	mature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
Too wet														
comnts Fmd : MUCH HAS BLOWN DOWN. WAIT FOR REGEN TO GROW BACK														
29	C 5	L 0	9	99	6	60	26	cedar	low quality	N		not scheduled	0	
comnts Fmd : POOR QUALITY CEDAR, WILL PROB. NEVER BE MERCH., N. EDGE IS BEST, HARE AND DEER USE														
30	F 5	F 2	7	73	8	60	50	spruce-fir (uplands-including upland black spruce)	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Mostly wet.														
31	Q 6	Q 1	15	108	7	70	30	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Blocked by other physical obstacle														
comnts Fmd : DEER AND HARE USE. Old two-track in is now flooded.														
32	W 9	W 2	29	89	11	120	57	white pine	immature	N		20-29 years	0	
comnts Fmd : SCENIC AREA Thinned 2003, sale 028-00														
33	A 3	U 1	12	26	1	0	48	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : TRASH DUMPING														
34	N 0	N 0	5		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : COMBINATION OF MARSH AND BOG AROUND LAKE														
35	Z 0	Z 0	27		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : WEST GORMAN LAKE;														
36	P 5	P 1	14	68	8	60	48	balsam poplar & swamp aspen and swamp white birch	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inferior quality														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : HIGHLY VARIABLE TYPE AND TERRAIN, MOST ASPEN IS BEYOND HELP, HOLD TO ALLOW CONIFERS TO TAKE OVER SITE														
39	C 6	C 2	19	98	7	110	30	cedar	immature	N		not scheduled	0	
comnts Fmd : DEER AND HARE USE														
40	L 0	L 0	6		0	0	15	lowland brush	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
43	S 4	L 0	7	99	6	30	41	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to low stocking/small diameter/etc.														
Inadequate volume due to small acreage														
comnts Fmd : BOG-RAINY RIVER CUTS NE CORNER														
44	Q 6	L 0	15	90	9	70	47	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Q5, CEDAR SCATT THROUGHOUT. ASPEN HAS FALLEN OVER. BEAVER IMPACTED. VERY WET.														
45	C 4	L 0	19	98	5	30	20	cedar	sparse	N		not scheduled	0	
comnts Fmd : VERY WET--BEAVER IMPACTED														
46	L 0	X 0	41			0	15	lowland brush	nonstocked	N		not scheduled	0	
47	Q 5	L 0	46	43	6	60	40	mixed swamp conifer	immature	N		40-49 years	0	
comnts Fmd : P4Q3 VERY Wet.														
49	F 6	F 2	8	78	8	90	48	spruce-fir (uplands-including upland black spruce)	high risk	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to small acreage														
50	F 5	F 1	17	78	8	50	45	spruce-fir (uplands-including upland black spruce)	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : MOSTLY DEAD OR BLOWN DOWMAKES A GOOD HUNTING GROUND FOR BOBCAT AND RELATIVES.														
51	L 0	L 0	62			0	0	15	lowland brush	nonstocked	N		not scheduled	0
comnts Fmd : PREVENTS ACCESS TO SMALL STAND TO WEST														
52	P 2	F 1	45	16	0	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : CUT IN 1992, NOT REGENERATING REAL WELL, PRETTY WET. LITTLE W/L USE IN WINTER. SHOULD HAVE LEFT CLUMPS AND DEAD WOOD														
53	L 0	L 0	11			0	45	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : HAS A FEW TREES, BUT PRETTY WET.														
54	E 4	L 0	45	78	6	30	25	swamp hardwoods	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Influence zones														
comnts Fmd : Rainy River.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
55	F 2	P 2	100	14	0	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
56	W 8	F 1	21	107	9	60	42	white pine	immature	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : W7F5, HODGEPODGE, WET ALONG S EDGE, MOST WP, HOLD TO ALLOW MORE ADVANCED REPRO, A LOT OF W/L USE IN THIS CONIFER</p>														
57	P 6	F 3	9	83	9	90	51	balsam poplar & swamp aspen and swamp white birch	two aged	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : HOLD FOR AGE CLASS DIST. BUFFER N OF ST 52 INCLUDED, WHEN CUT LEAVE CLUMPS AND DEAD WOOD--RABBITAT SPECS TO AVOID PROBLEMS ASSOCIATED WITH CUTTING IN 52.</p>														
58	L 0	L 0	3		0	0	15	lowland brush	low quality	N		not scheduled	0	
60	P 6	F 3	61	78	10	80	49	balsam poplar & swamp aspen and swamp white birch	immature	Y		40-49 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet Rare or unique land forms</p> <p>comnts Fmd : MANY SMALL PONDS, PROBABLY DEAD ICE FEATURES. HOLD THIS STAND AS LONG AS POSSIBLE.</p>														
61	P 2	F 1	103	16	1	0	49	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
<p>comnts Fmd : CUT IN 1992. LOOKS PRETTY BARREN. NOT MUCH wildlife USE.</p>														
62	Q 6	W 2	4	68	8	70	54	mixed swamp conifer	immature	N		not scheduled	0	
<p>comnts Fmd : VARIABLE TERRAIN, WET, PROBABLY MADE WETTER THAN IT WAS 10 YEARS AGO DUE TO ADJACENT CUTS.</p>														
63	W 6	F 2	24	78	7	130	48	white pine	immature	N		20-29 years	0	
<p>comnts Fmd : WHITE PINE POLE FOR THE MOST PART, BUT NE HAS MORE ASPEN. ILLEGAL TRIAL AND BLINDS</p>														
64	M 6	M 1	6	83	8	80	57	northern hardwood	immature	N		30-39 years	0	
<p>comnts Fmd : MARGINAL, VERY LITTLE HDWD IN THE AREA. GOOD SITE BAD TREES. MORE ASPEN TO SOUTH AND SOUTHWEST. DEER TRAVEL ZONE BETWEEN SWAMP AND HILL.</p>														
65	V 0	V 0	13			0		bog or muskeg	nonstocked	N		not scheduled	0	
67	Q 6	L 0	45	83	8	90	49	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : LEAVE FOR COVER next to TAG ALDER SWAMP</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
70	C 6	C 1	34	108	8	140	30	cedar	immature	N		not scheduled	0	
comnts Fmd : BIGGER ON W SIDE BUT BETTER QUALITY ON EAST. NO PLANS TO HARVEST UNLESS DEER CAN BE KEPT OUT FOR 30 YEARS.														
73	H 6	L 0	67	106	8	110	45	hemlock	immature	N		not scheduled	0	
comnts Fmd : H5E5C4, UNUSUAL/UNIQUE STD, STRIP OF E5L ON E EDGE, 5 ACRES OF M6 IN SW COR, ACCESS FROM PVT.														
74	L 0	L 0	181			0	15	lowland brush	nonstocked	N		not scheduled	0	
75	P 6	F 2	94	78	8	110	49	balsam poplar & swamp aspen and swamp white birch	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Bridge needed (portable bridge not available or inadequate) Too wet														
comnts Fmd : FAIR TO GOOD COND, HEAVY BALSAM UNDERSTORY IN MANY AREAS. Wet seam up center of south half.														
78	X 0	X 0	38			0	45	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : former RR ROW.														
79	X 0	X 0	6			0	35	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : County Road														
117	C 6	E 1	9	54	8	100	26	cedar	low quality	N		not scheduled	0	
comnts Fmd : SOME DEER USE, OLD ICE ROAD														
119	U 0	U 0	1			0	50	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : OLD WELL PAD WITH TRASH--CLEAN UP AND CLOSE ROAD														
120	P 2	F 2	18	4	1	0	48	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : Much more conifer in the regen than stand 20, Cut 2003, sale 027-00.														
132	W 9	W 2	2	89	11	150	57	white pine	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Influence zones														
comnts Fmd : Scenic area. Peninsula jutting into West Gorman Lake.														
133	G 0	G 0	2			0	52	grass	nonstocked	N		not scheduled	0	
142	L 0	L 0	30			0	20	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : WILLOW, DOGWOOD, TAG ALDER, USED HEAVILY BY DEER														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
143	C 6	C 1	1	108	8	180	30	cedar	immature	N		not scheduled	0	
comnts Fmd : in good shape.														
149	U 0	U 0	4			0	49	upland brush	nonstocked	N		not scheduled	0	
150	F 5	F 1	3	78	8	50	45	spruce-fir (uplands-including upland black spruce)	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : MOSTLY DEAD OR BLOWN DOWMAKES A GOOD HUNTING GROUND FOR BOBCAT AND RELATIVES.														
152	U 0	U 0	3			0	49	upland brush	nonstocked	N		not scheduled	0	
157	E 5	F 3	23	83	9	50	51	swamp hardwoods	two aged	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : A wet stand with tag alder and trees competing for the hummocks. Judging by the decomposing stumps, this was a swamp conifer stand when it was cut in the twenties. It came back an E or P. Today, all that is left is 40 BA in red maple, plus scattered aspen and white birch. The aspen and birch are poor quality and collapsing. The understory is fully stocked with 1 to 4 inch DBH balsam fir.														
158	L 3	X 0	4		2	0	15	lowland brush	low quality	N		not scheduled	0	
161	U 0	U 0	1			0	49	upland brush	nonstocked	N		not scheduled	0	
175	L 0	L 0	15		0	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : many wet holes.														
220	Q 6	Q 3	4	63	6	110	50	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : VALUABLE BEDDING AREA--GET RID OF BEAVER DAM														
223	U 0	U 0	9		0	0	53	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : SEMI OPEN AREA														
242	L 0	L 0	3		0	0	20	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : WILLOW, DOGWOOD, TAG ALDER, USED HEAVILY BY DEER														
251	L 0	L 0	5		0	0	15	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
258	L 0	L 0	6		0	0	15	lowland brush	low quality	N		not scheduled	0	
261	P 2	F 1	13	16	1	0	49	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : CUT IN 1992. LOOKS PRETTY BARREN. NOT MUCH wildlife USE.														
316	C 6	C 1	117	54	7	110	40	cedar	low quality	N		not scheduled	0	
comnts Fmd : SOME LARCH, SPRUCE & SCATT ASPEN.														
409	G 0	G 0	2			0	53	grass	nonstocked	N		not scheduled	0	
comnts Fmd : ACTIVE OIL WELL SITE														
420	U 0	U 0	1			0	50	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : OLD WELL PAD WITH TRASH														
464	G 0	G 0	2			0	49	grass	nonstocked	N		not scheduled	0	

Total Acres..... 2696