

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	C 6	L 1	56	99	6	110	28	cedar	immature	N		not scheduled	0	
comnts Fmd : OLD BEACH RIDGES, MOST CEDAR IS SMALL AND GOOD CONDITION. THEFT OF CEDAR EVIDENT IN NORTH, AT THE END OF TRAIL. ROSCOMMON-TAWAS COMPLEX. SCA Wooded Dune Swale, commercial activity would create damage in this stand.														
2	R 9	R 1	4	74	12	70	58	red pine	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
comnts Fmd : HOLD FOR VISUAL, both sides of Ocqueoc Rd. Natural stand.														
3	A 3	J 1	8	27	3	0	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : SCATT OAK AND PINE WERE LEFT. SCA Wooded Dune Swale. Areas of A2.														
4	J 4	J 3	86	20	4	20	50	jack pine	in process of regeneration	N		40-49 years	0	
comnts Fmd : SCARIFIED W/ CHOPPER AND CHAINS IN 1987, DIRECT SEEDED W/ 3/4# JP & 1/4# WP PER ACRE IN 1988-SPRING-FROM SNOWMOBILE. 1998 FAIR TO GOOD REPRODUCTION. RED PINE SAW SCATTERED THROUGH OUT. J4/J3. North south trail crossing in, some open areas.														
5	J 2	X 0	10	9	0	0	55	jack pine	immature	N		30-39 years	0	
comnts Fmd : Stands 2 and 75 were part of this stand. Wld : LEAVE OAK, RP AND WP														
6	L 3	X 0	20		2	0	20	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : Surrounds the north part of Mud Lake, (Mud Lake is not under State ownership, per LOTS) EAST LAKE DEER PARK ASSOCIATION.														
7	Q 5	Q 2	20	118	5	60	20	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : WET, EAST LAKE DEER PARK ASSOCIATION.														
8	L 3	X 0	7		2	0	20	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : EAST LAKE DEER PARK ASSOCIATION.														
9	J 4	X 0	69	26	4	20	50	jack pine	nonstocked	N		40-49 years	0	
comnts Fmd : NATURAL REGEN APPEARS TO BE ADEQUATE, SCATT OAK AND RED PINE THROUGHOUT. North south trail filling in. Better stocking in stand 9 than in stand 4.														
10	P 2	W 1	3	9	10	10	55	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : Scattered red pine. Heavy to aspen in the south. Cut jn, 1999. Red pine overstory is red pine, west side of Ocqueoc Lake Road is P3 (aspen birch). Some oak in the understory. Wld :														
11	L 2	X 0	24		0	0	20	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : Surrounds the south end of Mud Lake, Mud Lake not in State ownership (per LOTS) EAST LAKE-DEER PARK ASSOCIATION														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
12	W 5	F 2	4	43	6	60	50	white pine	immature	N		40-49 years	0	
comnts Fmd : MOSTLY LOW GROUND AND POOR QUALITY. WET. HAGENSVILLE FINE SANDY LOAM. A mix of aspen, swamp conifer white pine and some red pine, white pine being the most abundant. Pockets of "L"														
13	Q 6	F 1	43	129	8	110	30	mixed swamp conifer	mature	Y		not scheduled	0	
Treatment Limiting Factors: Too wet Scenic values/visual values														
comnts Fmd : SOUTH PART IS LOWER DENSITY. CEDAR THEFT EVIDENT(1996 CUTTINGS) AT END OF TRAIL NEAR PRIVATE PROPERTY. HAGENSVILLE FINE SANDY LOAM.														
15	P 5	F 3	23	40	6	60	48	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : HAGENSVILLE FINE SANDY LOAM. Pocket of P3 in the north along Behm Hwy.														
16	P 2	X 0	31	16	0	0	48	balsam poplar & swamp aspen and swamp white birch	immature	N		60-69 years	0	
comnts Fmd : CUT IN 1992. POOR REPRODUCTION. MOLTKE VERY FINE SANDY LOAM. STREAM in stand.														
17	P 5	F 2	5	73	8	60	55	balsam poplar & swamp aspen and swamp white birch	immature	Y		10-19 years	0	
Treatment Limiting Factors: Too wet														
comnts Fmd : P/Q, difficult access, wet in spots.														
18	F 3	X 0	4	43	3	10	46	spruce-fir (uplands-including upland black spruce)	nonstocked	N		30-39 years	0	
comnts Fmd : P4, F3, GOOD BALSAM REPRO-NO TMT														
19	P 5	X 0	17	38	5	50	55	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : ASPEN WAS CUT, CEDAR AND POCKETS OF BALSAM LEFT. HAGENSVILLE FINE SANDY LOAM. POCKETS OF P-TYPE AND L-TYPE. REPRODUCTION NOT THE GREATEST.														
20	P 6	F 1	9	78	9	90	60	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Access through stands 70 and 22 HAGENSVILLE FINE SANDY LOAM. Do not cut red rine and white pine. Any mix of swamp or upland aspen or conifer is acceptable regeneration. A narrow strip along the south edge of the stand is to be left for retention. This should provide a good source of horizontal structure in the future.														
21	C 6	F 2	17	88	8	90	30	cedar	immature	N		not scheduled	0	
comnts Fmd : Fwhite pine along Co. Rd. 634. Pockets of "L".														
22	P 2	A 3	51	16	0	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		60-69 years	0	
comnts Fmd : CUT IN 1992, POOR REPRODUCTION IN MOST OF THE STAND. Pockets of L-TYPE. Wet areas. Component of red and white and swamp conifer. HAGENSVILLE FINE LOAMY SAND.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
23	L 3	X 0	9		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : CATHRO MUCK.														
24	P 6	Q 2	26	73	10	70	50	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : More of a Q further north. Aspen in decline in areas. Pockets of F/Q. Any mix of swamp or upland aspen or conifer is acceptable regeneration. Retention should be left along the north edge of stand, unless a better location is determind while setting up the timber sale, providing shade for stand along its edge.														
26	B 6	F 2	14	84	9	90	52	paper birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : CHEBOYGAN LOAMY SAND. Any mix of swamp or upland aspen or conifer is acceptable regeneration. Retention should be left along the north edge of stand, unless a better location is determind while setting up the timber sale, providing shade for stand along its edge.														
27	L 1	L 1	4	36	0	0	40	lowland brush	immature	N		not scheduled	0	
comnts Fmd : STREAM THROUGH STAND. Some P-type in stand.														
28	Q 6	F 1	27	93	9	120	45	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : LOW GROUND, Some Mortality, AREAS OF SMALL CONIFER. HOLD FOR A BETTER AGE DISTRIBUTION. DETOUR FLAGGY LOAM.														
29	P 4	P 3	37	24	4	20	48	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : GOOD REPRODUCTION. SOME AREAS OF P-TYPE AND L-TYPE. Was able to drive down old (skid) trail about 1/2 mileHAGENSVILLE FINE SANDY LOAM.														
30	Q 5	F 1	25	53	4	40	28	mixed swamp conifer	immature	N		40-49 years	0	
comnts Fmd : MERCH TIMBER WAS REMOVED FROM EDGES IN 1984														
31	Q 5	Q 2	35	63	8	50	46	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : VARIES FROM Q5Q1 TO Q2. HAGENSVILLE FINE SANDY LOAM.														
32	Q 5	F 1	27	78	8	70	52	mixed swamp conifer	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Very wet Q/L.														
33	Q 4	F 1	18	68	6	30	46	mixed swamp conifer	sparse	N		not scheduled	0	
comnts Fmd : MOSTLY WET, POOR QUALITY, PATCHY CONIFER REPRO, NO TMT. GLAWE MUCKY VERY FINE SANDY LOAM.														
34	Q 6	Q 1	12	80	9	100	52	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : POORLY DRAINED SOIL, HOLD INDEF.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
35	C 6	Q 1	4	98	8	200	35	cedar	immature	N		not scheduled	0	
comnts Fmd : Difficult access. HAGENVILLE FINE LOAMY SAND. HIGHER GROUND THAN SURROUNDING STANDS.														
36	L 3	X 0	16		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : Old beaver flooding.														
38	L 2	X 0	14		0	0	20	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : DETOUR FLAGGY LOAM. POCKETS OF P-TYPE AND L-TYPE.														
40	P 3	X 0	66	14	0	0	65	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : DETOUR FLAGGY LOAM. POCKETS OF P-TYPE AND L-TYPE.														
41	U 1	F 2	2	43	2	0	50	upland brush	immature	N		40-49 years	0	
comnts Fmd : HAGENVILLE FINE SANDY LOAM.														
42	C 6	X 0	17	108	7	140	30	cedar	immature	N		not scheduled	0	
comnts Fmd : HOLD FOR VISUAL. DETOUR FLAGGY LOAM.														
43	R 9	R 1	8	104	12	100	60	red pine	immature	Y		10-19 years	0	
Treatment Limiting Factors: Scenic values/visual values														
comnts Fmd : WAS THINNED IN 1981. Natural regeneration.														
44	C 6	E 1	6	109	7	100	26	cedar	immature	N		not scheduled	0	
comnts Fmd : VARIABLE-HEAVY DEER USE. HOLD FOR VISUAL. HESSEL MUCKY FLAGGY LOAM.														
45	C 5	Q 1	13	78	7	60	48	cedar	mature	N		not scheduled	0	
comnts Fmd : KEEP AS COVER UNTIL SUIRROUNDING STANDS INCREASE IN SIZE. HESSEL MUCKY FLAGGY LOAM.														
47	Q 5	F 1	25	65	6	50	38	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : DETOUR FLAGGY LOAM. Wet. Some soft maple and ash..														
48	Q 6	Q 2	17	91	8	80	38	mixed swamp conifer	immature	Y		not scheduled	0	
Treatment Limiting Factors: Too wet														
comnts Fmd : QUITE WET. POOR QUALITY, STRIP OF CEDAR ALONG EDGE OF R9. DETOUR FLAGGY LOAM.														
49	R 9	A 2	10	129	16	90	65	red pine	immature	Y		20-29 years	0	
Treatment Limiting Factors: Blocked by other physical obstacle														
comnts Fmd : WAS THINNED IN 1983. Hemlock and striped maple. Natural stand, difficult access, old skid trail, to stand, contains cat tail, tag alder and water.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
50	P 3	X 0	70	25	1	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : POCKETS OF L-TYPE. SOME AREAS NOT REAL GOOD REPRODUCTION. Skidder ruts through stand, some still over 12", some with standing water														
51	P 6	F 1	45	63	8	100	60	balsam poplar & swamp aspen and swamp white birch	immature	Y	final harvest	within 0-9 years	3	
comnts Fmd : SOME AREAS WET. Winter log only. Mix of P/Q with balsam fir, w.birch and r. maple. Some ash and cedar. Any mix of swamp or upland aspen or conifer is acceptable regeneration. Retention should be left where logging operations would cause damage to soils.														
53	X 0	X 0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : ROADS														
54	R 4	R 1	6	20	8	20	55	red pine	immature	N		50-59 years	0	
comnts Fmd : Cut jp in 2001. Understory a mix of red and jack pine. Wld :														
55	C 6	Q 1	5	98	8	200	35	cedar	immature	N		not scheduled	0	
comnts Fmd : BREVORT MUCKY LOAMY SAND.														
56	C 6	Q 1	3	98	8	200	35	cedar	immature	N		not scheduled	0	
comnts Fmd : HAGENVILLE FINE LOAMY SAND. HIGHER GROUND THAN SURROUNDING STANDS.														
57	C 6	Q 1	5	98	8	200	35	cedar	immature	N		not scheduled	0	
comnts Fmd : HAGENVILLE FINE LOAMY SAND. HIGHER GROUND THAN SURROUNDING STANDS.														
58	L 3	X 0	19		2	0	20	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : EAST LAKE DEER PARK ASSOCIATION. L- to the east, with some E to the west.														
60	N 0	N 0	5		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
62	L 3	X 0	17		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : HAGENVILLE SANDY LOAM														
63	Q 5	Q 1	63	79	8	50	46	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : VERY POOR QUALITY AND CONDITION. With large pockets of Lowland brush														
64	L 3	X 0	4		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : CATHRO MUCK.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
65	L 2	X 0	5		0	0	20	lowland brush	low quality	N		not scheduled	0	
66	Q 4	F 1	9	68	6	30	46	mixed swamp conifer	sparse	N		not scheduled	0	
comnts Fmd : MOSTLY WET, POOR QUALITY, PATCHY CONIFER REPRO. GLAWE MUCKY VERY FINE SANDY LOAM.														
67	F 4	X 0	3	43	5	20	46	spruce-fir (uplands-including upland black spruce)	nonstocked	N		30-39 years	0	
comnts Fmd : P4F3, GOOD BALSAM REPRO-NO TMT														
68	L 3	X 0	31		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : Several old beaver floodings CATHRO MUCK.														
70	C 6	F 1	4	88	8	140	30	cedar	immature	N		not scheduled	0	
comnts Fmd : FAIRLY NICE CEDAR ESP. ALONG E SIDE, HOLD FOR VISUAL WHEN STD TO WEST IS CUT														
71	Q 6	F 1	2	93	9	120	45	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Scenic values/visual values														
comnts Fmd : LOW,BALSAM IS FALLING DOWN, DETOUR FLAGGY LOAM. Along Co. Rd. Hold for visual.														
72	L 3	X 0	2		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : CATHRO MUCK.														
73	Q 6	Q 1	40	80	9	100	52	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : POORLY DRAINED SOIL, HOLD INDEF.														
75	J 5	F 1	5	52	9	60	55	jack pine	immature	N		30-39 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : Stand 2 and 5 were part of this stand. Leave for protection of stand 6. Wld : LEAVE OAK, RP AND WP														
76	Q 5	Q 2	4	63	8	50	46	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : VARIES FROM Q5Q1 TO Q2. HAGENVILLE FINE SANDY LOAM.														
77	L 3	X 0	2		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : Several old beaver floodings CATHRO MUCK.														
78	Q 5	Q 2	25	63	8	50	46	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : VARIES FROM Q5Q1 TO Q2. HAGENVILLE FINE SANDY LOAM.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
79	P 2	A 3	7	16	0	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		60-69 years	0	
comnts Fmd : CUT IN 1992, POOR REPRODUCTION IN MOST OF THE STAND. Pockets of L-TYPE. Wet areas. Component of red and white and swamp conifer. HAGENVILLE FINE LOAMY SAND.														
80	W 2	U 1	8	14	0	0	50	white pine	immature	N		70-79 years	0	
comnts Fmd : Filled in with white pine and tag alder. DETOUR FLAGGY LOAM.														
81	L 2	X 0	19		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : HAGENVILLE SANDY LOAM														
82	L 2	X 0	12		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : HAGENVILLE SANDY LOAM														
83	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : ROADS														
84	X 0	X 0	3			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : ROADS														
85	R 4	R 1	9	20	8	20	55	red pine	immature	N		50-59 years	0	
comnts Fmd : Cut jp in 2001. Understory a mix of red and jack pine and some aspen. Some red pine saw timber.														
Wld :														
86	P 3	X 0	75	14	0	0	65	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : DETOUR FLAGGY LOAM. POCKETS OF P-TYPE AND L-TYPE.														
87	Q 5	Q 2	14	63	8	50	46	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : VARIES FROM Q5Q1 TO Q2. HAGENVILLE FINE SANDY LOAM.														
88	L 2	X 0	7		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : HAGENVILLE SANDY LOAM														
89	L 2	X 0	12		0	0	20	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : Old beaver flooding.														
90	L 3	X 0	12		2	0	15	lowland brush	low quality	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
91	Q 5	Q 1	6	80	9	50	52	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : POORLY DRAINED SOIL, HOLD INDEF.														
92	L 3	X 0	18		2	0	15	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : Q-type in the north. HAGENVILLE SANDY LOAM														
102	R 9	R 1	2	74	12	70	58	red pine	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : HOLD FOR VISUAL, both sides of Ocqueoc Rd. Natural stand.														
<b>Total Acres.....</b>			<b>1524</b>											