

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	Q2	L0	16	105	3	0	20	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : VERY BRUSHY, LOW QUALITY CLUMPS OF CEDAR, LARCH &amp; SPRUCE SAPS</p>														
2	P6	A2	12	65	6	70	65	balsam poplar & swamp aspen and swamp white birch	immature	Y	final harvest	within 0-9 years	3	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : P5F4A2- LOTS OF 3-4 INCH SAPS, BALSAM ON EAST END, DIFFICULT TO GET TO. Any mixture of aspen/oak/birch and conifer is acceptable regeneration.</p>														
3	L3	L0	59	81	1	0	45	lowland brush	low quality	N		not scheduled	0	
<p>comnts Fmd : THICK TAG ALDER</p>														
4	C5	L0	9	123	6	60	26	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : C4T4-VERY BRUSHY, N 1/2 HAS MOST OF THE CEDAR</p>														
5	E2	F1	4	28	1	0	57	swamp hardwoods	immature	N		40-49 years	0	
<p>comnts Fmd : CUT ON CONTRACT 1982(1989 COMMENT).</p>														
6	M6	F2	5		7	70	58	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : FAIR TO POOR QUALITY,PREVIOUSLY THINNED, SMALL BORROW PIT IN SW COR. (BORROW PIT IS USED BY LARGE 4-WD VEHICLES.) Hemlock along road.</p>														
7	A4	A3	20	32	4	20	68	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : GOOD REPRODUCTION IN MOST AREAS, LOTS OF DEER ACTIVITY AROUND EDGES.</p>														
8	C5	C2	23	91	5	40	30	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : SMALL CEDAR, BRUSHY, CHAIN WIDE STRIP OF GOOD CEDAR ALONG UPLAND.</p>														
9	C5	C2	39	117	6	50	26	cedar	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : BRUSHY, POOR COVER, GROWING VERY SLOW. SHOULD CONSIDER FOR EXCHANGE.</p>														
10	F6	F1	4	88	7	160	58	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : POOR ACCESS. SHOULD CONSIDER FOR EXCHANGE.</p>														
11	Q4	L0	24	84	6	20	30	mixed swamp conifer	sparse	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : POOR QUALITY, VERY BRUSHY. POOR ACCESS SHOULD CONSIDER FOR EXCHANGE. POWER LINE ALONG EAST EDGE, WET.</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
12	Q5	L0	8	88	6	60	40	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : POOR ACCESS. SHOULD CONSIDER FOR EXCHANGE.</p>														
13	L3	L0	5		1	0	15	lowland brush	low quality	N		not scheduled	0	
14	P4	L1	6	54	5	20	55	balsam poplar & swamp aspen and swamp white birch	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : VERY WET</p>														
15	P5	F2	5	28	8	60	67	balsam poplar & swamp aspen and swamp white birch	mature	N		40-49 years	0	
<p>comnts Fmd : CUT WITH STAND 7 AND 71 IN FUTURE. OLD CABIN (FALLING DOWN) ON NORTH EDGE ALONG TRAIL.)</p>														
16	E3	F1	5	28	2	0	55	swamp hardwoods	immature	N		40-49 years	0	
<p>comnts Fmd :</p>														
17	N0	N0	1			0	15	marsh	nonstocked	N		not scheduled	0	
18	P5	F2	7	28	9	60	67	balsam poplar & swamp aspen and swamp white birch	mature	N		30-39 years	0	
<p>comnts Fmd : SURVEY HAS LOCATED PROPERTY BOUNDARY. P-TYPE FALLING DOWN, CUT WITH STAND 7 IN FUTURE. GATE ON STATE, SENT LETTER TO LAND OWNER.</p>														
19	A6	E2	17	47	8	130	60	aspen (upland)	mature	N	final harvest	within 0-9 years	1	
<p>comnts Fmd : All the Jack pine in this stand (from 10 years ago) has died. Any mixture of aspen/oak and conifer is accepable regeneration.</p>														
20	E4	F1	2	28	5	20	55	swamp hardwoods	immature	N		30-39 years	0	
<p>comnts Fmd : next to private and along road.</p>														
21	L0	L0	11			0	15	lowland brush	nonstocked	N		not scheduled	0	
22	L2	L1	16		1	0		lowland brush	immature	N		not scheduled	0	
<p>comnts Fmd : POOR ACCESS FROM STATE.</p>														
23	T5	L0	10	120	5	50	36	tamarack	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : POOR ACCESS FROM STATE. ADJACENT OWNERS USE EXCLUSIVLY.(DEER BLINDS &amp; TRAILS).</p>														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
24	A 4	X 0	14	39	5	30	70	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : SCATTERED SPRUCE POLES. YOUNG STAND.														
25	N 0	N 0	1			0	15	marsh	nonstocked	N		not scheduled	0	
26	P 5	L 0	12	73	9	60	62	balsam poplar & swamp aspen and swamp white birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Land survey needed														
comnts Fmd : PROPERTY BOUNDARIES UNCERTAIN. POOR ACCESS FROM STATE.														
27	Q 5	L 0	8	81	7	60	45	mixed swamp conifer	high risk	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
28	V 0	V 0	60			0		bog or muskeg	nonstocked	N		not scheduled	0	
29	T 4	L 1	28	49	4	20	30	tamarack	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : LOW GROUND, BOGGY.														
30	C 5	C 2	3	117	6	50	26	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : BRUSHY, POOR COVER, GROWING VERY SLOW. SHOULD CONSIDER FOR EXCHANGE.														
31	P 4	U 0	11	26	4	30	62	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : PATCHES OF SPRUCE & JP ON WEST SIDE.														
32	N 0	N 0	3			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
33	A 6	F 1	6	58	9	110	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : WEST EDGE SEMI OPEN WITH SCATTERED SPRUCE. SOME TRASH DUMPING. Close trail with timbersale. Some white birch, balsam fir, spruce, leave conifer. Any mixture of aspen/oak and conifer is acceptable regeneration.														
34	P 5	L 0	5	76	7	60	58	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : POOR ACCESS. GOOD SOURCE FOR COARSE WOODY DEBRIS. BMP ISSUE.														
35	R 9	X 0	6	71	16	140	60	red pine	immature	N		10-19 years	0	
comnts Fmd : WATER TABLE NEAR SURFACE. Natural stand of red pine and jack. Jack pine mortality.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	H								
37	V 0	V 0	64				0	bog or muskeg	nonstocked	N		not scheduled	0	
38	E 4	W 1	2	27	4	30	60	white pine	immature	N		20-29 years	0	
comnts Fmd : OLD RECORDS INDICATE THIS WAS A W-9 STAND. Allow to convert naturally. Open area in west.														
39	W 9	X 0	4	69	11	100	65	white pine	mature	N		10-19 years	0	
comnts Fmd : CLUMPS OF SPRUCE AND RED PINE.														
40	R 9	E 3	28	69	14	150	70	red pine	immature	N		20-29 years	0	
comnts Fmd : Access through low area. Natural stand of red pine. Jack pine mixed in														
41	P 4	U 0	11	38	4	20	55	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : EXTENDS INTO LOWLAND BRUSH, P4/3 MIXED W/U-TYPE. Access is wet.														
42	E 6	L 1	7	76	8	110	50	white pine	immature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : MIXTURE OF HDWDS AND PINE, MOSTLY WHITE. Allow to convert naturally. Wet access.														
43	R 9	X 0	5	75	14	120	60	red pine	immature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : SOME JACK PINE (dying off).														
44	J 6	J 2	5	58	8	70	50	jack pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet Scenic values/visual values														
comnts Fmd : Wet access. PATCH OF SPRUCE & BALSAM ON EDGE. Leave for visual.														
45	P 4	P 3	22	38	4	20	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Wet access.														
46	P 4	L 2	32	38	4	20	59	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Pockets of L														
47	L 0	L 0	189				0	lowland brush	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
48	P 5	L 2	28	69	8	60	53	balsam poplar & swamp aspen and swamp white birch	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Wet area, Visual management.														
49	X 0	X 0	6			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Long Rapids Road.														
50	R 9	E 3	1	69	12	160	70	red pine	immature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Wet access. Natural stand of red pine.														
52	T 5	L 0	101	123	5	60	36	tamarack	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : MOSTLY TAMARACK WITH SOME CEDAR (SMALL CEDAR) and balsam poplar but mostly wet														
53	P 4	F 1	4	28	4	20	54	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd :														
54	P 6	E 3	5	79	8	100	56	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Some conifer (balsam Fir/white pine), 99=ironwood and red maple. Any mixture of aspen/oak and conifer is acceptable regeneration.														
55	A 5	M 1	6	73	9	60	62	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Land survey needed														
comnts Fmd : PROPERTY BOUNDARIES UNCERTAIN. POOR ACCESS FROM STATE.														
56	A 5	M 1	6	73	9	60	62	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Land survey needed														
comnts Fmd : PROPERTY BOUNDARIES UNCERTAIN. POOR ACCESS FROM STATE.														
57	L 2	L 0	12			0	0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : VERY WET														
58	L 2	L 0	13			0	0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : VERY WET														
59	L 2	L 0	35			0	0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : VERY WET														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
60	L 2	L 0	15		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : VERY WET														
61	L 2	L 0	26		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : VERY WET														
62	J 6	L 0	7	76	9	90	60	jack pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : WATER TABLE NEAR SURFACE - DIFFICULT ACCESS														
63	Q 5	L 0	4	81	7	60	52	mixed swamp conifer	high risk	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : ALONG WITH Q-TYPE THERE IS SOME JACK PINE.														
64	P 6	F 1	4	79	9	100	56	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Any mixture of aspen/oak and conifer is acceptable regeneration.														
65	Q 5	L 0	7	81	7	60	52	mixed swamp conifer	high risk	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : ALONG WITH Q-TYPE THERE IS SOME JACK PINE. Lowland brush mixed in. Old trail from private.														
66	R 6	X 0	1	71	6	130	60	red pine	immature	N		10-19 years	0	
comnts Fmd : SCATTERED ASPEN ALONG EDGES. TRASH DUMPING ALONG ROAD.														
67	Q 5	L 0	2	81	7	60	52	mixed swamp conifer	high risk	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
68	V 0	V 0	12					bog or muskeg	nonstocked	N		not scheduled	0	
69	J 9	L 0	2	76	12	110	60	jack pine	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : WATER TABLE NEAR SURFACE														
70	Q 6	X 0	4	69	8	110	58	mixed swamp conifer	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Wet access.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
71	Q5	L0	2	81	7	60	52	mixed swamp conifer	high risk	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : ALONG WITH Q-TYPE THERE IS SOME JACK PINE.</p>														
72	Q6	X0	5	69	8	110	58	mixed swamp conifer	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
73	Q6	X0	3	69	8	110	58	mixed swamp conifer	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
74	T5	X0	4	69	6	70	48	tamarack	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p>														
75	R9	E3	2	69	12	160	70	red pine	immature	N		not scheduled	0	
<p>comnts Fmd : DIFFICULT TO ACCESS.</p>														
119	U1	G0	1		2	0	65	upland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : ILLEGAL ORV USE, DAMAGE STRETCHES INTO ADJACENT COMPARTMENT. RDR filed and will be repaired. U.S. GEO. SURVEY, WATER RESOURCE OBSERVATION WELL.(TAMPERED WITH). Didn't see the well this time,2009..</p>														
136	U0	G0	5			0	60	upland brush	nonstocked	N		within 0-9 years	0	
<p>comnts Fmd : TRASH DUMPING. OLD FENCE ALONG ROAD. TRASH SHOULD BE REMOVED BEFORE IMPROVING STAND. 2009 most of the trash has been removed but people are still dumping items. This area was an old land fill.</p>														
138	U0	G0	1			0	65	upland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : SMALL POND IN STAND.</p>														
141	U1	G0	1		1	0	55	upland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : SOME YEARS MIGHT BE WET, DRY NOW. Filling in with trees.</p>														
145	U0	G0	2			0	64	upland brush	nonstocked	N		20-29 years	0	
<p>comnts Fmd : Filling in with trees</p> <p>Wld : Include in any burn plan near this stand. No other treatment recommended this review period.</p>														
<p><b>Total Acres..... 1161</b></p>														