

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	Q6	Q3	3	74	8	70	50	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd :														
2	A5	U2	7	62	7	60	49	aspen (upland)	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inferior quality														
comnts Fmd : Rocky- limestone ridge														
3	R9	A2	100	101	14	80	53	red pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : THINNED 1993.delay harvest to protect aspen understory.														
4	P5	F2	1	35	5	40	50	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : just converting to poles														
5	A6	R2	29	75	8	90	53	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Poor access- Winter cut only. Acceptable regeneration is any combination of aspen, oak, jack pine, red pine, or white pine resulting in a medium or well stocked stand.														
Wld : Invoke dead and down wood specs for reptiles and amphibians														
8	Q6	Q3	28	74	8	80	50	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : RAINEY RIVER INFLUENCE UNIQUE AREA SOME VERY STEEP SLOPES TO STREAM														
9	A6	U2	6	89	7	90	67	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd :														
10	A3	W1	38	4	1	60	56	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : LEAVE OAK--PROTECT WHITE PINE REGEN Sale was cut in 2005. 54-031-02-01Stand is a mixed stand of pockets of red and white oak poles and logs, white pine poles, and a few scattered red pine logs. The stand has a thick understory of mostly aspen, some red maple , and some white pine.														
13	A3	R1	50	27	4	0	58	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
14	R6	U2	41	56	9	100	65	red pine	immature	N	shelterwood-seed	within 0-9 years	1	
comnts Fmd : REMOVE JACK PINE . SOME AREAS ARE A MIX OF RED AND JACK AND SOME AREAS ARE PURE, POOR QUALITY JACK PINE. Acceptable regeneration is any combination of jack pine or red pine, resulting in a medium or well stocked stand.														
Wld : Consider burning after harvest. If burned, include stand 415														
15	J5	J1	5	41	5	60	65	jack pine	immature	N		30-39 years	0	
comnts Fmd :														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
17	P 6	P 2	37	69	7	80	60	balsam poplar & swamp aspen and swamp white birch	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd :														
19	A 3	X 0	29	15	3	0	64	aspen (upland)	immature	N		40-49 years	0	
20	P 5	L 3	39	49	5	50	48	balsam poplar & swamp aspen and swamp white birch	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inferior quality														
comnts Fmd : PRODUCTIVITY QUESTIONABLE SOME MERCH VOL AT W END ALDER CHOKING OUT BALM THROUGHOUT														
22	L 0	L 0	6		0	0	40	lowland brush	immature	N		not scheduled	0	
comnts Fmd : BEAVER MEADOW, VERY WET														
23	A 3	F 2	75	22	3	0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : WET TO THE NORTH AND EAST														
25	A 6	F 2	8	70	6	90	65	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : SANDY RIDGE ALONG CREEK SOME BLOWDOWN ,THERE IS NO ACCESS														
28	A 6	F 2	34	89	8	120	57	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : NO ACCESS														
30	E 6	E 2	47	79	8	90	58	swamp hardwoods	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : BEAVER ACTIVITY- WET														
31	Q 4	C 2	99	94	7	30	49	mixed swamp conifer	sparse	Y		50-59 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : SEVERE BLOWDOWN OF BALM AND CEDAR POORLY DRAINED														
32	C 6	Q 1	150	94	7	80	36	cedar	immature	N		not scheduled	0	
comnts Fmd : VERY LITTLE BLOW-DOWN														
Wld : Could create small wind-throw-ike areas for structure, but unlikely to regenerate well to cedar due to browse. If treatments are done, cedar will need to be protected.														
33	A 4	A 2	16	35	5	40	55	aspen (upland)	immature	N		60-69 years	0	
comnts Fmd : JUST CONVERTING TO POLES.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B								
34	R 6	R 1	18	69	9	80	50	red pine	immature	N		20-29 years	0	
comnts Fmd : BALSAM,OAK, RED PINE, JACK PINE, AND WHITE PINE IN UNDERSTORY														
35	O 8	A 2	17	89	10	60	52	oak	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Other special wildlife habitat consideration (desc. In comments)														
comnts Fmd : Good mast producers, poor quality, open grown oaks on swamp edge- no treatment. Side hill with southern aspect.														
36	A 4	U 2	2	67	5	30	60	upland brush	sparse	Y		within 0-9 years	0	release
<u>Treatment Limiting Factors:</u> Inferior quality														
comnts Fmd : VERY ROCKY, DENSE DOGWOOD AND VIBURNUM UNDERSTORY. Wld : Invoke dead and down wood specs for grouse; invoke shrub spec (soft mast species)														
38	A 6	W 3	18	62	9	80	56	white pine	immature	Y	final harvest	within 0-9 years	1	
comnts Fmd : HIGH QUALITY WP SAPS NO WEEVIL DAMAGE.DO NOT CUT W PINE. MIXED REGENERATION IS ACCEPTABLE.														
39	A 3	W 1	30	3	1	20	60	aspen (upland)	immature	N		60-69 years	0	
comnts Fmd :														
42	P 5	L 0	45	71	8	50	58	balsam poplar & swamp aspen and swamp white birch	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : VERY WET, WILL NOT REGENERATE WELL														
43	C 6	Q 1	35	71	5	70	50	cedar	mature	N		10-19 years	0	
comnts Fmd : WET SWAMP														
104	P 6	F 2	7	35	5	70	50	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
105	A 6	R 2	12	75	8	90	53	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : POOR ACCESS ROAD- WINTER CUT ONLY.MIXED REGENERATION IS ACCEPTABLE. Wld : Invoke dead and down wood specs														
107	C 6	Q 1	17	94	7	80	36	cedar	immature	N		not scheduled	0	
comnts Fmd : RIDGE RISES OUT OF THE SWAMP TO THE NORTH-WEST BUT IS WET WITH SEEPS.														
116	L 2	X 0	32	59		0	38	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
117	P 6	P 2	74	69	7	100	60	balsam poplar & swamp aspen and swamp white birch	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : VERY WET STAND WITH POOR ACCESS, PROBABLY WOULDN'T REGENERATE WELL.														
126	L 2	X 0	28	59		0	38	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
131	Q 4	C 2	5	94	7	30	49	mixed swamp conifer	sparse	Y		50-59 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : SEVERE BLOWDOWN OF BALM AND CEDAR POORLY DRAINED														
138	A 6	W 3	25	62	9	80	56	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : HIGH QUALITY WP SAPS NO WEEVIL DAMAGE REMOVE ASPEN LATER. CUT IN 10 YEARS														
139	A 6	W 1	3	65	7	80	60	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : LEAVE AS VISUAL SCREEN UNTIL REGENERATION BEHIND IS TALLER.														
239	A 6	W 1	2	65	7	80	60	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Scenic values/visual values														
comnts Fmd : LEAVE AS VISUAL SCREEN UNTIL REGENERATION BEHIND IT IS TALLER.														
401	G 0	X 0	2			0	49	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : ROCKY SOME SUMAC, ADJACENT TO COUNTY ROAD.														
Wld : mechanical opening maintenance														
402	G 0	X 0	1			0	49	grass	nonstocked	N		within 0-9 years	0	
comnts Fmd : ROCKY SOME SUMAC														
Wld : Poor wildlife opening that is filling in. No treatment recommended.														
403	G 0	X 0	1			0	49	grass	nonstocked	N		within 0-9 years	0	
comnts Fmd : FARM FIELD TO THE SOUTH														
Wld : Poor wildlife opening that is filling in. Allow conversion to continue.														
405	G 0	X 0	6			0	49	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : POWERLINE R.O.W.														
Wld : mow if not maintained by utility														
415	G 0	G 0	1			0	62	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : HEAVY TO BLUEBERRY														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
418	G0	X0	8			0	65	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : SOME ASPEN AND MAPLE ENCROACHING														
Wld : opening maintenance needed														
424	G0	X0	2			0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd : OLD LANDING FROM TIMBERSALE, POOR ACCESS														
Wld : No treatments recommended.														
438	X0	X0	1			0	49	other non-stocked or non-forest or non-productive	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : ONAWAY FIELD OFFICE														
439	G0	X0	1			0	49	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : VERY ROCKY SOIL.														
Wld : Remnant opening that should be reclaimed. Could be target for RGS skid-steer. Otherwise, recommend that opening be cleared as part of cutting specs in stand 39 or														
Total Acres..... 1241														