

# **Compartment Review Presentation**

**Atlanta Forest Management Unit** 

Compartment 54137 Entry Year 2017 Acreage: 2,120

**County Presque Isle** 

Management Area: Cheboygan Lake Plain

Revision Date: 2015-06-18

Stand Examiner: Darrick Coy

**Legal Description:** 

T34N, R4E, Sections 5-7 & 18 T35N, R4E, Sections 31 & 32

### **Identified Planning Goals:**

To provide for the protection, integrated management and responsible use of a healthy, productive, and undiminished forest resource base for the social, recreational, environmental, and economic benefit of the State of Michigan. Harvests prescribed will help to balance the age classes of red pine and regenerating oak.

### Soil and topography:

The compartment is predominately located on sandy soils. The compartment topography is rolling hills and valleys, some steep slopes.

### Ownership Patterns, Development, and Land Use in and Around the Compartment:

The compartment is surrounded by state land to the west and southeast. Land use in the area comes from recreational users.

### **Unique Natural Features:**

None known to exist.

#### **Archeological, Historical, and Cultural Features:**

None known to exist.

#### **Special Management Designations or Considerations:**

None known to exist.

#### **Watershed and Fisheries Considerations:**

Fisheries Division asks for a riparian buffer of at least 100 feet (no cut or selective cut) along the the Little Ocqueoc River, and to not encourage beaver activity in this trout stream corridor. Much of this watershed has low gradient which is suitable to beaver activity and thus water warming. This river is a designated trout stream and susceptible to beaver activity.

#### Wildlife Habitat Considerations:

The primary focus of wildlife habitat management will be to address the habitat requirements identified for the listed featured species found in this compartment. These species include ruffed grouse, black bear, and white-tailed deer. Based on the selected featured species, some of the most significant wildlife management issues in the management area are the maintenance of young forest, the retention of large, over-mature trees and snags and the maintenance and expansion of hard mast and mesic conifer components.

### Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of glacial outwash sand and gravel and postglacial alluvium. The glacial drift thickness varies between 10 and 200 feet. Beneath the glacial drift is the Devonian Traverse Group. The Traverse is quarried for limestone and cement products in Section 18 (Big Cut Quarry). Gravel pits are located in the surrounding area and potential is good on the upland areas. This area is located along the north edge of the Niagaran reef trend and north of the Antrim Shale play. None of the state land is leased for oil and gas development and potential is limited. Aerial images seem to indicate activities associated with Big Cut Quarry in Section 18 (T34N R4E) extend into Section 7. I believe there may be potential trespass in the E½ SE¼ SW¼, Section 7.

#### Vehicle Access:

Access is fair. The compartment is accessed off of Sorgenfrei Hwy, Plains Hwy, Peltz Road and Walker Road and has many two tracks that provide access to the entire area.

### **Survey Needs:**

Possibly within sections 5 and 31.

### **Recreational Facilities and Opportunities:**

There are many opportunities for hunting, wildlife viewing and mushrooming in the area. A snowmobile trail runs through the compartment in several places.

#### **Fire Protection:**

This compartment is located in the protection area of the Onaway DNR and the Rogers City Fire Department located in Rogers City. The Rogers City Fire Department would most likely be first on scene of any fire in the area due to their close proximity. The Onaway DNR has a mutual aid agreement with Rogers City Fire Department, but does not support any GSA equipment.


### **Additional Compartment Information:**


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details


The following information is displayed, where pertinent, on the attached compartment maps:


Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system

















Atlanta Mgt. Unit

Compartment 137 Year of Entry 2017

Darrick Coy: Examiner



### Age Class

						,		,				,	,	,			,	,	, , , , , , , , , , , , , , , , , , ,
			/ 3 / S			/ § /_		, s /	/ \$ <sup>8</sup> / <sup>1</sup> 8	/ \$ <sup>2</sup> /\$		\$ \$ &		\ \&\/	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		ZES / SE	/ s* / s	A LOS
	\ <del>*</del> 86	`/ `	3 / S	`/ <sup>®</sup>	s / 🕉	/ 🖟	,	/ &	? / <sup>K</sup>	`/ &	, / &	/ '&	$\sqrt{z}$	1 3		, 'r		30°	
Aspen	0	10	51	148	159	0	0	0	0	0	0	0	0	0	0	0	0	0	368
Bare/Sparsely Vegetated	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Cedar	0	0	0	0	0	0	0	0	0	0	0	13	45	2	0	0	0	0	60
Herbaceous Openland	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Jack Pine	0	45	83	33	154	0	29	14	0	4	0	0	0	0	0	0	0	0	362
Low-Density Trees	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	34
Lowland Conifers	0	0	0	0	0	0	6	0	64	0	0	5	0	0	0	0	0	0	75
Lowland Deciduous	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	3
Lowland Shrub	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Marsh	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Mixed Upland Deciduous	0	41	10	0	11	0	0	0	0	31	0	0	0	0	0	0	0	0	93
Natural Mixed Pines	0	0	0	0	4	0	0	8	0	9	0	0	0	0	0	0	0	0	21
Oak	0	0	0	0	0	0	0	0	23	364	95	0	0	0	0	0	0	0	482
Planted Mixed Pines	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Red Pine	0	0	0	94	0	0	8	0	447	1	0	4	0	0	0	0	0	0	554
Upland Conifers	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	3
Upland Mixed Forest	0	0	0	0	3	0	1	0	0	40	0	0	0	0	0	0	0	0	44
Urban	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Water	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total	51	96	144	275	334	0	44	22	534	455	95	22	45	2	0	0	0	0	2119



# **Report 2 – Treatment Summary**

# Atlanta Mgt. Unit


Compartment 137 **Acres of Harvest** Year of Entry: 2017 **Total Compartment Acres: 2,120** 

> Commercial Harvest - 473 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 0

### **Cover Type by Harvest Method**

	,	. ,										
		/		10 10 10 10 10 10 10 10 10 10 10 10 10 1	#D. 18 0 0 1 0		DOM CON CONTRACT	Original Solor	Key Con	86 / S		
Lowland Conifers		45	0	0	0	0	0	0	0	0	45	
Mixed Upland Deciduous		23	0	0	0	0	0	0	0	0	23	
Natural Mixed Pines		2	0	0	0	0	0	0	0	0	2	
Oak		183	0	0	0	0	0	0	0	0	183	
Red Pine		196	0	0	0	0	8	0	0	0	204	
Upland Mixed Forest		17	0	0	0	0	0	0	0	0	17	
	Total	465	0	0	0	0	8	0	0	0	473	

## **Proposed and Next Step Treatments by Method**



Atlanta Mgt. Unit Report 4 -- Treatments

Compartment: 137 s Year of Entry: 2017 t а **Treatment** Stand Size Stand BA **Treatment Treatment Cover Type** Acres Age n Name CoverType Density Age Range Type Method Objective Structure d 3 54137003-Cut 10.6 4123 - Red Oak Sawtimber Clearcut with 4191 - Mixed 88 51-80 Harvest Even-Aged Medium Retention Upland Deciduous with

**Habitat Cut: No Site Condition:** 

Prescription -clearcut

-leave 2-3 rp and/or oak (hollow den and/or mast) per 3-5 acres in clumps or individuals

-leave all wp

-leave 3-7% in area retention -survey regeneration early

-require whole tree skidding and don't protect advanced rm and aspen regeneration -rollerchop stand post-harvest, if needed, to knock down deciduous competition

Next Step Monitoring, Natural Regen (Intermediate); SitePrep, Roller Chopping

Treatments:

Acceptable -rp, wp, jp, oak, rm, and aspen of medium to full stocking

Regen: Other

Specs:

-all but oak was cut out in '98 Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

54137004-Cut 45.2 6129 - Mixed 78 81-110 6128 - Lowland Draft Field Poletimber Harvest Clearcut with Even-Aged Coniferous Lowland Well Retention Coniferous, Boundary

Forest

Deciduous

Conifer

Mixed

**Approval** 

Status

Draft Field

Boundary

#### **Habitat Cut: No Site Condition:**

Prescription -clearcut

-leave all rp, oak, and wp (most are super canopy and will remain standing) to seed in areas after cut, help with drainage, and provide horizontal Specs: and vertical structure

-protect areas that are being left for regeneration purposes (seeding) or excessively wet and heavy to cedar with a green (interior) or red (exterior) boundary line (see site conditions layer)

-require harvesting outside of Spring

-require the use of lowland approved equipment utilizing tracks, flotation tires, etc.

-offer sale as 3 year contract

Next Step Treatments:

Acceptable -rm, fir, spruce, jp, rp, wp, ash, tamarack, aspen, and cedar of medium to full stocking

Regen:

Other -will likely need to flag in/create a new road through stands 41, 6, or 5 for trucks and logging equipment to gain access

-suggest using stand 5 for if harvesting is done in Winter to avoid conflicts with the snowmobile trail. Old next step comments: Comment:

Proposed Start Date: 10/1 /2016

54137010-Cut 16.5 4123 - Red Oak Sawtimber 1-50 Clearcut with 4191 - Mixed Draft Field Harvest Even-Aged Upland Medium Retention Boundary

Deciduous with Conifer

**Habitat Cut: No** Site Condition:

Prescription -clearcut

Specs: -leave 2-3 rp and/or oak (hollow den and/or mast) per 3-5 acres in clumps or individuals

-leave all wp

-leave 3-7% in area retention -survey regeneration early

-require whole tree skidding and don't protect advanced rm and aspen regeneration -rollerchop stand post-harvest, if needed, to knock down deciduous competition

-protect snowmobile trail in timber sale specifications

Next Step Monitoring, Natural Regen (Intermediate); SitePrep, Roller Chopping

Treatments:

Acceptable -rp, wp, jp, oak, rm, and aspen of medium to full stocking

Regen:

Other Old next step comments:

Comment:

Atlanta Mgt. Unit

Report 4 -- Treatments

Compartment: 137 S Year of Entry: 2017

a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Approval Status
22	54137022-Cut	70.7	42110 - Planted Red Pine	Sawtimber Medium	76	51-80	Harvest	Clearcut	42110 - Planted Red Pine	Even-Aged	Draft Field Boundary

**Habitat Cut:** No **Site Condition:** 

Prescription Suggested Management Follow-up:

-Do not initiate scarification or further monitoring follow-ups and change cover type objective to artificial rp Specs:

-clearcut (partial stand harvest)

-leave area retention along snowmobile trail (already excluded- see site conditions layer)

-require chipping of tops -trench and replant to rp -may need a release spray

-protect snowmobile trail in timber sale specifications

SitePrep, Trenching; Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Pesticide, Aerial; Monitoring, Artificial Regen(3yr) Next Step

Treatments:

Acceptable -well stocked rp with minor wp, jp, oak, rm, and aspen associates

Regen:

Other -previous treatment for natural rp failed (low deciduous competition with low to no natural rp establishment)

-scarification follow-up was never submitted or completed Old next step comments: Comment:

Proposed Start Date: 10/1 /2016

54137027-Cut 1.6 42250 - Pine, Oak Poletimber 88 81-110 Clearcut 42260 - Natural Draft Field Harvest Even-Aged Pine, Mixed Well Boundary

Deciduous

**Habitat Cut: No Site Condition:** 

Prescription -clearcut

-may need planting to rp Specs:

-no retention due to potential need to artificially regenerate

Monitoring, Natural Regen (Intermediate); SitePrep, Trenching; Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Monitoring, Artificial Next Step

Treatments: Regen(3yr)

Acceptable -a mix of oak, pine, aspen, and rm of low to full stocking

Regen:

**Other** Old next step comments:

Comment:

10/1 /2016 **Proposed Start Date:** 

54137029-Cut 37.2 4123 - Red Oak Sawtimber 87 81-110 Harvest Clearcut with 4122 - Oak, Pine Even-Aged Draft Field Well Retention Boundary

**Habitat Cut: No Site Condition:** 

Prescription -clearcut (partial stand harvest)

Specs: -leave all wp

-3-10% area retention

-leave some area retention around significant mast oak with advanced wp (already excluded- see site conditions layer)

-leave 2-3 rp and/or oak (hollow den and/or mast) per 3-5 acres in clumps or individuals

-select unsurpressed rp to leave as seed source

Next Step **Treatments:** 

<u>Acceptable</u> -oak, pine, and minor associates of rm and aspen of medium to full stocking

Regen:

Other Old next step comments:

Comment:

Atlanta Mgt. Unit Report 4 -- Treatments Compartment: 137 s Year of Entry: 2017 t а **Treatment** Stand Size Stand BA **Treatment Treatment Cover Type** Acres Age **Approval** n Name CoverType Density Age Range Type Method Objective Structure **Status** d 54137045-Cut Sawtimber Clearcut with 4191 - Mixed Draft Field 45 17.1 4123 - Red Oak 89 81-110 Harvest Even-Aged Well Retention Upland Boundary Deciduous with Conifer **Habitat Cut: No Site Condition:** Prescription -clearcut Specs: -leave 2-3 oak, rp, or wp per 3-5 acres to seed in low stocked areas over time -leave area retention for adv. wp pocket with wp >26 inches (already excluded- see site conditions layer) -protect trees over 26" dbh Next Step Treatments: Acceptable -a mix of rm, oak, aspen and pine of medium to full stocking Regen: Other Old next step comments: Comment: **Proposed Start Date:** 10/1 /2016 54137046-Cut 35.0 42110 - Planted Sawtimber 76 1-50 Harvest Clearcut 42110 - Planted Even-Aged Draft Field Red Pine Red Pine Poor Boundary

Habitat Cut: No Site Condition:

<u>Prescription</u> Suggested Management Follow-up:
<u>Specs:</u>
-Do not initiate scarification or further monitoring follow-ups and change cover type objective to artificial rp

-clearcut

-no area retention necessary (already excluded- see site conditions layer)

-require chipping of tops -trench and replant to rp -may need a release spray

-protect snowmobile trail in timber sale specifications

Next Step SitePrep, Trenching; Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Pesticide, Aerial; Monitoring, Artificial Regen(3yr)

Treatments:

Acceptable -well stocked rp with minor wp, jp, oak, rm, and aspen associates

Regen:

Other -previous treatment for natural rp failed (low deciduous competition with low to no natural rp establishment)

<u>Comment:</u> -scarification follow-up was never submitted or completed Old next step comments:

Proposed Start Date: 10/1 /2016

61 54137061-Cut 9.5 42110 - Planted Sawtimber 76 201+ Harvest Clearcut 4211 - Planted Even-Aged Draft Field Red Pine Well Red Pine Boundary

Habitat Cut: No Site Condition:

Prescription -clearcut

Specs: -leave 3-7% area retention in areas of least density

or greatest live crown (already excluded- see site conditions layer)

-require chipping of tops -trench and replant to rp -may need a release spray

Next Step SitePrep, Trenching; Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Pesticide, Aerial; Monitoring, Artificial Regen(3yr)

**Treatments:** 

Acceptable -well stocked rp with minor jp, wp, oak, rm, and aspen associates

Regen:

Other Old next step comments:

Comment:

Atlanta Mgt. Unit Report 4 -- Treatments Compartment: 137 s Year of Entry: 2017 t а **Treatment** Acres Stand Size Stand BA **Treatment Treatment Cover Type** Age **Approval** n Method Objective Name CoverType Density Age Range Type Structure **Status** d 54137067-Cut 16.6 4123 - Red Oak Sawtimber 81-110 Clearcut with 4191 - Mixed Draft Field 67 89 Harvest Even-Aged Well Retention Upland Boundary Deciduous with Conifer **Habitat Cut: No Site Condition:** Prescription -clearcut -leave 2-3 rp and/or oak (hollow den and/or mast) per 3-5 acres in clumps or individuals Specs: -leave all wp -area retention already excluded (see site condtions laver) Next Step Treatments: Acceptable -rp, wp, jp, oak, rm, and aspen of medium to full stocking Regen: Other Old next step comments: Comment: **Proposed Start Date:** 10/1 /2016 54137069-Cut 52 42110 - Planted Poletimber 171-Harvest Systematic 4211 - Planted Even-Aged Draft Field Red Pine Thinning Red Pine 200 Boundary Well **Habitat Cut: No Site Condition:** 

Prescription -3rd row thin Specs: -mark stand (rows are defined but change directions and are too narrow in places)

Next Step Treatments: Acceptable Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

54137073-Cut 22.8 4191 - Mixed Sawtimber 80 111-Harvest Clearcut with 4191 - Mixed Even-Aged Draft Field **Upland Deciduous** Well 140 Retention Upland Boundary with Conifer Deciduous with

Conifer

**Habitat Cut: No Site Condition:** 

Prescription -clearcut

-leave 2-4 oak (hollow/den and/or mast) and/or pine in clumps every 1-2 acres to fill in and regenerate areas heavier to pine Specs:

-area retention already excluded for areas with significant advanced pine regeneration (see site conditions layer)

-survey regeneration early

Next Step **Treatments:** 

Acceptable -rp, wp, jp, oak, rm, and aspen of medium to full stocking

Regen:

Other Old next step comments:

Comment:

Atlanta Mgt. Unit Report 4 -- Treatments Compartment: 137 s Year of Entry: 2017 t а Stand **Treatment** Size Stand BA **Treatment Treatment Cover Type** Acres Age **Approval** n Name CoverType Density Age Range Type Method Objective Structure **Status** d 54137080-Cut 4123 - Red Oak Clearcut with 4191 - Mixed Draft Field 80 18.7 Sawtimber 94 51-80 Harvest Even-Aged Medium Retention Upland Boundary Deciduous with Conifer **Habitat Cut: No Site Condition:** Prescription -clearcut Specs: -leave 2-3 rp and/or oak (hollow den and/or mast) per 3-5 acres in clumps or individuals -leave all wp -leave 3-7% in area retention -survey regeneration early -require whole tree skidding and don't protect advanced rm and aspen regeneration -rollerchop stand post-harvest, if needed, to knock down deciduous competition -protect snowmobile trail in timber sale specifications SitePrep, Roller Chopping; Monitoring, Natural Regen (Intermediate) Next Step Treatments: Acceptable -a mix of rp, wp, jp, oak, rm, and aspen of medium to full stocking is expected Regen: Other -all aspen and rm was cut out 16 years ago Old next step comments: Comment: **Proposed Start Date:** 10/1 /2016 85 54137085-6.3 3302 - Low Density Nonstocked Unspec SitePrep Trenching 42111 - Planted Even-Aged Draft Field Conifer Trees ified Red Pine. Boundary Prep Mixed Deciduous **Habitat Cut: No** Site Condition: Prescription -trench for rp planting -delay treatment (treat with other artificial plantings to be completed within the compartment) Specs: Next Step Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Pesticide, Aerial; Monitoring, Artificial Regen(3yr) **Treatments:** Acceptable -well stocked rp with minor wp, jp, oak, rm, and aspen associates Other -part of parent stand 145 that failed to regenerate from 07/23/09 5 spot cut Old next step comments: Comment: **Proposed Start Date:** 10/1 /2018

Regen:

42110 - Planted 75 42110 - Planted Draft Field 54137086-Cut 80.5 Sawtimber 111-Harvest Clearcut with Even-Aged Red Pine Red Pine Well 140 Retention Boundary

**Habitat Cut: No Site Condition:** 

Prescription -clearcut Specs:

-protect trees over 26" located during sale prep with area retention

-3-5% area retention (areas of steep terrain) (some already excluded to NW- see site conditions layer)

-require chipping of tops -trench and replant to rp -may need a release spray

SitePrep, Trenching; Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Pesticide, Aerial; Monitoring, Artificial Regen(3yr) Next Step

Treatments:

Acceptable -well stocked rp with minor wp, jp, oak, rm, and aspen associates

Regen:

Other Old next step comments:

Comment:

S

Compartment: 137 Year of Entry: 2017

a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Approval Status
89	54137089-Cut	15.1	4122 - Oak, Pine	Sawtimber Well	82	111- 140	Harvest	Clearcut	4191 - Mixed Upland Deciduous with	Even-Aged	Draft Field Boundary

**Habitat Cut: No Site Condition:** 

Prescription -clearcut

Specs: -area retention already excluded for steep area (see site conditions layer)

-survey regeneration early

Next Step **Treatments:** 

Acceptable -rp, wp, jp, oak, rm, and aspen of medium to full stocking

Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

54137094-NF 0.9 310 - Herbaceous Nonstocked Unspec NonForestMqt Other - Specify 310 -Draft Field Openland ified Herbaceous Boundary Openland

**Habitat Cut: No** Site Condition:

Prescription Plant to food and cover crops for wildlife or maintain grasses using mechanical methods or fire as funding allows.

Specs:

Next Step Treatments:

<u>Acceptable</u> Regen:

Other Old next step comments:

Comment:

**Proposed Start Date:** 5 /1 /2015

113 54137113-Cut 17.2 4122 - Oak, Pine Sawtimber 51-80 Harvest Clearcut with 4191 - Mixed Even-Aged Draft Field Well Boundary

Retention

Upland

Conifer

Deciduous with

Conifer

**Habitat Cut: No Site Condition:** 

Prescription -clearcut

-leave 3-10% in area retention Specs:

-leave any significant rp, wp, or cavity oak not to exceed 3 per 3-5 acres

-protect sap pine in specs but do not require shortwood, should be able to skid around most pockets

-regen survey early

-if needed, trench and plant significant areas that do not meet stocking requirements to rp

Monitoring, Natural Regen (Intermediate); SitePrep, Trenching; Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Monitoring, Artificial Next Step

<u>Treatments:</u> Regen(3yr)

Acceptable -a mix of rm, oak, aspen and pine of medium to full stocking

Regen: -as a back-up plan- regenerate area(s) to artificial RP using mechanical and chemical means if regeneration stocking is low

Other Old next step comments:

Comment:

Compartment: 137 Year of Entry: 2017

a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Approval Status
117	54137117-Cut	21.7	4123 - Red Oak	Sawtimber Medium	91	51-80	Harvest	Clearcut with Retention	4191 - Mixed Upland Deciduous with	Even-Aged	Draft Field Boundary

**Habitat Cut: No Site Condition:** 

Prescription -clearcut

-leave 2-3 rp and/or oak (hollow den and/or mast) per 3-5 acres in clumps or individuals

-leave all wp

-leave 3-10% in area retention (already excluded along trail)

-survey regeneration early

-require whole tree skidding and don't protect advanced rm and aspen regeneration -rollerchop stand post-harvest, if needed, to knock down deciduous competition

-protect snowmobile trail in timber sale specifications

SitePrep, Roller Chopping; Monitoring, Natural Regen (Intermediate) Next Step

Treatments:

Acceptable -a mix of rm, oak, aspen and pine of medium to full stocking

Regen:

Specs:

Other Old next step comments:

Comment:

**Proposed Start Date:** 10/1 /2016

118 54137118-Cut 12.1 4123 - Red Oak Sawtimber 51-80 Harvest Clearcut with 4191 - Mixed Even-Aged Draft Field Medium Retention Upland Boundary

> Deciduous with Conifer

Conifer

**Habitat Cut: No** Site Condition:

Prescription -clearcut

-leave 2-3 rp and/or oak (hollow den and/or mast) per 3-5 acres in clumps or individuals Specs:

-leave all wp

-leave area retention and retention for regeneration purposes for areas with low overstory coverage and significant advanced regeneration (already excluded- see site conditions)

-survey regeneration early

-require whole tree skidding and don't protect advanced rm and aspen regeneration -rollerchop stand post-harvest, if needed, to knock down deciduous competition

-protect snowmobile trail in timber sale specifications

Next Step Monitoring, Natural Regen (Intermediate); SitePrep, Roller Chopping

Treatments:

Acceptable -a mix of rm, oak, aspen and pine of medium to full stocking is expected

Regen:

-will be mixed cover type objective due to past treatment creating more rm and aspen stems vs oak

-landing/access from NE Old next step comments: Comment:

**Proposed Start Date:** 10/1 /2016

122 54137122-Cut 16.8 4310 - Pine, Oak Sawtimber 111-Harvest Clearcut 4319 - Mixed Even-Aged Draft Field Well **Upland Forest** Mix 140 Boundary

**Habitat Cut: No Site Condition:** 

Prescription -clearcut

-use 3-10% area retention to protect legacy trees (already excluded) Specs:

-protect recreational trail within sale specs

-survey regeneration early

Next Step Monitoring, Natural Regen (Intermediate); SitePrep, Trenching; Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Pesticide, Aerial

Treatments:

Acceptable -a mix of oak, rp, aspen, and wp of medium to full stocking

-as a back-up plan- regenerate area(s) to artificial RP using mechanical and chemical means if regeneration stocking is low Regen:

Other Old next step comments:

Comment

Atlanta Mgt. Unit Report 4 -- Treatments Compartment: 137 s Year of Entry: 2017 t а **Treatment** Acres Stand Size Stand BA **Treatment Treatment Cover Type** Age **Approval** n CoverType Method Objective d Name Density Age Range Type Structure **Status** Draft Field 54137402-NF Unspec NonForestMgt 402 1.3 3102 - Grass Other - Specify 310 -Nonstocked ified Herbaceous Boundary Openland **Habitat Cut: No Site Condition:** Prescription Plant to food and cover crops for wildlife or maintain grasses using mechanical methods or fire as funding allows. Specs: Next Step Treatments: <u>Acceptable</u> Regen: <u>Other</u> Old next step comments: Comment: **Proposed Start Date:** 5 /1 /2015 Unspec NonForestMgt 310 -Draft Field 403 54137403-NF 2.3 3102 - Grass Nonstocked Other - Specify ified Herbaceous Boundary Openland **Habitat Cut: No Site Condition:** Prescription Plant to food and cover crops for wildlife or maintain grasses using mechanical methods or fire as funding allows. Specs:

Next Step Treatments:

Acceptable Regen:

Other Old next step comments:

Comment:

Proposed Start Date: 5 /1 /2015

Total Treatment 483.7 Acreage Proposed:

Compartment: 137

Atlanta Mgt. Unit

Darrick Coy : Examiner Year of Entry: 2017

**Availability for Management** Total Acres Acres Avail Acres **Dominant Site Conditions** Available With Condition Not Available 5C 2F 5E Acres 2G 5A 5B Aspen Bare/Sparsely Vegetated Cedar Herbaceous Openland Jack Pine Low-Density Trees **Lowland Conifers Lowland Deciduous Lowland Shrub** Marsh **Mixed Upland Deciduous Natural Mixed Pines** Oak Planted Mixed Pines **Red Pine Upland Conifers Upland Mixed Forest** Urban Water 2,120 1,655 **Total Forested Acres** 78% 16% 6% Relative Percent

\*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

1 Unavailable 2G: Too wet (sensitive soils, does not include access issues)  Comments:  Unspecified Un
Comments:

Atlanta Mgt. Unit

Darrick Coy: Examiner

2	Unavailable	5E: Long-Term Retention	5	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: area retention for	stand 46 treatment					
3	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
4	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	7	5A: Not able to obtain desirable regeneration	Unspecified	Unspecified	Unspecified
C	Comments:						
5	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: stand 86 area rete	ntion					
6	Available	5B: Maintain for regeneration purposes	21	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: many of the oak a	re mast and/or hollow					
7	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	84	5B: Maintain for regeneration purposes	Unspecified	Unspecified	Unspecified
C	Comments:						
8	Available	5B: Maintain for regeneration purposes	4	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						

Atlanta Mgt. Unit

Darrick Coy : Examiner

9	Available	5B: Maintain for regeneration purposes	5	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
10	Available	5B: Maintain for regeneration purposes	0	5C: Delay treatment for age/size class diversity or exceptional site quality	Unspecified	Unspecified	Unspecified
C	Comments:						
11	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	1	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
12	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	11	5A: Not able to obtain desirable regeneration	Unspecified	Unspecified	Unspecified
(	Comments:						
13	Unavailable	2F: Too steep	1	5E: Long-Term Retention	Unspecified	Unspecified	Unspecified
	Comments: area retention for	stand 89					
14	Unavailable	2F: Too steep	6	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						

Atlanta Mgt. Unit

Darrick Coy: Examiner

15	Unavailable	5A: Not able to obtain desirable regeneration	5	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
16	Unavailable	5A: Not able to obtain desirable regeneration	2	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
17	Unavailable	2F: Too steep	3	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
19	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
20	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: -area retention con	taining many RP legacy trees					
21	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	36	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
22	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	6	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						

Atlanta Mgt. Unit

Darrick Coy: Examiner

23	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	15	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
24	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	7	Unspecified	Unspecified	Unspecified	Unspecified
С	comments:						
25	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
	comments: area retention for	stand 5					
26	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	14	Unspecified	Unspecified	Unspecified	Unspecified
C	comments:						
27	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	50	Unspecified	Unspecified	Unspecified	Unspecified
C	comments:						
28	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	9	Unspecified	Unspecified	Unspecified	Unspecified
С	Comments:						

Atlanta Mgt. Unit

Darrick Coy: Examiner

29	Unavailable	5A: Not able to obtain desirable regeneration	5	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
30	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	4	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
31	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	4	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
32	Unavailable	5E: Long-Term Retention	4	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: leave as area rete	ention for past jp in stands 52, 55	5, and 59				
33	Unavailable	5A: Not able to obtain desirable regeneration	40	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
34	Unavailable	5A: Not able to obtain desirable regeneration	2	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						

Atlanta Mgt. Unit

Darrick Coy: Examiner

35	Unavailable	5E: Long-Term Retention	4	5A: Not able to obtain desirable regeneration	Unspecified	Unspecified	Unspecified
(	Comments:						
39	Unavailable	5A: Not able to obtain desirable regeneration	7	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
40	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
41	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	3	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
42	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: -area retention for	stand 118					
43	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	1	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
44	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: -area retention for	stand 117					

Atlanta Mgt. Unit

Darrick Coy: Examiner

45	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	23	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
46	Available	5B: Maintain for regeneration purposes	1	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
48	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: retention for stand	d 59					
50	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
51	Available	5B: Maintain for regeneration purposes	9	5C: Delay treatment for age/size class diversity or exceptional site quality	Unspecified	Unspecified	Unspecified
	Comments: Shelterwood/Seed	Source					
52	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	2	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						

Atlanta Mgt. Unit

Darrick Coy: Examiner

53	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: area retention for	stand 145					
54	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: area retention for	stand 29					
55	Available	5B: Maintain for regeneration purposes	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments: -significant wp establishment under oak							
56	Available	5B: Maintain for regeneration purposes	25	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
57	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	1	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
58	Unavailable	5E: Long-Term Retention	6	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: area retention for	stand 22					
62	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	5	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						

Atlanta Mgt. Unit

Darrick Coy : Examiner

63	Available	5B: Maintain for regeneration purposes	1	Unspecified	Unspecified	Unspecified	Unspecified
C	comments:						
64	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	2	Unspecified	Unspecified	Unspecified	Unspecified
C	comments:						
66	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	comments: eave for stand 43	retention					

Mgt. Unit

Compartment: #Type! Year of Entry:



## Report 6 - PROPOSED SPECIAL CONSERVATION AREA\* (SCA) DETAILS

\* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Atlanta Mgt. Unit Compartment: 137
Year of Entry 2017



# Report 7 – EXISTING SPECIAL CONSERVATION AREA DETAILS

\* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservation Area	n Type	Description	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area
SCA	Cold Water Stream	conditions that allow naturally-reproduced or species (e.g., slimy sculpin) to persist from e these conditions due to substantial eams are established by Director's action and	
SCA	Riparian Area	A transitional area between aquatic and terrestrial ecosystem influences the aquatic ecosystem and vice-versa. Because streams and open water wetlands, riparian areas harbor a homeommunities are ecologically and socially significant in their as aesthetics, habitat, bank stability, timber production, and	of the unique conditions adjacent to lakes, high diversity of plants and wildlife. Riparian effects on water quality and quantity, as well

S t	Atlanta Mgt. Unit			Report 8	– Forested	Stands Compartment: 137 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
1	6128 - Lowland Coniferous, Mixed Deciduous	Poletimber Medium	6.1	54	81-110	-steep ridge to W edge of stand-variable canopy-fir considerably younger than cedar
2	4191 - Mixed Upland Deciduous with Conifer	Sawtimber Medium	7.1	82	51-80	-more RP to NW and more aspen to SE-significant WP sapling establishment throughout SE-rolling hills, steep along lowland to SE
3	4123 - Red Oak	Sawtimber Medium	11.5	88	51-80	-T2-98OPIC - FMD: Oak was left when stand was cut.
4	6129 - Mixed Coniferous Lowland Forest	Poletimber Well	64.1	78	81-110	
5	42121 - Planted Jack Pine, Mixed Deciduous	Sapling Well	31.7	14	Immature	-cut completed 1/2000-cut volume- aspen 4%, oak 4%, jp 82%, rp 8%, & spruce 2%-C54-108-jp plantation, completed 5/2000-direct seed-furrow, JD 740 Skidder w/Sigma Seeder
6	42220 - Natural Jack Pine	Sapling Well	42.3	7	Immature	-cc completed 12/10/07, 54-030-07-01 -cut all aspen, jp, and rm -cut vol BTA 17%, JP 82%, RM 1% -natural, no planting record
						OPIC - FMD: Leave Red Pine, Protect Stand 104 during Harvest operations. Scattered balsam, spruce, oak. This stand should naturally regenerate back to jack pine and aspen. If natural regeneration fails stand will be artificially planted
7	4130 - Aspen	Sapling Well	6.3	16	Immature	-1 acre area south of road is 36 years old -area north of road is 16 years old -areas were merged together due to mapping rules and treated as inclusions
8	42110 - Planted Red Pine	Poletimber Well	13.9	29	Immature	-T142-77A -cut all jp, apen, rp, wp, rm, and unmarked oak, completed
						1/6/81 -cut vol.= 48% JP, 23% RO, 15% BTA, RP 12%, WP 1%, & RM 1% -C54-03-20 -machine planting completed to rp 05/85
9	4132 - Aspen, Jack Pine	Poletimber Well	4.6	35	51-80	
10	4123 - Red Oak	Sawtimber Medium	16.5	86	1-50	-species thinned in 1999, removed aspen -aspen regen is poor to moderate in most places -PArVHa site
11	4130 - Aspen	Sapling Well	35.7	25	51-80	-54-009-87-01 -cut all trees except protected aspen saplings to 4 inches, completed 05/31/88 -cut vol.= 22% BTA, 52% RO, 19% Mixed Pine, 2% RP, RM 5% -primarily aspen now

S t	Atlanta	Atlanta Mgt. Unit			- Forested	Stands Compartment: 137 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
12	4123 - Red Oak	Sawtimber Poor	25.3	81	1-50	<ul> <li>-a lot of oak are showing significant crown die back in main stem from top down due to overexposure from past cutting</li> <li>-a lot of oaks left had weak crowns before harvest</li> <li>-most regeneration has enough sunlight despite overstory oak</li> </ul>
13	42220 - Natural Jack Pine	Poletimber Medium	14.0	34	51-80	-T145-77A -cut all jp, apen, and oak, completed 11/14/79 -cut vol.= 86% JP, 6% RO, 8% BTA -oak came up fairly well with aspen in some areas -rp is about 10-20 BA throughout -minor strips of scotch pine planted along west 2-track
14	42220 - Natural Jack Pine	Poletimber Well	3.1	53	81-110	-jp appears to be natural origin
15	42220 - Natural Jack Pine	Poletimber Well	33.3	34	51-80	OPIC - FMD: open grown jack pine -T145-77A -cut all jp, apen, and oak, completed 11/14/79 -cut vol.= 86% JP, 6% RO, 8% BTA
16	42120 - Planted Jack Pine	Poletimber Well	14.9	53	81-110	-C54-108 -jp plantation, completed 5/24/62 -machine planted with Oliver AG & Kilifer Plow
17	42110 - Planted Red Pine	Poletimber Well	17.7	29	81-110	-T145-77A -cut all jp, apen, and oak, completed 11/14/79 -cut vol.= 86% JP, 6% RO, 8% BTA -C-54-319 -machine planting complete 5/21/85 -more log RP & WP overstory to SW
18	4319 - Mixed Upland Forest	Poletimber Well	3.1	37	51-80	-was previously cut
19	4133 - Aspen, Mixed Pine	Poletimber Well	16.8	35	51-80	-T145-77A-cut all jp, apen, and oak, completed 11/14/79-cut vol.= 86% JP, 6% RO, 8% BTA-oak came up fairly well with aspen in some areas-rp is about 20-40 BA throughout
22	42110 - Planted Red Pine	Sawtimber Medium	112.8	76	51-80	-Planted to RP/JP in 1939, 50-60ft tall, low end rp, semi-open stand, spotty reindeer moss-Shelterwood/thin completed 11/18/09, res BA 60-cut all jp, aspen, and marked rp-cut vol91% rp, 5% aspen, & 4% jp-FTP- C54-867-aspen and jp cut out in 8/1/88
23	4132 - Aspen, Jack Pine	Sapling Well	9.8	5	Immature	-cc completed 5/25/10 -cut all trees -cut vol BTA 34%, RP 12%, JP 39%, Oak 6%, RM 5%, WP 5% OPIC - FMD: Need survey corners. Areas of Jack Pine and U type. Aspen/Red Maple/Pine mix is acceptable for regen. Stand cut in 2008. #54-034-07-01 PELTZ POPPLE JACK.

S t	Atlanta	Atlanta Mgt. Unit				Stands Compartment: 137 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
24	42360 - Upland Cedar	Sawtimber Well	1.8	123	171-200	-Fisheries Division asks for a riparian buffer of at least 100 feet (no cut or selective cut) along the river, and to not encourage beaver activity in this trout stream corridor. Much of this watershed has low gradient which is suitable to beaver activity and thus water warming. This river is a designated trout stream and susceptible to beaver activity-survey corner is in stand but across stream
25	6129 - Mixed Coniferous Lowland Forest	Sawtimber Well	5.0	105	141-170	
26	42220 - Natural Jack Pine	Sapling Well	2.9	7	Immature	-cc completed 12/10/07, 54-030-07-01 -cut all aspen, jp, and rm -cut vol BTA 17%, JP 82%, RM 1% -FTP- C64-861 -planted 5/2009?
						OPIC - FMD: Stand 26 is scheduled for a final harvest along the Little Ocqueoc River (comments: buffer river). Fisheries Division asks for a riparian buffer of at least 100 feet (no cut or selective cut) along the river, and to not encourage beaver activity in this trout stream corridor. Much of this watershed has low gradient which is suitable to beaver activity and thus water warming. This river is a designated trout stream and susceptible to beaver activity.
27	42250 - Pine, Oak	Poletimber Well	1.6	88	81-110	-T39-72 -cut all aspen and rm and marked RP, completed 11/21/72 -cut vol.= 60% BTA, 40% RP OPIC - FMD: Started Five Spots in 1999. Take half of remaining acreage this entry (3 Spot). No cut red and white pine 6" dbh and smaller. Oak/pine/aspen/red maple mix is acceptable regensecond cut of five spot oak cut completed 5/30/2008Peltz 5 Plus 54-029-07-01created new stand 145 for cut area which is 28 acres and deleted 28 acres from stand 45next cut in 10 yrs will be the final harvest
28	6120 - Lowland Cedar	Poletimber Well	6.5	105	201+	-standing water in places -growth is more stagnant than cedar stand to south, smaller diameters -subcanopy is unoccupied
29	4123 - Red Oak	Sawtimber Well	90.3	87	81-110	-majority of this stand was recently acquired -oak starting to show fairly significant crown dieback along main stem from top down -found 2 deer blinds within stand -no past thinnings evident in private portion -vha site
30	4122 - Oak, Pine	Sawtimber Well	6.1	87	81-110	-planting record to RPJP 1938 -rp partially suppressed throughout -rp appears to have been planted under oak -natural pine are slowly coming in under oak
31	4133 - Aspen, Mixed Pine	Poletimber Well	35.3	34	81-110	-T142-77A -cut all jp, apen, rp, wp, rm, and unmarked oak, completed 1/6/81 -cut vol.= 48% JP, 23% RO, 15% BTA, RP 12%, WP 1%, & RM 1% OPIC - FMD: mix of aspen, oak, jack pine and red pine

s t	Atlanta	Atlanta Mgt. Unit				Stands Compartment: 137 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
32	42111 - Planted Red Pine, Mixed Deciduous	Poletimber Well	62.8	29	81-110	-T142-77A -cut all jp, apen, rp, wp, rm, and unmarked oak, completed 1/6/81 -cut vol.= 48% JP, 23% RO, 15% BTA, RP 12%, WP 1%, & RM 1% -C54-03-20 -machine planting completed to rp 05/85 -some older rp mixed in throughout
33	4199 - Other Mixed Upland Deciduous	Sapling Medium	9.0	14	Immature	-five spot cut completed 10/25/99, 54-035-97-01 -cut all trees -cut vol 71% oak, 23% aspen, 5% rp, 1% rm -Oak/pine/aspen/red maple mix is acceptable regen
34	42111 - Planted Red Pine, Mixed Deciduous	Sawtimber Well	21.9	75	111-140	-planting record to RPJP 1939 -rm coverage on the high end (40-60%) -variable success with planting due to oak present -rows exist in some areas
35	42220 - Natural Jack Pine	Sapling Medium	1.0	14	1-50	-cut all trees, completed 1/4/00-cut closed in 2000, 5 acre portion to NE was cut as well, more oak in overstory thoughsays cut all trees but NE has quite a bit left on site-cut vol 50-50 mix of JP and RP
37	4122 - Oak, Pine	Sawtimber Medium	35.5	88	1-50	-T2-98 -stand was species thinned last entry, 2001 -some aspen not cut in NE 1/2
38	42220 - Natural Jack Pine	Poletimber Medium	2.3	34	1-50	
39	4131 - Aspen, Oak	Poletimber Well	42.8	27	51-80	-54-011-87-01 -cut all trees, completed 6/24/88 -cut vol.= 60% BTA, 29% RO, 9% Mixed Pine, 2% RP -oak came up well with aspen, have about the same amount present vs what was cut
40	42110 - Planted Red Pine	Sawtimber Well	53.5	76	111-140	-planting record to RPJP 1938-cut all trees except oak and rp-cut vol 92% jp & 8% aspenOPIC - FMD: Stand was thinned 1999. Sept 15, 1999 Nelson Nedwash passed away while thinning stand.
41	4130 - Aspen	Sapling Well	12.3	15	1-50	-species thinned in 1999, removed aspen
42	42120 - Planted Jack Pine	Poletimber Well	13.7	62	81-110	-appears to have been planted -at least 20 years older than jp to adjacent south which was cut 30-40 yrs ago

4130 - Aspen

43

Poletimber

Well

37.6

25

51-80

-54-011-87-01

-cut all trees, completed 6/24/88 -cut vol.= 60% BTA, 29% RO, 9% Mixed Pine, 2% RP

S t	Atlanta	Atlanta Mgt. Unit			– Forested	Stands Compartment: 137 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
44	42120 - Planted Jack Pine	Sapling Well	41.9	14	1-50	-cut completed 1/2000-cut volume- aspen 4%, oak 4%, jp 82%, rp 8%, & spruce 2%-scattered cherry-C54-108-jp plantation, completed 5/2000-direct seed-furrow, JD 740 Skidder w/Sigma Seeder
45	4123 - Red Oak	Sawtimber Well	27.6	89	81-110	-T39-72-cut all aspen and rm and marked RP, completed 11/21/72-cut vol.= 60% BTA, 40% RPOPIC - FMD: Started Five Spots in 1999. Take half of remaining acreage this entry (3 Spot). No cut red and white pine 6" dbh and smaller. Oak/pine/aspen/red maple mix is acceptable regensecond cut of five spot oak cut completed 5/30/2008Peltz 5 Plus 54-029-07-01created new stand 145 for cut area which is 28 acres and deleted 28 acres from stand 45next cut in 10 yrs will be the final harvest
46	42110 - Planted Red Pine	Sawtimber Poor	35.0	76	1-50	-seed-tree completed 11/18/09, res BA 30 -cut all trees except marked rp -cut vol 98% rp, & 2% jp -FTP- C54-867
						OPIC - FMD: Cut stand back to 30-40 BA scarify soil with JD 440 skidder and disc. If natural regen fails, clearcut and plant in ten years. Natural regen mix of Red Pine/White Pine/Jack Pine/Oak is acceptable.  -T143-77  -cut all jp, aspen, and oak within rp plantation; outside the rp plantation cut all jp, rp, aspen, and oak  -cut vol 22% oak, 57% jp, 11% aspen, 10% rp  -completed- 12/16/78
47	6120 - Lowland Cedar	Sawtimber Well	6.6	106	201+	-subcanopy is unoccupied due to extremely high density cedar
48	42140 - Planted Mixed Pine	Poletimber Well	3.5	34	81-110	-T145-77A  -cut all jp, apen, and oak, completed 11/14/79  -cut vol.= 86% JP, 6% RO, 8% BTA  -scattered mature overstory red pine mixed in (about 10%)  -heavier to RP south of rd to SE  -pocket of BTA to SW
50	42111 - Planted Red Pine, Mixed Deciduous	Sawtimber Well	31.1	76	111-140	-planting record to RPJP 1938-T39-72-cut all aspen and rm and marked RP, completed 11/21/72-cut vol.= 60% BTA, 40% RPOPIC - FMD: species thinned, 1999-cut all trees except oak and rp-cut vol 92% jp & 8% aspen-some high density areas
51	42120 - Planted Jack Pine	Poletimber Poor	11.3	53	81-110	-C54-091-jp plantation, completed 5/28/62-machine planted with Oliver AG & Kilifer Plow
52	42220 - Natural Jack Pine	Poletimber Medium	33.2	34	51-80	-T44-77-cut all jp, aspen, rp, and unmarked oak-cut vol 2% oak, 79% jp, 19% aspen -completed- 12/16/79-appears to be natural origin
53	6120 - Lowland Cedar	Sawtimber Well	39.8	114	111-140	-too much cedar-scattered log rp and wp throughout
54	42220 - Natural Jack Pine	Sawtimber Well	4.0	82	81-110	OPIC - FMD: Low, wet ground.

S t	Atlanta		Report 8	<ul><li>Forested</li></ul>	Stands Compartment: 137 Year of Entry: 2017		
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:	
55	4133 - Aspen, Mixed Pine	Poletimber Well	23.2	37	51-80	-T44-77-cut all jp, aspen, rp, and unmarked oak-cut vol 2% oak, 79% jp, 19% aspen -completed- 12/16/79	
58	6120 - Lowland Cedar	Sawtimber Well	5.0	115	141-170		
59	42220 - Natural Jack Pine	Poletimber Poor	33.1	23	51-80	-2-aged jack pine stand -1977 and 1992	
61	42110 - Planted Red Pine	Sawtimber Well	10.0	76	201+	-planted to RP/JP in 1939-never been thinned-1/6-1/8th live crown	
63	42110 - Planted Red Pine	Sawtimber Well	3.0	76	111-140	-planting record to RPJP 1938	
64	42260 - Natural Pine, Mixed Deciduous	Sawtimber Well	8.1	68	81-110	-no visible rows in rp -aspen and rm cut out 34 yrs ago -partially suppressed aspen -suppression created variable heights	
66	4132 - Aspen, Jack Pine	Sapling Well	11.5	14	1-50	-cut completed 1/2000 -cut volume- aspen 4%, oak 4%, jp 82%, rp 8%, & spruce 2% -scattered cherry -C54-108 -jp plantation, completed 5/2000 -direct seed-furrow, JD 740 Skidder w/Sigma Seeder	
67	4123 - Red Oak	Sawtimber Well	21.5	89	81-110	-advanced wp and rp saps mostly in NE	
68	42120 - Planted Jack Pine	Poletimber Poor	22.6	32	51-80	-C54-106 -T34-77 -jp plantation, completed 4/27/83 -machine planted with Oliver AG & Kilifer Plow	
69	42110 - Planted Red Pine	Poletimber Well	8.1	52	171-200	OPIC - FMD: treat in 10 yrs, holding to let branches prune planted to RP in 1963	
70	4131 - Aspen, Oak	Sapling Well	11.9	16	Immature	-T2-98OPIC - FMD: Oak was left when stand was cut.	
71	42220 - Natural Jack Pine	Sapling Medium	3.1	16	1-50	-appears to be natural jp regen under scattered oak	
72	4131 - Aspen, Oak	Sapling Well	31.5	25	51-80	-T54-012-87-01-cut all trees-cut vol 63% oak, 10% rp, 27% aspen -completed- 12/16/88-oak came up fairly well with aspen	
73	4191 - Mixed Upland Deciduous with Conifer	Sawtimber Well	24.0	80	111-140	-appears to have been planted with RP in 1938 accepting variable success with regenerating oak-steep along northern edge	

s t	Atlanta		Report 8	<ul><li>Forested</li></ul>	Stands Compartment: 137 Year of Entry: 2017	
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
74	4121 - Oak, Aspen	Sawtimber Well	15.0	82	81-110	-steep slopes to W-higher than normal amount of natural rp coming in under aspen to south half-area has been surveyed, corners are in-some illegal ORV use climbing hills
75	4122 - Oak, Pine	Sawtimber Well	0.0	82	111-140	-T34-77-cut vol 14% oak, 69% jp, 17% aspen -completed- 10/16/78-rp appears to have been interplanted or had variable success while regenerating with oak
<b>76</b>	42210 - Natural Red Pine	Sawtimber Well	1.0	87	81-110	
77	42260 - Natural Pine, Mixed Deciduous	Poletimber Medium	4.2	30	51-80	-scattered pine and aspen -was cut with stands to west
78	4199 - Other Mixed Upland Deciduous	Sapling Well	1.1	16	1-50	-all aspen and rm cut out in 2001 -significant advanced regeneration -many oak crowns are showing dieback at tops of terminal stems due to significant exposure
80	4123 - Red Oak	Sawtimber Medium	18.7	94	51-80	OPIC - FMD: Left Oak and Pine-PArVha site-past harvest was has significantly populated subcanopy with aspen and rm which is now primarily surpressed-some oak has died from over exposure-many oak crowns have significant epicormic branching since being released-subcanopy is limiting any advanced oak from ever being established and oak are losing ability to stump sprout effectively
81	4122 - Oak, Pine	Sawtimber Well	84.7	87	111-140	-T12-52 or T18-70OPIC - FMD: OI Stand Year Origin was 1928-hilly- leave as area retention -higher BA on ridges-more sap wp and bta log trees in north half-more rp to south half
83	42111 - Planted Red Pine, Mixed Deciduous	Sawtimber Well	3.8	76	81-110	-area was left as area retention -aspen and oak were cut out 35-37 years ago
84	42120 - Planted Jack Pine	Poletimber Well	5.5	32	51-80	-C54-106 -jp plantation, completed 4/27/83 -machine planted with Oliver AG & Kilifer Plow
86	42110 - Planted Red Pine	Sawtimber Well	170.8	75	111-140	-parVHA site -planted to RP/JP in 1939-T34-77-cut all jp, aspen, and oak-cut vol 14% oak, 69% jp, 17% aspen -completed- 10/16/78-all jp was cut out of NESW sec. 7 in 2/7/75-some JP was not cut to SE where dried up pond is located
87	4122 - Oak, Pine	Sawtimber Well	20.5	93	51-80	-W5-828-69- removed all jp, aspen, and left scattered oak and rp for aesthetics and acorn production; completed 3/3/75-significant mast, cavity, and den tree oak stand
88	42120 - Planted Jack Pine	Poletimber Poor	35.4	38	51-80	-T103-74-cut all jp trees, completed 6/18/75-cut vol.= 100% JP-C54-106-jp plantation, completed 7/26/77-Ontario trencher and broadcast jp seed

S	Atlanta Mgt. Unit			Report 8	<ul><li>Forested</li></ul>	Stands Compartment: 137 Year of Entry: 2017
t a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
89	4122 - Oak, Pine	Sawtimber Well	15.9	82	111-140	-rp appears to have been interplanted or had variable success while regenerating with oak
92	4130 - Aspen	Sapling Well	8.7	16	1-50	-appear to have left pine and oak -BA is around 20 or seed-tree level -aspen are doing fine
93	4131 - Aspen, Oak	Sawtimber Well	46.6	38	81-110	-Stand has ORV problem on hillside just south and southwest of stand 403. Cut trees across trails in June 2005, to control access and limit erosion problems.  -T23-70  -W5-828-69- removed all jp, aspen, and left scattered oak and rp for aesthetics and acorn production; completed 3/3/75  -appears that most oak were left (mostly to east) and some were cut (mostly to west)  -E and NE portion of stand aspen was not removed, not sure why (some due to steep hills), legacy rp in this area as well (see OFS), considered as an inclusion  -steep hills south and north of opening
95	4122 - Oak, Pine	Poletimber Medium	3.4	86	51-80	-pines coming in under oak
97	4310 - Pine, Oak Mix	Sawtimber Well	16.9	81	111-140	-planted to RP/JP in 1939
98	42111 - Planted Red Pine, Mixed Deciduous	Sawtimber Well	3.9	76	81-110	
100	4191 - Mixed Upland Deciduous with Conifer	Poletimber Well	10.6	35	51-80	-aspen and jp were cut out
101	4310 - Pine, Oak Mix	Sawtimber Poor	5.2	83	1-50	-was likely cut with oak to the west -young natural jp in central portion of stand -pole jp scattered in south half
105	4122 - Oak, Pine	Sawtimber Medium	4.4	87	51-80	OPIC - FMD: Start 3 Spot cut this entry. Leave all Red and White Pine for seed source. Oak/pine/aspen/red maple regen is acceptablefirst cut of three spot oak cut completed 5/30/2008Peltz 5 Plus 54-029-07-01created new stand 167 for cut area which is 12 acres and deleted 12 acres from stand 67 -appears that rm was cut out in '08
106	42110 - Planted Red Pine	Sawtimber Well	0.9	76	111-140	-planting record to RPJP 1938
107	42220 - Natural Jack Pine	Sapling Medium	4.7	14	1-50	-cut all trees, completed 1/4/00-cut closed in 2000, 5 acre portion to NE was cut as well, more oak in overstory thoughsays cut all trees but NE has quite a bit left on site-cut vol 50 mix of JP and RP
109	4123 - Red Oak	Sawtimber Medium	4.9	86	51-80	-cut all trees, completed 1/4/00-apparently this area had the oak left with some pole pine-was treated with stand 107 to SW

S t	Atlanta Mgt. Unit			Report 8	– Forested	Stands Compartment: 137 Year of Entry: 2017
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
112	4133 - Aspen, Mixed Pine	Poletimber Well	1.1	36	51-80	-C54-108 -jp plantation, completed 5/24/62 -machine planted with Oliver AG & Kilifer Plow
113	4122 - Oak, Pine	Sawtimber Well	17.2	91	51-80	-small scotch pine inclusion of poles to NW along rd
114	4130 - Aspen	Sapling Well	28.3	35	1-50	-T144-77A -cut all jp, apen, rm, and oak, completed 7/22/80 -cut vol.= 1% JP, 19% RO, 76% BTA, & RM 4% -old sale map shows cut going up to private but imagery is showing different -survey corner must have never been put in before sale was cut -some scattered oak and red pine
116	429 - Mixed Upland Conifers	Sawtimber Well	3.4	83	81-110	-transition stand -rm mostly in north to middle of stand
117	4123 - Red Oak	Sawtimber Medium	23.6	91	51-80	-all aspen and rm cut out in 2001-significant advanced regeneration -many oak crowns are showing dieback at tops of terminal stems due to significant exposure
118	4123 - Red Oak	Sawtimber Medium	14.3	91	51-80	-T2-98 -stand was species thinned last entry, 2001
119	42290 - Natural Mixed Pine	Sawtimber Medium	3.6	84	51-80	-T145-77A-cut all jp, apen, and oak, completed 11/14/79-cut vol.= 86% JP, 6% RO, 8% BTA
120	42290 - Natural Mixed Pine	Sawtimber Medium	2.3	82	51-80	
121	4123 - Red Oak	Sawtimber Medium	23.0	78	51-80	-most advanced aspen and rm regen is in northern 1/2 of stand
122	4310 - Pine, Oak Mix	Sawtimber Well	18.5	89	111-140	-T2-98-this stand appears to mostly have no thinning done last entry, 2001 due to low rm and aspen present-no past thinning seems to have been done either
123	42220 - Natural Jack Pine	Poletimber Well	6.9	37	51-80	OPIC - FMD: OI Stand Year Origin was 1977
124	4131 - Aspen, Oak	Poletimber Well	2.9	37	51-80	-appears to have been harvest with stand 123 from 30-40 years ago
127	4123 - Red Oak	Sawtimber Poor	0.7	82	1-50	-low density oak stand-great mast stand
128	4123 - Red Oak	Sawtimber Poor	0.9	82	1-50	-low density oak stand-great mast stand

S t a n d	Atlanta Mgt. Unit			Report 8	- Forested	Stands Compartment: 137 Year of Entry: 2017
	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
145	4199 - Other Mixed Upland Deciduous	Sapling Medium	27.0	6	Immature	-five spot cut completed 07/23/09, 54-029-07-01-cut all trees but rp and wp under <6 inches in dbh-cut vol 70% oak, 22% aspen, 4% rp, 2% rm-Oak/pine/aspen/red maple mix is acceptable regen
167	4191 - Mixed Upland Deciduous with Conifer	Sapling Medium	14.1	6	1-50	-five spot cut completed 07/23/09, 54-029-07-01 -cut all trees but rp and wp -cut vol 70% oak, 22% aspen, 4% rp, 2% rm -Oak/pine/aspen/red maple regen is acceptable -most oak stump sprouts are doing well, some was lost due to excessive browse -more of a mixed stand
217	42250 - Pine, Oak	Sawtimber Well	1.6	85	51-80	-was not thinned in 2001 due to slope -rp is likely natural origin
253	4310 - Pine, Oak Mix	Sawtimber Well	1.5	58	81-110	-wp are younger -all other trees are over 80 yrs
258	6117 - Lowland Deciduous, Mixed Coniferous	Sawtimber Well	2.9	85	51-80	-south 1/3rd of stand was cut and is drier -included and split out due to it being mostly deciduous

51-80

42210 - Natural Red Pine

353

Sawtimber Medium

3.9

105



Stand	Cover Type	Acres	Managed Site	General Comments:
21	330 - Low-Density Trees	1.1	No	
36	3303 - Mixed Low Density Trees	3.2	No	OPIC - FMD: Started Five Spots in 1999. Take half of remaining acreage this entry (3 Spot). No cut red and white pine 6" dbh and smaller. Oak/pine/aspen/red maple mix is acceptable regensecond cut of five spot oak cut completed 5/30/2008 Peltz 5 Plus 54-029-07-01created new stand 145 for cut area which is 28 acres and deleted 28 acres from stand 45next cut in 10 yrs will be the final harvest in stand 45left red and white pine
49	3303 - Mixed Low Density Trees	1.5	No	OPIC - FMD: Oak was left when stand was cut.
56	3303 - Mixed Low Density Trees	5.5	No	-T70-79 -cut all jp and RP marked with yellow paint -cut vol jp 78% & RP 22% -completed- 9/26/79
57	623 - Emergent Wetland	2.8	No	OPIC - FMD: Low, wet ground.
60	3303 - Mixed Low Density Trees	1.1	No	-T2-98OPIC - FMD: stand was species thinned last entry. Aspen regen was spotty.
62	3303 - Mixed Low Density Trees	4.0	No	OPIC - FMD: stand has apsen and jack pine mixed in. Some mature Red Pine
65	3303 - Mixed Low Density Trees	3.5	No	OPIC - FMD: OI Stand Year Origin was 1928
79	3303 - Mixed Low Density Trees	1.2	No	-T145-77A -cut all jp, apen, and oak, completed 11/14/79 -cut vol.= 86% JP, 6% RO, 8% BTA OPIC - FMD: pocket of scotch pine, scattered mature red pine
82	330 - Low-Density Trees	1.1	No	
85	3302 - Low Density Conifer Trees	6.5		-five spot cut completed 07/23/09, 54-029-07-01 -part of parent stand 145 that failed to regenerate from 07/23/09 clearcut -cut all trees but rp and wp under <6 inches in dbh -cut vol 70% oak, 22% aspen, 4% rp, 2% rm -Oak/pine/aspen/red maple mix is acceptable regen
90	790 - Other Bare/Sparsely Vegetate	5.4	No	
91	500 - Water	1.2	No	OPIC - FMD: Big Cut Ponds
94	310 - Herbaceous Openland	0.9	Yes	
96	122 - Road/Parking Lot	1.5	No	OPIC - FMD: Big Cut Hwy/Walker Rd



Stand	Cover Type	Acres	Managed Site	General Comments:
102	3301 - Low Density Deciduous Tree	1.6	No	OPIC - FMD: filling in with Jack Pine
103	3302 - Low Density Conifer Trees	1.3	No	OPIC - FMD: Final Harvest next entry, some pockets of JP regen, and past fire damage.
104	623 - Emergent Wetland	1.8	No	OPIC - FMD: Low, wet ground.
108	622 - Lowland Shrub	0.9	No	OPIC - FMD: 2-aged jack pine stand. 1977 and 1992.
115	3303 - Mixed Low Density Trees	2.3	No	OPIC - FMD: sparse, open grown jack pine
126	623 - Emergent Wetland	0.3	No	OPIC - FMD: OI Stand Year Origin was 1898
402	3102 - Grass	1.3	Yes	OPIC - FMD: filling in with Jack Pine
403	3102 - Grass	2.3	Yes	OPIC - FMD: OI Stand Year Origin was