

CADILLAC MGT UNIT

Stand Level Information

Compartment: 3

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	A 3	A 3	65	16	0	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : An A-3, RM-2 stand with scatted oak regeneration.														
2	O 9	O 1	60	77	11	80	50	oak	mature	N		20-29 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd :														
3	O 6	O 1	46	86	9	120	50	oak	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity Too steep														
comnts Fmd :														
4	R 6	W 1	4	75	7	170	60	red pine	mature	N	thinning	within 0-9 years	1	
comnts Fmd : Stand should be row thinned.														
5	O 9	M 2	89	76	9	100	55	oak	immature	N		10-19 years	0	
comnts Fmd : Scattered white pine in understory														
6	O 6	M 1	81	76	9	80	55	oak	mature	N		20-29 years	0	
comnts Fmd :														
7	A 2	A 2	89	16	0	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : also oak and red maple regen														
8	O 9	W 2	61	81	10	110	55	oak	immature	Y	seed tree	within 0-9 years	2	
comnts Fmd : Cut a portation of the stand some, areas are thick with white pine regen others don't have much. The stand should be clear cut and the white pine and oak should respond well to this cut.														
9	O 9	W 2	92	81	10	110	55	oak	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : leave this stand for age class divercity														
10	A 2	O 1	66	6		0	60	aspen (upland)	immature	N		60-69 years	0	
comnts Fmd : T-SALE TREATED 14-98-01; LEFT GREEN MARKED TREES. This stand is a mix of Red Maple, Oak and Aspen. There were scattered oaks left when the timber sale was put up.														
11	A 2	A 2	51	34	0	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Bracken Fern along with M2 and O2 some areas have more Maple then Aspen														
12	O 8	M 1	7	76	12	60	60	oak	immature	N		10-19 years	0	
13	O 6	W 2	10	81	9	120	55	oak	immature	N		10-19 years	0	
comnts Fmd : remove oak overstory and burn lightly. Leave 10 SF for mast production														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 3

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
14	A 3	A 2	61	16	0	0	55	aspen (upland)	immature	N		40-49 years	0	
15	A 3	A 3	76	16	0	0	65	aspen (upland)	immature	N		40-49 years	0	
16	O 6	R 3	71	81	7	120	50	oak	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity comnts Fmd : hold for now not much aspen in stand</p>														
17	W 3	W 2	88	36		10	60	white pine	immature	N		80+ years	0	
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity comnts Fmd : TREATED T-SALE 205-98-01 also has A2,O1,R2,M1</p>														
18	A 6	A 2	127	41	9	100	65	aspen (upland)	immature	N		30-39 years	0	
19	O 6	W 3	20	76	8	110	50	oak	immature	N		10-19 years	0	
20	A 3	W 3	47	6		10	60	aspen (upland)	immature	N		80+ years	0	
<p>comnts Fmd : TREATED T=SALE # 205-98-01</p>														
22	A 3	A 3	12	28	0	0	50	aspen (upland)	immature	N		30-39 years	0	
23	A 6	W 3	13	76	10	130	50	aspen (upland)	high risk	Y	final harvest	within 0-9 years	1	natural regeneration
<p>comnts Fmd : clear cut this stand as the aspen is high Risk</p>														
24	H 6	C 2	19		11	170	60	hemlock	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Water quality/bmps</p>														
25	A 6	A 3	70	28	8	120	55	aspen (upland)	immature	N		40-49 years	0	
26	W 3	W 2	74	36		0	60	white pine	immature	N		80+ years	0	
<p>comnts Fmd : TREATED T-SALE 205-98-01</p>														
27	M 9	M 1	25	77	12	150	60	northern hardwood	mature	Y	selection	within 0-9 years	2	
<p>comnts Fmd : Thin to 70 sf</p>														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 3

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
28	A 5	A 1	52	32	5	60	50	aspen (upland)	immature	N		40-49 years	0	
29	A 6	M 1	17	77	10	150	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : clear cut with reserves thin islands of oak and aspen leave a few islands of hardwoods and oak avg BA of 40 to 60 in islands.														
30	O 6	W 3	34	31	8	100	55	oak	immature	N		10-19 years	0	
31	A 6	A 1	22	36	6	110	55	aspen (upland)	immature	N		40-49 years	0	
32	A 6	M 1	12	77	9	140	60	aspen (upland)	high risk	Y	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : clear cut with reserves, leave island of oak Expand aspen clones thin oak areas														
33	A 3	A 1	74	16	0	0	55	aspen (upland)	immature	N		50-59 years	0	
34	A 6	A 1	41	32	8	150	60	aspen (upland)	immature	N		40-49 years	0	
35	A 6	A 1	85	46	10	130	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Ceder aera with spring and a small stream that goes under ground needs a 50 foot buffer during next harvest.														
36	O 6	W 1	44	90	9	100	48	oak	immature	Y	seed tree	within 0-9 years	2	natural regeneration
comnts Fmd : Vary little oak regen some scatered white pine seed tree or shelter wood to 10 Sq Ft and burn														
37	A 6	M 1	51	32	8	90	50	aspen (upland)	mature	N		20-29 years	0	
comnts Fmd : Aspen pulp stand with some oak which was left when the stand was cut.														
38	A 6	O 1	34	77	11	110	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : clear cut aspen should sprout as will some of the oak														
39	A 3	A 1	70	16	0	0	55	aspen (upland)	immature	N		50-59 years	0	
41	R 6	R 1	34	38	6	130	50	red pine	immature	N		40-49 years	0	

CADILLAC MGT UNIT

Stand Level Information

Compartment: 3

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
42	O 9	O 1	35	90	11	100	50	oak	immature	Y	shelterwood-seed	within 0-9 years	1	other - specify in remarks
comnts Fmd : The stand should be harvested. Aspen clones should be expanded. The area to cut for the expansion can be marked with ORANGE paint. All Red Maple should be cut as well. This will remove some quantity of oak. Those area not cut should be treated with a trenching machine to provide a seed bed for acorns in the stand														
43	O 6	W 1	68	76	9	70	50	oak	immature	N		not scheduled	0	
44	A 6	A 1	31	6	11	150	55	aspen (upland)	immature	N	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : clear cut with reserves,This is an aspen oak stand cut the aspen and leave islands of oak leave a few scatered oak in aspen clones but no more then 4 an acre.														
45	M 9	M 1	44	76	11	200	55	northern hardwood	immature	Y	selection	within 0-9 years	1	
comnts Fmd : this stand has northern hardwoods perdomintly along with oak and aspen thin the stand to 70sq ft picking croptrees with an emphasis on gaining an uneven age structure														
46	O 6	A 3	43	40	10	130	50	oak	immature	N		not scheduled	0	
47	O 6	O 1	54	76	9	120	50	oak	immature	N		20-29 years	0	
48	A 3	A 1	42	28	0	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Trees are 2-3" dbh, some oakswere left in the stand.														
49	A 6	A 3	65	42	9	100	50	aspen (upland)	immature	N		not scheduled	0	
comnts Fmd : Nice younger Aspen, some Oak And Beech sawlog trees. The Aspen is doing well and Oak and Beech will hold, plenty of mast and seed.														
50	R 6	R 1	9	38	7	190	50	red pine	immature	Y	thinning	within 0-9 years	1	
comnts Fmd : Stand is adjacent to snowmobile trail.														
51	A 1	M 1	59	6		0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : stand treated 14-98-01														
52	A 3	A 1	73	28	0	0	55	aspen (upland)	immature	N		40-49 years	0	
53	A 3	A 1	45	16	0	0	55	aspen (upland)	immature	N		50-59 years	0	
54	O 6	O 1	49	76	8	90	55	oak	immature	N		10-19 years	0	

CADILLAC MGT UNIT

Stand Level Information

Compartment: 3

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
55	O 9	M 1	5	77	9	180	60	oak	immature	N	shelterwood-seed	within 0-9 years	1	natural regeneration
comnts Fmd : expand aspen clones thin all oak and maple to 60 Sq ft make regen holes where available.														
56	A 6	M 1	22	80	10	140	50	aspen (upland)	high risk	Y	seed tree	within 0-9 years	1	natural regeneration
comnts Fmd : stand has large portion of old aspen needs to be clear cut have 10 sq ft of oak as a standard														
57	A 3	A 1	36	16	0	0	55	aspen (upland)	immature	N		50-59 years	0	
60	O 9	O 1	22	90	11	100	50	oak	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : hold for age class diversity														
61	M 2	M 1	41	16	0	0	55	northern hardwood	immature	N		50-59 years	0	
comnts Fmd : also has some O1 and W1														
62	A 2	A 1	15	6	0	0	50	aspen (upland)	immature	N		60-69 years	0	
comnts Fmd : STAND TREATED BY SALE #004-00-01; BEECH AND SUGAR MAPLE LEFT ON SITE														
63	A 3	A 1	36	32	0	0	50	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Some trees just entering merchantable size.														
66	A 1	W 1	92	6		0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : STAND TREATED T-SALE 213-98-01														
67	W 9	C 1	4		14	110	60	white pine	unevenaged	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Stand could have a small timber sale or wildlife could remove the products to encourage cedar and hemlock reproduction.														
68	O 9	M 1	12	76	12	140	55	oak	mature	N	shelterwood-prep	within 0-9 years	1	release
comnts Fmd : Quality oak shelterwood prep by cutting aspen, maple and beach out cut to 70 sq ft														
70	A 6	A 1	9	32	7	70	55	aspen (upland)	mature	N		20-29 years	0	
72	O 8	A 2	7	42	10	50	50	oak	immature	N		20-29 years	0	
74	O 6	M 1	19	77	9	130	60	oak	immature	N	seed tree	within 0-9 years	1	natural regeneration
comnts Fmd : seed tree to 10 sq ft and burn if oak regen fails plant white pine														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 3

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					Tot. BA	Site Indx								
76	O 9	M 1	44	80	10	90	50	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
135	C 6	C 2	7		11	130	60	cedar	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
143	A 3	W 1	9	5	0	0	50	aspen (upland)	immature	N		60-69 years	0	
147	W 6	O 1	11	76	9	170	50	white pine	immature	N		10-19 years	0	
155	A 2	A 1	12	5	0	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This aera was clear cut most came back well one area did not and is a u type for the time being														
400	G 0	G 0	3		0	0	60	grass	nonstocked	N		not scheduled	0	
401	G 0	G 0	6		0	0	60	grass	nonstocked	N		not scheduled	0	
402	G 0	G 0	3		0	0	50	grass	nonstocked	N		not scheduled	0	
403	G 0	G 0	14		0	0	55	grass	nonstocked	N		not scheduled	0	
404	G 0	G 0	2		0	0	60	grass	nonstocked	N		not scheduled	0	

Total Acres..... 3042