

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	R 9	M 2	12	50	11	170	45	red pine	immature	N		10-19 years	0	
comnts Fmd : Third row thinned in 2000. Removed overtopping hwd. Left Oak.														
2	O 5	M 2	9		6	50		oak	unevenaged	N		20-29 years	0	
comnts Fmd : Mix of red oak, white oak, aspen, white pine and white spruce. Some scattered sawlog sized oak.														
3	R 6	O 1	5	50	8	150	45	red pine	immature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Third row thinned in 2000. Overtopping hwd was removed. Oak was left. Manage for mix of oak, pine and aspen.														
4	O 8	M 2	12	83	12	40	60	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Stand was treated in 2000. Oak was marked to cut and all aspen and red maple were removed. Mix of mature oak and red pine with A3/M3 understory. Some scattered advanced oak regen.														
5	R 6	M 1	14		6	0		red pine	immature			10-19 years	0	
comnts Fmd : Need to visit														
6	O 9	M 2	89	83	12	100	60	oak	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Stand was treated in 2000. Oak was marked to cut and all aspen and red maple were removed. Some scattered red and white pine in stand. Understory is a M2 - M3. No oak regen present over three feet. Some oak seedlings under one foot. Shelterwood next YOE.														
7	O 9	W 2	27	78	14	100	58	oak	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Oak stand with underplanted white pine. WP planted in 1956. Stand treated by Rothig in 2003. White pine is still small. Treat next YOE. Manage for a mix of pine and oak.														
8	R 6	M 1	17	50	9	130	45	red pine	immature	N		10-19 years	0	
comnts Fmd : Thinned in 2001.														
11	O 6	W 2	10		10	80		oak	two aged	N	removal	within 0-9 years	2	
comnts Fmd : Mix of red oak, white pine, red pine, quacking aspen and red maple. Harvest all red maple, aspen and mark poor quality oak to cut. Thin red pine were needed. There is a faint blue line on the west and south sides of the stand. Manage for a mix of Oak, aspen and pine. Need site index for oak and white pine.														
13	A 9	M 2	39	68	10	110	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : Isolated 40 acre parcel. Mix of oak, bigtoothed aspen, red maple and beech. Red Maple and beech are mostly multiple stems and poor form. Red oak is sawlog sized. There are some pockets of advanced oak regen. Final harvest all aspen, red maple and beech. Mark oak to cut. Could select mark portions of the stand that are pure red maple and beech. Manage for a mix of Oak and aspen. Found some witness trees in the NE corner of the stand. Need to find way to access. The private property on all four sides have had timber harvests in the past.														
14	V 0	V 0	3			0		bog or muskeg	in process of regeneration	N		not scheduled	0	

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
15	A 3	A 3	22	18	2	0	48	aspen (upland)	immature	N		30-39 years	0	
16	F 6	F 2	6	45	6	110	60	spruce-fir (uplands-including upland black spruce)	immature	N		10-19 years	0	
comnts Fmd : Planted white spruce with scattered large red oaks. Red oaks are in decline. Some scattered bigtoothed aspen, red maple, black cherry and advanced oak regen in spots.														
18	O 6	F 3	16	104	9	90	45	oak	two aged	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Oak stand with planted white spruce in understory. White spruce was planted in 1961. Harvest all aspen and red maple. Mark to cut high risk oak. Thin white spruce. Do not cut pine. Manage for a mix of oak, aspen, red maple, white spruce and pine.														
19	R 6	M 2	111	52	6	120	58	red pine	immature	N		10-19 years	0	
comnts Fmd : 2nd thin next YOЕ. Red maple is moderate to heavy in the understory. Some oak and beech present in the understory. 30 basal area of red oak sawtimber remains for seed and mast.														
20	O 6	F 3	26	102	9	90	50	oak	two aged	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Stand is two-aged. Mature red oak overstory with red maple and white spruce understory. White spruce was planted in 1961. Harvest all red maple and aspen. Thin white spruce. Do not harvest pine. Manage for a mix of oak, redmaple, aspen, pine and spruce.														
21	M 6	M 2	31	104	9	100	45	oak	mature	N	shelterwood-seed	within 0-9 years	2	
comnts Fmd : Stand is a mix of red maple, aspen, red pine, white pine and oak. Harvest all maple and aspen. Mark poor quality oak to cut. Leave all pine. Flat to rolling terrain. Some white oak present. There is a illegal deer blind located in the north central portion of the stand. Check site index.														
22	M 6	M 2	3	47	9	100	70	aspen (upland)	immature	N	final harvest	within 0-9 years	2	
comnts Fmd : Final harvest for aspen. Leave conifer componet if found. Do not cut standing dead.														
23	O 9	M 1	19	80	14	110	65	oak	mature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Cut all aspen , red maple, mark oak to cut. Do not cut red or white pine (not much). Manage for a mix of oak,pine, aspen and red maple.														
24	A 3	M 2	4	6	1	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Nice A3 with scattered sawlog sized oak. Power line runs through stand.														
25	O 9	M 2	7	78	16	80	65	oak	mature	Y	shelterwood-seed	within 0-9 years	2	
comnts Fmd : Mature oak with bigtoothed aspen, red maple and some scattered red pine and white pine. Harvest all red maple and aspen and mark the oak down to 50 BA.														
26	R 6	M 2	43	50	8	130	66	red pine	immature	N		10-19 years	0	
comnts Fmd : Third row thinned in 2000. Some sawlog sized oak and maple remain. 2nd thin next YOЕ. Leave all oak.														
27	J 6	M 3	24	55	7	110	58	jack pine	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Final harvest jack pine and poor quality oak. Leave all healthy oak. Beech and oak are present in the understory. Manage for a mix of pine, oak, beech and red maple.														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
28	M 9	M 2	13	91	14	90	60	northern hardwood	two aged	N		10-19 years	0	
comnts Fmd : Need more points.														
29	W 6	M 1	39	45	8	140	75	white pine	two aged	N	thinning	within 0-9 years	1	
comnts Fmd : Mature oak with underplanted white pine. Mark poor quality oak to cut. Harvest all redmaple and aspen. Thin white pine for access. Manage for mix of pine and oak. White pine was planted in 1961.														
30	O 9	M 1	72	80	14	110	65	oak	mature	Y	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Cut all aspen , red maple, mark oak to cut. Do not cut red or white pine (not much). Manage for a mix of oak,pine, aspen and red maple.														
32	R 6	M 3	18	45	8	170	60	red pine	immature	N		10-19 years	0	
comnts Fmd : Third row thinned in 2001. 2nd thin next YOE.														
33	J 6	M 3	14	55	7	110	58	jack pine	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Final harvest jack pine and poor quality oak. Leave all healthy oak. Beech and oak are present in the understory. Manage for a mix of pine, oak, beech and red maple.														
34	Z 0	Z 0	7			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Clam River.														
35	M 6	W 1	4	67	8	90	50	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : Buffer along clam river. Understory is made up of cherry and white pine. Some scattered white spruce and quaking aspen. Party area. Some trash dumping.														
36	J 6	M 2	39	56	8	90	60	northern hardwood	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Stand was third row thinned in 2000. Jack pine is falling apart. Final harvest jackpine. Leave all maple and oak. Mark some jack pine seed trees. Manage for a mix of maple, oak and jack pine.														
37	R 6	M 1	30	50	9	160	58	red pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : Ba ranges from 140-190. Thin to 120 Ba do not cut oak														
38	A 6	M 1	69	41	6	140	78	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Nice aspen stand. Age varies from 40-50. Harvest 1/2 of stand in 10 years and the remainder in 20 years. Cadillac Pathway passes through stand.														
39	R 6	M 1	6	49	8	190	60	red pine	immature	Y	thinning	within 0-9 years	2	
comnts Fmd : 1/3 row thinned in 2001. Ready for second thin now. Remove defect and thin from below. Target 120 BA for residual stand. Leave all oak. Avoid cutting along Cadillac Pathway during the ski season.														
40	W 5	A 3	5		10	50	65	white pine	unevenaged	N		10-19 years	0	
comnts Fmd : Stand is uneven aged and is a mix of white pine, red pine, aspen and red maple. A3 understory. Manage stand with understory. Final harvest aspen, maple and mark pine to allow for access in 20 years. Cadillac Pathway borders stand on the east side.														
41	O 9	O 1	13	88	12	110	55	oak	two aged	Y	shelterwood-seed	within 0-9 years	1	
comnts Fmd : Mark to leave 30-40 basal area of oak. Leave all pine. Some aspen, red pine and white pine in understory. Protect advanced oak regen. Stand was prescribed for final harvest last YOE, but did not happen.														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
42	R 8	0	7			0			nonstocked				0	
comnts Fmd : Need to visit.														
43	R 6	M 1	12	49	8	190	60	red pine	immature	Y	thinning	within 0-9 years	2	
comnts Fmd : 1/3 row thinned in 2001. Ready for second thin now. Remove defect and thin from below. Target 120 BA for residual stand. Leave all oak.														
44	A 6	M 2	43	35	7	100	75	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Nice A6 stand. Widly scattered red oak throughout stand. Lots of old white pine stumps. Harvest 1/3 - 1/2 of stand in 10 years and the remainder in 20 years. SI varies from 68 - 85. Cadillac Pathway passes through stand.														
45	A 3	M 1	4	42	3	0	50	aspen (upland)	low quality	N		10-19 years	0	
comnts Fmd : Low site index aspen with scattered sawlog sized red pine and red oak. Some redpine and white pine in understory. Look at final harvesting next YOE. Leave all pine and oak. Manage for a mixed stand of aspen, pine and oak. Cadillac Pathway crosses through stand.														
46	O 6	M 2	239	44	10	110	75	oak	unevenaged	N	removal	within 0-9 years	2	
comnts Fmd : Stand is uneven aged with a mix of red oak, white oak, red maple, beech and red pine. Rolling terrain. There are scattered clones of mature aspen. Most of the aspen is in the 40-50 years old. Do patch clear cuts in portions of stand with mature aspen. Avoid cutting along Cadillac Pathway during the ski season.														
47	R 6	M 2	15	50	8	150	58	red pine	immature	N		10-19 years	0	
comnts Fmd : Third row thinned in 2001. Removed overtopping maple and aspen. Do a second thin in 10 years.														
48	R 6	M 2	5	50	8	150	58	red pine	immature	N		10-19 years	0	
comnts Fmd : Third row thinned in 2001. Removed overtopping maple and aspen. Do a second thin in 10 years.														
49	A 3	M 1	20	4	1	0	68	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand is a J6 with heavy red maple understory. Jack pine is starting to fall apart. Final harvest all jack pine and aspen. Do not cut oak or maple. Mark some jack pine seed trees. Manage for a mix of red maple, oak, aspen, beech and jack pine.														
50	R 6	M 1	5	49	8	220	58	red pine	immature	Y	thinning	within 0-9 years	2	
comnts Fmd : Row thinned in 2001. Ready for second thin. Leave oak.														
51	J 6	M 3	11	56	9	90	55	northern hardwood	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : Stand is a J6 with heavy red maple understory. Jack pine is starting to fall apart. Final harvest all jack pine and aspen. Do not cut oak or maple. Mark some jack pine seed trees. Manage for a mix of red maple, oak, aspen, beech and jack pine.														
52	R 6	M 2	12	50	8	150	58	red pine	immature	N		10-19 years	0	
comnts Fmd : Third row thinned in 2001. Removed overtopping maple and aspen. Do a second thin in 10 years.														
53	R 6	M 2	4	50	8	150	58	red pine	immature	N		10-19 years	0	
comnts Fmd : Third row thinned in 2001. Removed overtopping maple and aspen. Do a second thin in 10 years.														
54	R 6	M 1	18	49	8	130	58	red pine	immature	N		10-19 years	0	
comnts Fmd : 1/3 row thinned in 2001. Do a second thin next YOE. Cadillac pathway runs through stand.														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
55	O 8	M 2	66	70	12	50	58	oak	two aged	N		10-19 years	0	
comnts Fmd : Rolling terrain. Fair amount of slash. Red maple is stump sprouting. Scattered oak regen. Mostly beech and red maple regen. Some nice pockets of A3. Residual BA is 40 made up of oak and beech.														
56	G 0	G 0	6				0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Pipeline.														
57	A 6	O 2	15	63	9	120	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Final harvest aspen and red maple. Mark poor quality oak to cut. Leave all red pine and white pine. Manage for mix of aspen, oak and pine. Cadillac pathway passes through stand. Avoid cutting along the Cadillac Pathway during the ski season.														
58	O 6	M 1	22	85	10	110	70	oak	mature	Y	thinning	within 0-9 years	2	
comnts Fmd : Mix of aspen, red maple, white pine, red pine and oak. Two - uneven aged. Harvest aspen and redmaple. Mark oak to cut. Do not cut pine. Thin to 80-90 Basal area. Buffer along pathway. Leave all standing dead. Mark some aspen leave trees to become future snags. Manage for a mix of oak, pine, aspen and maple. Avoid cutting along the Cadillac Pathway during the ski season.														
59	R 6	M 1	32	49	8	90	58	red pine	immature	N		10-19 years	0	
comnts Fmd : Thinned in 2001. Stand contains some oak and maple both poles and sawlogs. Do a second thin next YOE remove remaining red maple and leave oak.														
60	A 3	M 2	25	5	1	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Final harvested in spring of 2001. Left good oak. Vo Tech center is located to the south of stand.														
61	R 6	O 2	12	49	8	160	55	red pine	two aged	N		10-19 years	0	
comnts Fmd : Mix of planted red pine with red and white oak. Nice pockets of O3 Regen. Stand was thinned in the spring of 2001. Do a second thin in 10 years.														
62	A 6	M 2	29	40	9	150	78	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Nice aspen 40 - 50 years old. Could harvest 1/2 in 10 years and the remainder in 20 years.														
63	O 6	M 1	5	33	8	70	55	oak	immature	N		20-29 years	0	
comnts Fmd : Nice young oak stand. Witch hazel is light to moderate in understory.														
64	O 9	R 2	13	49	10	110	58	red pine	two aged	N		10-19 years	0	
comnts Fmd : Two aged stand. Sawlog sized oak with planted red pine. Red pine was planted in 1957. Stand was row thinned in 2001. Thin next YOE. Manage for a mix of pine and oak.														
65	R 6	X 0	6	45	8	220	62	red pine	immature	Y	thinning	within 0-9 years	2	
comnts Fmd : Third row thin this YOE. Do not harvest oak. Remove overtopping maple.														
66	A 6	F 1	82	41	8	140	75	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Nice aspen stand. Should try to break up into smaller stands with future management. Harvest 1/2 in 10 years and the other 1/2 in 20 years. Do not harvest oak or pine.														
67	Q 6	F 2	20	104	7	120	48	mixed swamp conifer	mature	Y		10-19 years	0	

Treatment Limiting Factors:

- Regeneration technology inadequate
- Deer yards

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	A c r e s	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
68	Z 0	Z 0	15			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Two ponds														
69	R 6	X 0	4	45	8	220	62	red pine	immature	Y	thinning	within 0-9 years	2	
comnts Fmd : Third row thin this YOE. Do not harvest oak. Remove overtopping maple.														
70	W 6	M 2	5	64	8	140	52	white pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : Stand is a mix of white pine, aspen and maple. Harvest all aspen and maple. Mark white pine to allow for access. Do not harvest oak if present. Leave all standing dead.														
71	W 6	M 2	2	64	8	140	52	white pine	immature	N		10-19 years	0	
comnts Fmd : Stand is a mix of white pine, aspen and maple. Harvest all aspen and maple. Mark white pine to allow for access. Do not harvest oak if present. Leave all standing dead. Manage stand with adjacent aspen stand due to access.														
72	A 6	F 1	46	41	8	140	75	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Nice aspen stand. Should try to break up into smaller stands with future management. Harvest 1/2 in 10 years and the other 1/2 in 20 years. Do not harvest oak or pine.														
73	E 4	0	3			0			nonstocked			not scheduled	0	
comnts Fmd : Low wet. Need to fill in info.														
74	R 6	X 0	8	45	8	220	62	red pine	immature	Y	thinning	within 0-9 years	2	
comnts Fmd : Third row thin this YOE. Do not harvest oak. Remove overtopping maple. Small pocket of L in southern portion of stand. Stand borders 481/2 road which is maintained as a snowmobile trail in the winter months.														
75	R 9	F 2	3	94	12	90	60	red pine	mature	Y	thinning	within 0-9 years	2	
comnts Fmd : Mature red pine stand with mix of white pine, red maple, and aspen. Remove all aspen and red maple and thin red and white pine. Remove defect and utility poles. There is an illegal deer blind located in the center of this stand.														
76	A 6	W 1	71	49	9	90	65	aspen (upland)	mature	Y		10-19 years	0	
Treatment Limiting Factors: Delayed treatment for age/size class diversity														
comnts Fmd : Pole sized aspen stand with scattered sawlog sized oak. White pine and balsim fir in understory. Treat half of stand in 10 years and the remainder in 20 years. Do not cut oak, red pine and white pine under 12 inches. Oaks are being heavily used by deer.														
77	Q 6	F 2	46	93	6	70	38	mixed swamp conifer	mature	Y		10-19 years	0	
Treatment Limiting Factors: Too wet Deer yards														
comnts Fmd : Deer yard.														
78	W 6	F 2	6	59	10	130	70	white pine	immature	N	thinning	within 0-9 years	2	
comnts Fmd : Natural white pine stand. Remove all aspen and thin white pine from below and for future access. BA ranges from 130 - 200.														
79	G 0	G 0	14			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grassy opening with pockets of W3 and A3. Slowly becoming forested. Burn??														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
80	W 9	W 1	6		12	130	65	white pine	unevenaged	N	thinning	within 0-9 years	2	
comnts Fmd : Stand is uneven aged mix of white and red pine. Thin to 90 BA. Mark to remove defect and for access. Leave all oak for seed and mast. Rolling terrain.														
81	A 6	W 1	3	44	6	100		aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Pole sized aspen. Harvest next YOE. Do not harvest oak, red pine and white pine under 10 inches.														
83	A 6	W 1	64	42	8	110	75	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Nice A6 stand. Harvest 1/2 next YOE and 1/2 in 20 years. Leave all oak and white pine (not much white pine). Cut all fir and red maple. Do not cut any red pine if present.														
85	A 6	F 3	8	51	8	100	70	aspen (upland)	immature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Stand is a mix of red maple, fir, cedar, ash, aspen, red pine, hemlock and white pine at the south end. The north end is pure A6 with some scattered white pine and fir in understory. Stand is wet near the county road. Final harvest do not cut cedar, hemlock and oak.														
86	Q 6	U 1	3	67	6	90	45	mixed swamp conifer	mature	N	final harvest	within 0-9 years	2	
comnts Fmd : Final harvest per wildlife. Final harvest to a 2 inch spec. Do not cut cedar or hemlock. Commercial harvest high and dry portions of the stand. Wildlife will habitat cut the wet portions. Objective is to end up with a mix of aspen, red maple, fir and white pine.														
87	W 6	F 2	2		9	120	65	white pine	unevenaged	N	thinning	within 0-9 years	3	
comnts Fmd : Unevenaged white pine stand with balsim fir understory. Thin to 80 BA. Remove balsim fir, aspen and red maple. Mark some white pine to allow for access.														
88	Q 6	F 2	11	67	8	90	45	swamp hardwoods	mature	N	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Stand is low and wet, contains cedar, balsim fir, yellow birch, aspen. Balsim fir understory. Wildlife would like habitat cut portions of the stand dominated by aspen and red maple. Will concentrate on transition zone between high and low ground on west side of stand.														
89	A 9	F 2	3	83	12	140	60	white pine	two aged	Y	removal	within 0-9 years	2	
comnts Fmd : Mixed stand of white pine, red pine, aspen and red maple. Balsim fir understory. Old red and yellow line around stand. Stand did not get cut with adjacent harvest. Southern portion of stand is heavy to red pine. Harvest all aspen and maple. Thin red pine and white pine. Mark some big wolfy aspens to remain for wildlife values. Look at again.														
90	A 3	M 2	63	4	1	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Harvested in 2002. Some oak was left for seed and mast.														
91	Q 6	F 2	8	67	6	90	45	mixed swamp conifer	mature	N		10-19 years	0	
comnts Fmd : Deer yard.														
92	C 6	F 2	12	103	10	210	28	cedar	mature	N		10-19 years	0	
comnts Fmd : Deer yard.														
93	A 3	M 2	67	18	2	0		aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Nice A3. 18 Years old. Some red oak seed trees.														
94	R 9	F 2	2	100	12	120	62	red pine	mature	Y		10-19 years	0	
comnts Fmd : Natural red pine stand. Thinned in 2001. Manage for pine and hemlock. Treat next YOE.														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
95	E 5	L 0	8	50	8	40	50	swamp hardwoods	mature	N		10-19 years	0	
comnts Fmd : Low and wet. Pockets of solid L.														
96	F 6	F 2	4	46	8	100	55	spruce-fir (uplands-including upland black spruce)	two aged	N	final harvest	within 0-9 years	2	
comnts Fmd : Stand is a mix of balsim fir, red pine, bigtooth aspen and red maple. Final harvest. Manage for a mix of aspen, red maple and fir. Mark some red pine to leave along the edge of the stand.														
97	N 0	N 0	26					marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Heron rookery, standing dead snags in marsh.														
98	M 2	A 1	12	4	1	0	60	northern hardwood	immature	N		40-49 years	0	
comnts Fmd : Stand harvested in 2002. Mostly red maple stump sprouts with some scattered A1-A2 clones. Hemlock was left. Most of hemlock is located in the northern portion of the stand.														
99	R 9	H 2	10	84	14	210	65	red pine	mature	Y	thinning	within 0-9 years	1	
comnts Fmd : Nice red pine overstory with Hemlock understory. Cut all balsim fir and red maple. Leave aspen and paper birch for future snags. Thin red pine, concentrate on poor quality and poles. Protect and release hemlock.														
100	T 5	L 0	21	99	7	50	42	tamarack	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet Deer yards														
comnts Fmd : Low wet stand. Mix of tamarack, black spruce and cedar.														
101	A 3	M 1	6	18	1	0		aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand harvested in 1988. A3 with white pine, spruce and fir.														
102	A 2	W 2	3	18	1	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand harvested in 1988. Did not come back very well in spots. Next to deer yard could have been heavily browsed. White pine starting to fill in. Some scattered spruce and tamarack.														
103	Z 0	Z 0	2					water	nonstocked	N		not scheduled	0	
comnts Fmd :														
104	L 0	L 0	65					lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Majority of cadillac heritage nature study area.														
106	H 9	H 2	4	166	16	170	35	hemlock	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Recreational site														
comnts Fmd : Hemlock stand within the cadillac nature heritage study area. Used old site index.														
107	M 6	M 2	3	60	8	100	60	northern hardwood	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Recreational site														
comnts Fmd : Need to visit.														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
108	O 6	M 2	1	125	10	100	60	oak	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Recreational site</p> <p>comnts Fmd : Oak stand in Cadillac Heritage nature study area. Use site index from last YOE.</p>														
109	G 0	G 0	4			0		grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Grass are around the District Office. There is a small pocket of scotch pine near the radio tech shed. This should be treated along with stand 113.</p>														
111	I 6	U 3	2	53	6	100	45	local use	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : Black Locust stand behind Cadillac District Office.</p>														
112	U 0	U 0	15			0		upland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Cherry, witchhazel, scattered pockets of red maple, scotch pine and white pine. Stand is adjacent to US - 131.</p>														
113	I 6	U 3	2	55	8	70	34	local use	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> No market for species/product</p> <p>comnts Fmd : Scotch Pine plantation near Cadillac District Office. There is a small pocket of same age scotch pine in stand 109. Less than one acre.</p>														
114	M 5	U 1	5	59	6	50	48	northern hardwood	immature	N		10-19 years	0	
<p>comnts Fmd : Used old YOE info. No change.</p>														
126	R 6	M 2	24	50	8	130	66	red pine	immature	N		10-19 years	0	
<p>comnts Fmd : Third row thinned in 2000. Some sawlog sized oak and maple remain. 2nd thin next YOE. Leave all oak.</p>														
127	M 3	O 2	31	6	1	20		northern hardwood	two aged	N		50-59 years	0	
<p>comnts Fmd : Stand was final harvested in 2000. 20 BA of oak was left. Stand was going to be planted with white pine. This did not happen. Stand is now a M3/M2/O2/J1/O7.</p>														
155	O 5	M 1	7		6	0		oak	nonstocked			20-29 years	0	
<p>comnts Fmd : Need to visit.</p>														
164	R 6	M 1	11	49	8	90	58	red pine	immature	N		10-19 years	0	
<p>comnts Fmd : Row thinned in 2001. Second thin next YOE.</p>														
168	L 0	L 0	7			0		lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Tag alder surrounding pond.</p>														
176	A 6	W 1	20	49	9	90	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Pole sized aspen stand with scattered sawlog sized oak. White pine and balsam fir in understory. Final harvest. Do not cut oak, red pine and white pine under 8 inches. Oaks are being heavily used by deer.</p>														
177	Q 6	F 2	5		6	70		mixed swamp conifer	mature			10-19 years	0	
<p>comnts Fmd : Deer yard.</p>														

CADILLAC MGT UNIT

Stand Level Information

Compartment: 142 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
255	O 8	M 2	29	70	12	50	58	oak	two aged	N		10-19 years	0	
comnts Fmd : Rolling terrain. Fair amount of slash. Red maple is stump sprouting. Scattered oak regen. Mostly beech and red maple regen. Some nice pockets of A3. Residual BA is 40 made up of oak and beech.														
401	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
402	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass and brackenfern. Stand is starting to fill in with aspen and white pine.														
403	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
404	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver harvested portion of stand 93. Now a G type.														
406	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 2416