

CRYSTAL FALLS MGT UNIT

Stand Level Information

Compartment: 98

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	A3	A3	10	29	4	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : LONG RANGE CONVERSION TO RED PINE														
2	R6	F2	14		7	100	50	red pine	unevenaged	N	thinning	within 0-9 years	1	
comnts Fmd : Remove aspen and birch, thin pine to 120 sq ft														
3	N0	N0	2			0		marsh	nonstocked	N		not scheduled	0	
4	M6	M2	8		10	140	65	northern hardwood	immature	Y	thinning	within 0-9 years	1	
5	A3	A3	14	29	4	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : LONG RANGE CONVERSION TO RED PINE														
6	R5	A1	1		9	50	55	red pine	immature	N		30-39 years	0	
comnts Fmd : wild pine on rock tops														
7	A6	F1	29	70	8	80	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : VERY TOUGH-MANY BLUFFS AND WET LANDS. MIXED PINE ON SEVERAL BLUFFS.														
8	A6	F1	5	70	8	80	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : VERY TOUGH-MANY BLUFFS AND WET LANDS. MIXED PINE ON SEVERAL BLUFFS. This stand may be a buffer along the head waters of a stream. Growing season investigation will reveal more.														
9	A6	F1	50	70	8	90	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : VERY TOUGH-MANY BLUFFS AND WET LANDS. May not be able to harvest all of the prescribed stands														
10	Q6	F2	4	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
11	Q6	F2	14	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
12	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
13	M6	M2	51		10	140	65	northern hardwood	immature	Y	thinning	within 0-9 years	1	

CRYSTAL FALLS MGT UNIT

Stand Level Information

Compartment: 98

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
14	Q6	F2	19	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
15	A3	F1	44	9	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : STAND CUT IN 1996														
16	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
17	Q6	F2	40	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : this is a high walled rock valley through portions of it's length														
18	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
19	A3	F1	6	9	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : STAND CUT IN 1996 This was mostly a fir stand and I left it separated because it will likely return to fir														
20	Q6	F2	9	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
21	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
22	N0	N0	3			0		marsh	nonstocked	N		not scheduled	0	
23	Q6	F2	139	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
24	A3	A3	14	13	2	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
25	A3	A3	13	29	4	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
26	A5	A1	3		9	50	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : wild pine and asspine on rock tops														

CRYSTAL FALLS MGT UNIT

Stand Level Information

Compartment: 98

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
27	S3	A3	16	79	4	0	50	black spruce-swamp	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : This looks like a flood zone, flooded by beavers occasionally														
28	N0	N0	18			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : a fine stand of hippie heads of grass														
29	Z0	Z0	14			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Gustafson lake														
30	A3	A3	12	13	2	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
31	A3	A3	84	9	1	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
32	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
33	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
34	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
35	M6	A1	2		9	70	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
36	N0	N0	5			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : a fine stand of hippie heads of grass														
37	Z0	Z0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Miller lake. A real beauty set in the rugged precambrian basalts														
38	A6	F1	5	70	8	80	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Water quality/bmps														
comnts Fmd : This is a rock ridge with conifer on the south side and hdwds on the north face														
39	N0	N0	23			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : a fine stand of hippie heads of grass														

CRYSTAL FALLS MGT UNIT

Stand Level Information

Compartment: 98

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	avg.			Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA								
40	M6	M1	20	9	80	59	northern hardwood	unevenaged	N		20-29 years	0		
comnts Fmd : stand cut in 2000 as Benton Half sale # 26-97-01 (12-2001) This fair quality hdwd has a strip of aspen on the south														
41	A6	F1	6	70	8	80	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps														
comnts Fmd : This is a rock island														
42	Q6	F2	28	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
43	A3	X0	180	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
44	A3	X0	50	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
45	G0	G0	20			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : power line right of way														
46	M5	A1	5	9	50	55	northern hardwood	immature	N			30-39 years	0	
comnts Fmd : rocky tops. A portion of this stand was cut and is A3														
47	M6	M2	6	10	140	65	northern hardwood	immature	Y	thinning		within 0-9 years	1	
49	M5	A1	2	9	50	55	northern hardwood	immature	N			30-39 years	0	
comnts Fmd : rocky tops														
50	Z0	Z0	10			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : beaver flooding														
51	Q6	F2	11	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
52	M6	M2	10	10	150	65	northern hardwood	immature	Y	thinning		within 0-9 years	1	
53	M6	M2	9	10	130	65	northern hardwood	immature	Y	thinning		within 0-9 years	1	

CRYSTAL FALLS MGT UNIT

Stand Level Information

Compartment: 98

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
54	Q6	F2	5	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
55	Z0	Z0	2					0	water	nonstocked	N		not scheduled	0
comnts Fmd : beaver flooding														
56	Q6	F2	66	105	5	70	35	mixed swamp conifer	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
57	M6	M2	2		10	150	65	northern hardwood	immature	Y	thinning	within 0-9 years	1	
58	A3	X0	37	13	2	0	60	aspen (upland)	immature	N		40-49 years	0	
59	N0	N0	21					0	marsh	nonstocked	N		not scheduled	0
60	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
61	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
62	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
63	M6	A1	3		9	110	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky north slope														
64	M5	A1	1		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
65	M6	A1	1		9	70	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
66	M5	A1	2		9	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : rocky tops														
67	S3	X0	4	43	2	0	50	black spruce-swamp	immature	N		40-49 years	0	

CRYSTAL FALLS MGT UNIT

Stand Level Information

Compartment: 98

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
68	A6	F1	78	70	8	120	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd :														
69	A3	X0	7	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : a fine stand of hippie heads of grass														
70	N0	N0	7			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : a fine stand of hippie heads of grass														
71	N0	N0	16			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : a fine stand of hippie heads of grass														
400	G0	G0	3			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
401	G0	G0	3			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
402	G0	G0	2			0	60	grass	nonstocked	N		not scheduled	0	

Total Acres..... 1299