

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	M 6	M 2	5	9	140	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1		
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
2	E 6	E 2	8	8	80	60	swamp hardwoods	unevenaged	Y		20-29 years	0		
<u>Treatment Limiting Factors:</u> Too wet														
3	M 6	M 2	29	9	140	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1		
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
4	A 3	A 3	81	18	3	0	80	aspen (upland)	immature	N	30-39 years	0		
comnts Fmd : SPRUCE/FIR COMPONENT REMOVED IN 1989.														
5	L 0	L 0	14		0			lowland brush	nonstocked	N	not scheduled	0		
6	M 6	M 2	60	9	130	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1		
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
7	Q 6	E 2	6	84	7	80	48	mixed swamp conifer	immature	Y	not scheduled	0		
<u>Treatment Limiting Factors:</u> Too wet														
8	M 6	M 1	3	9	80	70	northern hardwood	unevenaged	N		10-19 years	0		
comnts Fmd : Poorly formed trees, much poor white ash. Thinned in 2000.														
9	P 3	P 3	26	21	4	0	70	balsam poplar & swamp aspen and swamp white birch	immature	N	30-39 years	0		
10	M 6	M 1	2	9	70	70	northern hardwood	unevenaged	N		10-19 years	0		
comnts Fmd : Poorly formed trees, much poor white ash. Thinned in 2000. This is a borderline E type.														
11	M 6	M 1	9	9	80	70	northern hardwood	unevenaged	N		10-19 years	0		
comnts Fmd : Poorly formed trees, much poor white ash. Thinned in 2000.														
12	M 6	M 2	22	9	80	60	northern hardwood	unevenaged	N		10-19 years	0		
comnts Fmd : Thinned in 2000. If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
13	M 6	M 1	27	9	80	70	northern hardwood	unevenaged	N		10-19 years	0		
comnts Fmd : Poorly formed trees, much poor white ash. Thinned in 2000.														
14	L 0	L 0	70	0	0			lowland brush	nonstocked	N	not scheduled	0		
comnts Fmd : Riparian corridor.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
15	M 6	M 1	15		9	80	70	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Underplanted with White Pine. Thinned in 2000.														
16	M 6	M 1	10		9	80	70	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Underplanted with White Pine. Thinned in 2000. This stand had more aspen than std 15 when it was thinned.														
17	A 3	A 3	24	20	4	0	70	aspen (upland)	immature	N		30-39 years	0	
18	A 6	M 3	5	92	9	120	70	aspen (upland)	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : All of the operable area in this stand was cut in 2000. What is left is steep. This stand is the rugged, uncut area.														
19	M 6	M 1	5		9	80	70	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Thinned in 2000.														
20	E 5	E 2	2		8	60	60	swamp hardwoods	unevenaged	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
21	A 3	A 3	5	27	4	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
22	A 3	A 3	20	7	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
23	N 0	N 0	11			0		marsh	nonstocked	N		not scheduled	0	
24	A 3	A 3	13	27	4	0	60	aspen (upland)	immature	N		40-49 years	0	
25	A 3	A 3	3	27	4	0	60	aspen (upland)	immature	N		40-49 years	0	
26	M 6	M 2	55		9	130	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
27	F 5	F 1	13	51	6	60	80	spruce-fir (uplands-including upland black spruce)	immature	N		20-29 years	0	
comnts Fmd :														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
28	A 3	A 3	2	27	3	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
29	M 6	M 2	14		9	130	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
30	A 3	A 3	5	27	3	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
31	A 3	A 3	6	27	4	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
32	L 0	L 0	3	82	0	0	45	lowland brush	immature	N		not scheduled	0	
comnts Fmd :														
33	A 3	A 3	19	27	4	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
34	M 6	M 2	2		9	130	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
35	N 0	N 0	19			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
36	A 3	A 3	11	7	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
37	A 3	A 3	4	27	4	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
38	A 6	M 3	5	92	9	110	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees. Retain patches of wet timber types.														
39	L 0	L 0	5	82	0	0	45	lowland brush	immature	N		not scheduled	0	
comnts Fmd :														
40	L 0	L 0	8	82	0	0	45	lowland brush	immature	N		not scheduled	0	
comnts Fmd :														
41	M 6	M 3	28		10	120	58	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
42	A 3	A 3	4	27	4	0	60	aspen (upland)	immature	N		30-39 years	0	
43	A 3	A 3	6	7	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
44	L 0	L 0	5	82	0	0	45	lowland brush	immature	N		not scheduled	0	
45	L 0	L 0	2	82	0	0	45	lowland brush	immature	N		not scheduled	0	
46	A 3	A 3	31	7	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
47	A 3	A 3	24	24	3	0	60	aspen (upland)	immature	N		30-39 years	0	
48	A 3	A 3	193	24	3	0	60	aspen (upland)	immature	N		30-39 years	0	
49	Q 6	E 2	3	84	7	90	48	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
50	Q 6	E 2	6	84	7	90	48	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
51	A 3	A 3	7	24	3	0	60	aspen (upland)	immature	N		30-39 years	0	
52	S 5	S 2	8	84	5	50	48	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
53	Q 6	E 2	31	84	7	90	48	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
54	M 6	M 3	6		10	120	58	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
55	Q 6	E 2	5	84	7	90	48	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
56	Q 6	E 2	11	84	7	90	48	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
57	Q 6	E 2	5	84	7	90	48	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
58	M 6	M 3	26		10	120	58	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
comnts Fmd : If they are present in the stand, retain pines, oak, cedar, cherry and good den trees.														
59	A 6	M 3	3	92	9	120	70	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : Very rocky. Left from recent sales as inoperable. With the access limitations and small size, it would be impractical to cut.														
60	A 3	A 3	8	27	4	0	60	aspen (upland)	immature	N		30-39 years	0	
61	A 3	A 3	4	7	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
62	A 6	M 3	17	92	9	120	70	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Too steep														
comnts Fmd : This is pretty rugged ground. The accessibility is very limited. The terrain consists of bare rock tops often with wet drainages between. The trees are scattered in pockets in the edges of the tops and low areas.														
63	A 6	M 3	6	92	9	120	70	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
comnts Fmd : This is pretty rugged ground. The accessibility is very limited. The terrain consists of bare rock tops often with wet drainages between. The trees are scattered in pockets in the edges of the tops and low areas.														
64	N 0	N 0	1			0		marsh	nonstocked	N		not scheduled	0	

Total Acres..... 1086