

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	A 6	F 1	68	40	6	70	60	aspen (upland)	immature	N		10-19 years	0	
2	Q 6	Q 1	59	73	8	70	45	mixed swamp conifer	immature	N		10-19 years	0	
3	R 6	A 1	52	43	10	70	60	red pine	mature	N		10-19 years	0	
comnts Fmd : RELEASED IN 2002.														
4	Q 6	Q 1	61	73	8	90	45	mixed swamp conifer	immature	N		10-19 years	0	
5	A 6	F 1	92	67	10	100	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Retention will be along Q-types on both the East and West. The transition zone will be retained along Q-type to the East.														
6	R 6	F 1	55	53	10	170	60	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : Some large red pine will be kept for retention.														
7	A 6	F 1	14	34	6	70	55	aspen (upland)	immature	N		20-29 years	0	
8	M 6	M 1	9	73	10	120	50	northern hardwood	immature	Y	selection	within 0-9 years	1	
comnts Fmd : Select cut. Will leave some large maple for retention. Maintain or increase size of hardwood stand.														
Wld : Retain Oak and W.Pine/R.Pine. Buffer bordering Q types and wet areas/drainages. "Mesic Conifer" candidate for underplanting with hemlock or white pine.														
9	R 6	M 1	10	52	10	160	60	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : Some large red pine will be kept for retention.														
10	R 6	F 1	25	53	10	150	60	red pine	immature	N	thinning	within 0-9 years	1	
comnts Fmd : Transition zone will be retained along Q-type to the NE and will serve as retention for this stand.														
11	Q 6	Q 1	61	76	8	90	40	mixed swamp conifer	immature	N		10-19 years	0	
12	L 0	L 0	5		0	0		lowland brush	nonstocked	N		not scheduled	0	
13	M 6	M 1	19	73	10	90	55	northern hardwood	immature	N		10-19 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
14	Q6	Q1	6	73	10	70	45	mixed swamp conifer	immature	N		10-19 years	0	
15	A6	F1	25	33	6	70	55	aspen (upland)	immature	N		20-29 years	0	
16	Q6	Q1	9	73	10	70	45	mixed swamp conifer	immature	N		10-19 years	0	
17	F5	F1	26	58	8	60	55	spruce-fir (uplands-including upland black spruce)	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u>                      Blocked by other physical obstacle                      comnts Fmd : Old opening growing in with mixed species. Road is not usable on earthen dam on private property. Hold untill adjacent stands are harvested.</p>														
18	R9	F1	25	73	18	100	60	red pine	mature	N		10-19 years	0	
<p>comnts Fmd : save untill next entry to harvest with stands 13 and 17.</p>														
19	R6	A1	42	78	10	90	60	red pine	mature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u>                      Inadequate volume due to low stocking/small diameter/etc.                      comnts Fmd : Aspen removed in 2002.</p>														
20	W9	F1	16	78	14	160	65	white pine	immature	N		10-19 years	0	
21	Q6	Q1	85	76	10	140	40	mixed swamp conifer	immature	N		10-19 years	0	
22	R9	F1	35	73	14	70	55	red pine	mature	N		10-19 years	0	
<p>comnts Fmd : Clumps of log sized red pine.</p>														
23	J4	J3	35	24	4	20	60	jack pine	immature	N		30-39 years	0	
<p>comnts Fmd : fully stocked plantation.</p>														
24	J2	A1	23	7	1	0	60	jack pine	immature	N		50-59 years	0	
25	J5	G1	21	24	5	50	60	jack pine	immature	N		30-39 years	0	
26	J2	A1	5	7	1	0	60	jack pine	immature	N		50-59 years	0	

CRYSTAL FALLS FOREST MGT UNIT

Stand Level Information

Compartment: 44

Entry Year: 2010

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
27	Q6	Q1	15	76	10	70	40	mixed swamp conifer	immature	N		10-19 years	0	
28	J2	A1	8	7	1	0	60	jack pine	immature	N		50-59 years	0	
29	A6	F1	24	53	8	70	55	aspen (upland)	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
30	J5	G0	19	24	5	50	60	jack pine	immature	N		30-39 years	0	
31	R6	A1	173	53	10	90	60	red pine	immature	N		20-29 years	0	
32	J2	A1	109	16	2	10	60	jack pine	immature	N		40-49 years	0	
comnts Fmd : scattered red and jack poles.														
33	A3	J1	18	16	2	0	55	aspen (upland)	immature	N		40-49 years	0	
34	L0	L0	4		0	0		lowland brush	nonstocked	N		not scheduled	0	
35	R6	F1	10	53	10	70	60	red pine	immature	N		10-19 years	0	
36	Q5	Q1	33	76	10	60	40	mixed swamp conifer	immature	N		10-19 years	0	
37	Q6	Q1	38	76	10	80	40	mixed swamp conifer	immature	N		10-19 years	0	
38	A6	F1	3	65	10	80	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : Small point next to Two Mile Creek. Let stand convert to fir and pine.														
39	Q6	Q1	44	76	10	80	40	mixed swamp conifer	immature	N		10-19 years	0	
40	L0	L0	13			0		lowland brush	nonstocked	N		not scheduled	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
41	R 6	F 1	19	52	10	140	60	red pine	two aged	N	thinning	within 0-9 years	1	
<p><u>Treatment Limiting Factors:</u> Interest group (name in comments)</p> <p>comnts Fmd : This stand is in a parcel that is being traded away. Stand will only be cut if parcel is not traded. Retention would be along the L-type to the North. No oak or white pine will be cut.</p> <p>Wld : Deeryard. See locked comments</p>														
42	Q 5	Q 1	8	76	10	60	40	mixed swamp conifer	immature	N		10-19 years	0	
43	R 6	F 1	88	53	10	180	60	red pine	immature	Y	thinning	within 0-9 years	1	
<p>comnts Fmd : Keep some large red pine for retention. Buffer bordering Q stand.</p> <p>Wld : Leave WPIne for retention. Buffer 300' for Two Mile Creek.</p>														
44	L 0	L 0	112		0	0		lowland brush	nonstocked	N		not scheduled	0	
45	Q 5	Q 1	24	76	10	60	40	mixed swamp conifer	immature	N		10-19 years	0	
46	A 3	A 3	7	19	3	0	60	aspen (upland)	immature	N		40-49 years	0	
47	A 3	A 3	139	22	4	0	60	aspen (upland)	immature	N		30-39 years	0	
48	Q 5	Q 1	20	76	8	60	40	mixed swamp conifer	immature	N		10-19 years	0	
49	A 3	A 3	9	19	3	0	60	aspen (upland)	immature	N		40-49 years	0	
50	Q 5	Q 1	12	76	8	60	40	mixed swamp conifer	immature	N		10-19 years	0	
51	A 5	F 1	44	36	6	50	55	aspen (upland)	immature	N		20-29 years	0	
52	Q 6	Q 1	19	76	10	80	40	mixed swamp conifer	immature	N		10-19 years	0	
53	A 3	F 1	81	17	3	10	60	aspen (upland)	immature	N		40-49 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
54	F 5	A 1	38	33	8	50	55	spruce-fir (uplands-including upland black spruce)	two aged	N		20-29 years	0	
55	Q 6	Q 1	26	76	8	80	40	mixed swamp conifer	immature	N		10-19 years	0	
56	R 6	F 1	49	52	10	160	60	red pine	immature	N	thinning	within 0-9 years	1	
<p><u>Treatment Limiting Factors:</u>                      Interest group (name in comments)                      comnts Fmd : This stand is in a parcel that is being traded away. Stand will only be cut if parcel is not traded. Retention would be along the Q-type to the NW and the L-type to the SE.                      Wld : Leave Oak and white pine. See locked WLD comments for compartment before setting up sale and actual harvest.</p>														
57	L 0	L 0	4			0		lowland brush	nonstocked	N		not scheduled	0	
58	Q 5	Q 1	23	76	8	60	40	mixed swamp conifer	immature	N		10-19 years	0	
59	R 6	A 1	32	52	8	100	60	red pine	immature	N		20-29 years	0	
comnts Fmd : THINNED IN 2000.														
60	L 0	L 0	27			0		lowland brush	nonstocked	N		not scheduled	0	
61	Q 5	Q 1	32	76	8	60	40	mixed swamp conifer	immature	N		10-19 years	0	
62	A 6	F 1	5	41	8	70	55	aspen (upland)	immature	N	final harvest	within 0-9 years	1	
comnts Fmd : Cut with stand 63. Retention will be along Q-type to the West.														
63	A 6	F 1	15	73	10	90	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave 300 foot buffer along the Ford River. Retention will be along the river to the South. Wld : Buffer Lowland type within mid-stand.														
64	A 3	F 1	68	13	2	0	60	aspen (upland)	immature	N		40-49 years	0	
65	F 6	F 1	29	50	8	80	45	spruce-fir (uplands-including upland black spruce)	immature	N		10-19 years	0	
comnts Fmd : White spruce plantation with older aspen and fir scattered throughout.														
66	R 6	F 1	17	53	10	110	60	red pine	immature	N		10-19 years	0	

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need	* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.	
67	Q6	Q1	9	76	8	70	45	mixed swamp conifer	immature	N		10-19 years	0			
68	M6	M1	4	73	10	90	55	northern hardwood	immature	N		10-19 years	0			
69	Q6	Q1	8	76	10	140	40	mixed swamp conifer	immature	N		10-19 years	0			
70	J4	J3	13	24	4	20	60	jack pine	immature	N		30-39 years	0			
comnts Fmd : fully stocked plantation.																
71	R5	A2	82	73	10	40	60	red pine	mature	N		20-29 years	0			
comnts Fmd : Aspen removed in 2002.																
72	Q6	Q1	2	76	10	80	40	mixed swamp conifer	immature	N		10-19 years	0			
73	J3	G0	38	7	1	0	60	jack pine	immature	N		50-59 years	0			
comnts Fmd : Grass opening planted to jack pine.																
74	X0	X0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0			
comnts Fmd : Turner Road.																
75	A5	A1	7	33	6	40	55	aspen (upland)	immature	N		30-39 years	0			
76	J5	J1	14	36	6	40	60	jack pine	immature	N		20-29 years	0			
comnts Fmd : Scattered jack pine saps and poles.																
77	X0	X0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0			
comnts Fmd : E. & L.S. Railrod track.																
78	L0	L0	9			0		lowland brush	nonstocked	N		not scheduled	0			
79	L0	L0	19			0		lowland brush	nonstocked	N		not scheduled	0			

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
80	A 3	A 3	7	19	3	0	60	aspen (upland)	immature	N		40-49 years	0	
81	P 6	P 1	5	73	10	70	50	balsam poplar & swamp aspen and swamp white birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : Stand is in flood plain of Ford River. Leave as buffer.														
82	L 0	L 0	9			0		lowland brush	nonstocked	N		not scheduled	0	
83	Q 5	Q 1	7	76	8	60	40	mixed swamp conifer	immature	N		10-19 years	0	
84	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
85	L 0	L 0	5			0		lowland brush	nonstocked	N		not scheduled	0	
86	Q 5	Q 1	5	76	8	60	40	mixed swamp conifer	nonstocked	N		10-19 years	0	
87	X 0	X 0	1			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : E. & L.S. Railroad track.														
88	X 0	X 0	2			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : E. & L.S. Railroad track.														
89	A 3	F 1	5	13	2	0	60	aspen (upland)	immature	N		40-49 years	0	
400	G 0	G 0	33			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
401	G 0	G 0	7			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power line right of way.														
402	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening. Used as access to Ford River and parking.														

CRYSTAL FALLS FOREST MGT UNIT

Stand Level Information

Compartment: 44

Entry Year: 2010

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
403	G 0	G 0	97		0	20	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : Scattered aspen, small cherry and jackpine.														
404	G 0	G 0	64		0	10	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : Scattered small cherry, aspen and jack pine saps and poles.														
405	G 0	G 0	20		0	10	55	grass	nonstocked	N		10-19 years	0	
comnts Fmd : Scattered small cherry and jack pine saps and poles.														
<b>Total Acres..... 2821</b>														