

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	Q5	L0	25	117	8	60	50	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Cedar or Hemlock cutting restraints														
Regeneration technology inadequate														
2	A3	A3	16	6	1	40	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut in 2002. Hardwood remaining on slope, A3 on flat, red and white pine along road.(2008)														
3	M6	M3	52	84	9	70	60	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : 1924 birch stand cut in 2004. Now fair hardwood. (2008)														
4	A3	F1	26	17	2	0	65	aspen (upland)	immature	N		30-39 years	0	
5	Q5	Q1	30	104	7	70	30	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Cedar or Hemlock cutting restraints														
Regeneration technology inadequate														
6	A3	F1	28	14	2	0	50	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : ROCKY														
7	M6	F2	101		6	120	55	northern hardwood	unevenaged	Y	removal	within 0-9 years	1	
comnts Fmd : Much more white birch than plots hit. Remove aspen and birch, larger spruce/fir. Re-enter in 20-30 years and mark hard (to 60 BA) to manage for hardwood pulp (as per TMS). (2008)														
8	B6	F1	32	89	9	70	55	paper birch	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Potential or designated old growth														
comnts Fmd : DATA FROM PREVIOUS YO. HOLD AS OLD GROWTH (SCA) DUE TO WATER INFLUENCE CONCERNS.(2008)														
9	A3	X0	31	13	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd :														
10	A5	A3	48	32	5	60	60	aspen (upland)	immature	N		20-29 years	0	
11	A5	F1	15	30	5	60	60	aspen (upland)	immature	N		20-29 years	0	
12	M6	M1	57		8	120	55	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	
comnts Fmd : Some what hilly, rocky and wet in lower areas. Frozen or dry cut. W. ash in stand. Blue line in on north. Follow up with regeneration check.(2008)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
13	Q6	Q1	46	98	8	70	40	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Deer yards														
Too wet														
14	R9	F1	57		14	90	55	red pine	unevenaged	N		20-29 years	0	
15	A3	X0	41	15	2	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Ridges within stand red and white pine. (2008)														
16	Q6	E1	113	98	8	80	45	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Deer yards														
17	A3	F1	92	4	0	0	60	aspen (upland)	immature	N		50-59 years	0	
18	A3	F1	4	4	0	0	60	aspen (upland)	immature	N		50-59 years	0	
19	A3	F1	10	5	1	0	65	aspen (upland)	immature	N		40-49 years	0	
20	C6	Q1	84	130	8	90	28	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Deer yards														
Cedar or Hemlock cutting restraints														
Too wet														
21	M6	M1	204		8	110	55	northern hardwood	unevenaged	N	selection	within 0-9 years	2	
comnts Fmd : Hilly but mostly operable. Many rock outcrops. Drainage in center of stand. Follow up with regeneration check.(2008)														
22	C6	Q1	13	130	8	70	28	cedar	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Deer yards														
Cedar or Hemlock cutting restraints														
Too wet														
23	Q6	E1	7	98	8	80	45	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Deer yards														
24	A6	M1	23	29	5	100	60	aspen (upland)	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
25	Q6	Q1	12	84	8	80	40	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Deer yards														
Cedar or Hemlock cutting restraints														
Too wet														
26	A6	F2	7	86	11	140	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Water quality/bmps														
Deer yards														
comnts Fmd : Aspen very poor. Along creek, hilly, travel influence.(2008)														
27	A3	F1	50	4	0	0	60	aspen (upland)	immature	N		50-59 years	0	
28	S3	X0	8	94	4	0	36	black spruce-swamp	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Influence zones														
29	Q5	Q1	5	88	8	70	45	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Deer yards														
Too wet														
Regeneration technology inadequate														
30	A6	F1	58	68	10	100	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u>														
Adjacent landowner denies access														
Too steep														
comnts Fmd : SLOPES TO SE ROCK OUTCROP ON NORTH END. PINE AND BIRCH ON RIDGE TOPS , ASPEN ON FLATS. ADJACENT LANDOWNER WILL NOT ALLOW ACCESS USING HIS LAND AND CROSSING STEELE CREEK TO THE SOUTH IS NOT AN OPTION. .(2008)														
31	A3	F1	60	11	0	0	50	aspen (upland)	immature	N		40-49 years	0	
32	L0	L0	16		0	0		lowland brush	nonstocked	N		not scheduled	0	
33	Z0	Z0	135		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : FLOODING FROM MINE OPERATIONS.														
34	B6	F1	10	89	8	70	55	paper birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
Influence zones														
comnts Fmd : BIRCH LOOKS GOOD, HIGH F REPRO. BORDERS MINE POND, HOLD FOR OLD GROWTH (SCA) DUE TO WATER CONSIDERATIONS.(2008)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
35	M 6	F 1	2	86	10	160	55	northern hardwood	mature	Y	thinning	within 0-9 years	2	
<p><u>Treatment Limiting Factors:</u> Influence zones Inadequate volume due to small acreage Deer yards</p> <p>comnts Fmd : Travel influence. Remove aspen and some hardwood.(2008)</p>														
36	A 6	F 2	1	86	8	80	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p><u>Treatment Limiting Factors:</u> Influence zones Deer yards Land survey needed</p> <p>comnts Fmd : Travel influence. Small.(2008)</p>														
37	Q 5	Q 1	3	104	7	60	30	mixed swamp conifer	mature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Deer yards Too wet</p>														
38	O 6	M 1	10		10	80	55	oak	unevenaged	N		10-19 years	0	
<p>comnts Fmd : ASPEN REMOVED IN 1995. NICE OAK REMAINING.</p>														
39	O 6	M 3	3		10	90	55	oak	unevenaged	N		10-19 years	0	
<p>comnts Fmd : MUCH M3 TYPE ALONG WITH NICE OAK.</p>														
40	A 3	A 3	35	13	2	0	55	aspen (upland)	immature	N		30-39 years	0	
<hr/>														
41	W 6	W 1	5	89	10	70	70	white pine	immature	N		20-29 years	0	
<p>comnts Fmd : Aspen removed in 1994. (2008)</p>														
42	B 6	F 1	30	89	9	70	55	paper birch	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Influence zones Potential or designated old growth Deer yards</p> <p>comnts Fmd : DATA FROM PREVIOUS SURVEY. AREA HAS VERY POOR ACCESS AND BORDERS POND. HOLD AS OLD GROWTH (SCA).(2008)</p>														
43	B 6	F 1	11	89	9	70	55	paper birch	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Influence zones Potential or designated old growth Deer yards</p> <p>comnts Fmd : DATA FROM PREVIOUS SURVEY. AREA HAS VERY POOR ACCESS AND BORDERS POND. HOLD AS POG (SCA). (2008)</p>														
44	A 3	A 3	5	30	4	0	60	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : Unusual areas of white ash saps 1-2".(2008)</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
45	A 3	A 3	3	30	4	0	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Unusual areas of white ash saps 1-2".(2008)														
46	Q 6	E 1	41	98	8	70	40	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Deer yards														
Too wet														
Regeneration technology inadequate														
47	A 6	F 1	39	94	9	80	60	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
Deer yards														
Blocked by other physical obstacle														
comnts Fmd : WAS PART OF STAND 15 NOT CUT WITH NORTHERN PART OF STAND. VERY ROCKY ,HILLY INOPERABLE.														
48	C 6	Q 1	4	130	8	70	28	cedar	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Deer yards														
Too steep														
Regeneration technology inadequate														
49	C 6	Q 1	4	130	8	70	28	cedar	mature	N		not scheduled	0	
50	A 6	F 2	3	88	8	150	60	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Inadequate volume due to small acreage														
comnts Fmd : Travel influence. Small stand. (2008)														
51	A 3	F 1	7	11	1	0	60	aspen (upland)	immature	N		40-49 years	0	
52	A 6	F 2	5	86	10	130	55	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Water quality/bmps														
Inadequate volume due to small acreage														
comnts Fmd : Small stand on road and railroad line with creek running through. If cutting retain conifer. (2008)														
53	Q 5	Q 1	8	88	8	70	45	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Deer yards														
Regeneration technology inadequate														
comnts Fmd : WATER MANAGEMENT CONCERNS.DEERYARD(2008)														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
54	Q5	Q1	2	88	8	70	45	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Deer yards														
Regeneration technology inadequate														
comnts Fmd : WATER MANAGEMENT CONCERNS.DEERYARD.(2008)														
55	Q5	Q1	5	88	8	70	45	mixed swamp conifer	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
Deer yards														
Regeneration technology inadequate														
comnts Fmd : WATER MANAGEMENT CONCERNS, HOLD AS OLD GROWTH.														
56	M6	F1	25		8	80	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Stand marked but not cut last YOE. Cut as marked with additional marking down to 70 BA (as per TMS). Follow up with regeneration check.(2008)														
57	A3	F1	18	5	0	0	65	aspen (upland)	immature	N		50-59 years	0	
58	L0	L0	11		0	0		lowland brush	nonstocked	N		not scheduled	0	
59	E5	E1	7	89	6	50	60	swamp hardwoods	low quality	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : SI AND YEAR OF ORIGIN TAKEN FROM ADJACENT STAND.														
60	L0	L0	6	89	0	0		lowland brush	nonstocked	N		not scheduled	0	
61	E6	E1	2	89	6	80	60	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : SI AND YEAR OF ORIGIN TAKEN FROM ADJACENT STAND.														
62	L0	L0	8	89	0	0		lowland brush	nonstocked	N		not scheduled	0	
63	L0	L0	7	89	0	0		lowland brush	nonstocked	N		not scheduled	0	
64	L0	L0	23	89	0	0		lowland brush	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
65	A 3	A 3	25	15	1	40	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Was part of stand 15. Low areas cut in 1993, ridges inoperable mixed pine. (2008)														
66	A 6	F 1	98	81	10	130	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : Inoperable.(2008)														
67	A 3	F 2	6	16	1	0	60	aspen (upland)	immature	N		30-39 years	0	
68	M 6	F 1	6		7	140	55	northern hardwood	unevenaged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Influence zones Inadequate volume due to small acreage Deer yards														
comnts Fmd : Hilly, travel influence. Private access to north. (2008)														
69	A 6	F 2	7	86	8	70	55	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones Water quality/bmps Deer yards														
comnts Fmd : retain as creek buffer. (2008)														
70	N 0	N 0	8		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : UNNAMED STREAM AND TAG ALDER.														
71	L 0	L 0	5	89	0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : TRAVEL INFLUENCE ZONE, HOLD AS OLD GROWTH.														
76	A 3	F 1	33	4	0	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Part of stand 27(2008).														
400	G 0	G 0	5			0		grass	nonstocked	N		not scheduled	0	
401	G 0	G 0	6			0		grass	nonstocked	N		not scheduled	0	
402	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
403	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	

CRYSTAL FALLS FOREST MGT UNIT

Stand Level Information

Compartment: 73

Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
404	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 2054