

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|-----------|-----|------------|---------|-----------|-------------------|------------|---------------------|------------|------------------|------------------|---------------|
| 1 | Z0 | Z0 | 3 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : TOM'S LAKE. | | | | | | | | | | | | | | |
| 2 | A5 | F1 | 29 | 34 | 8 | 60 | 60 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Stand appears to be two aged. Young aspen just starting into pole size. Pine and fir in understory should grow with young aspen to become part of new stand. | | | | | | | | | | | | | | |
| 3 | L0 | L0 | 5 | | | 0 | 0 | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 4 | L0 | L0 | 2 | | | 0 | 0 | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 5 | A5 | A1 | 14 | 29 | 6 | 60 | 60 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Rock knobs 30 to 40 feet high with bare rock showing. Good diversity in stand includes oak and white pine seedlings and saplings, When aspen had been cut, hardwoods and pine were left on rock outcrops. Aspen is just becoming poles. | | | | | | | | | | | | | | |
| 6 | A5 | F1 | 2 | 34 | 8 | 60 | 60 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Boat landing to Carney Lake. | | | | | | | | | | | | | | |
| 7 | M6 | F1 | 8 | | 10 | 80 | 58 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : CARNEY LAKE CAMPGROUND. | | | | | | | | | | | | | | |
| 8 | W9 | F1 | 5 | 87 | 10 | 90 | 75 | white pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Regeneration is pine and fir. | | | | | | | | | | | | | | |
| 9 | Z0 | Z0 | 23 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : CARNEY LAKE | | | | | | | | | | | | | | |
| 10 | R6 | F1 | 3 | 87 | 10 | 80 | 75 | red pine | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too steep | | | | | | | | | | | | | | |
| comnts Fmd : STAND IS ON LARGE ROCK HILL. | | | | | | | | | | | | | | |
| 11 | R6 | F1 | 4 | 87 | 10 | 80 | 75 | red pine | immature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too steep | | | | | | | | | | | | | | |
| comnts Fmd : STAND IS ON LARGE ROCK HILL. | | | | | | | | | | | | | | |
| 12 | M6 | F2 | 4 | | 8 | 100 | 60 | northern hardwood | unevenaged | N | selection | within 0-9 years | 2 | |
| comnts Fmd : West side of stand is a rock ridge with poor quality hardwood. It is regenerating to white pine and should be left undisturbed. East side of stand is quite a small area after considering loss of area to roads. This stand could be thinned as a firewood cut with stand 72 to the north, which is also a very small stand. | | | | | | | | | | | | | | |
| 13 | A3 | F1 | 159 | 29 | 3 | 0 | 60 | aspen (upland) | immature | N | | 30-39 years | 0 | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|------|-----|-------|---------|-----------|-------------------|------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | D B H | Tot. BA | | | | | | | | |
| 14 | R 9 | F 1 | 11 | 87 | 10 | 70 | 75 | red pine | immature | Y | | 10-19 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too steep</p> <p>comnts Fmd : This stand is on a rock ridge. It serves as a good seed source for surrounding stands.</p> | | | | | | | | | | | | | | |
| 15 | R 9 | F 1 | 6 | 87 | 10 | 70 | 75 | red pine | immature | Y | | 10-19 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too steep</p> <p>comnts Fmd : This stand is on a rock ridge. It serves as a good seed source for surrounding stands.</p> | | | | | | | | | | | | | | |
| 16 | C 6 | Q 1 | 3 | 96 | 10 | 100 | 40 | cedar | mature | N | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> | | | | | | | | | | | | | | |
| 17 | C 6 | Q 1 | 80 | 99 | 10 | 130 | 40 | cedar | mature | N | | not scheduled | 0 | |
| 18 | C 6 | Q 1 | 13 | 96 | 10 | 110 | 40 | cedar | mature | N | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> | | | | | | | | | | | | | | |
| 19 | C 6 | Q 1 | 6 | 96 | 10 | 110 | 40 | cedar | mature | N | | not scheduled | 0 | |
| 20 | C 6 | Q 1 | 4 | 96 | 10 | 110 | 40 | cedar | mature | N | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> | | | | | | | | | | | | | | |
| 21 | C 6 | Q 1 | 3 | 96 | 10 | 110 | 40 | cedar | mature | N | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> | | | | | | | | | | | | | | |
| 22 | C 6 | Q 1 | 6 | 96 | 10 | 110 | 40 | cedar | mature | N | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> | | | | | | | | | | | | | | |
| 23 | M 6 | F 2 | 7 | | 8 | 80 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| 24 | M 6 | F 2 | 2 | | 8 | 80 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| 25 | M 9 | F 2 | 57 | | 12 | 70 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| <p>comnts Fmd : This stand was thinned in 2004.</p> | | | | | | | | | | | | | | |
| 26 | C 6 | Q 1 | 4 | 99 | 10 | 130 | 40 | cedar | mature | N | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D B H | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|-----------|-----|------------|---------|-----------|---------------------|------------|---------------------|------------|---------------|------------------|---------------|
| 27 | C 6 | Q 1 | 3 | 99 | 10 | 130 | 40 | cedar | mature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| 28 | M 6 | G 0 | 36 | | 10 | 110 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Blocked by other physical obstacle | | | | | | | | | | | | | | |
| comnts Fmd : The access road to this stand is private and has a hill so steep that no logging trucks can gain access. The area is so rugged that no other roads are feasible. This is in a management area that recommends less intensive management. The access road is owned by a land owner who is adverse to cutting in the area. | | | | | | | | | | | | | | |
| 29 | Q 6 | Q 1 | 45 | 79 | 10 | 100 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Patches of spruce, cedar and swamp hardwoods. The fir is dying off when mature and regenerating. | | | | | | | | | | | | | | |
| 30 | A 6 | F 1 | 7 | 81 | 10 | 110 | 68 | aspen (upland) | mature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Blocked by other physical obstacle | | | | | | | | | | | | | | |
| comnts Fmd : This stand is part of a ridge that runs through the lowlands. The aspen has about 30% fallen down and the hardwoods that are replacing it are very nice. The access road through private is not accessible to logging trucks because it has a hill that is too steep. | | | | | | | | | | | | | | |
| 31 | M 6 | G 0 | 13 | | 10 | 70 | 55 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too steep | | | | | | | | | | | | | | |
| comnts Fmd : This is a steep rock transition on a west slope. Most of the fir has died and is being replaced by young fir. | | | | | | | | | | | | | | |
| 32 | A 6 | F 1 | 20 | 81 | 10 | 110 | 68 | aspen (upland) | mature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Blocked by other physical obstacle | | | | | | | | | | | | | | |
| comnts Fmd : This stand is part of a ridge that runs through the lowlands. The aspen has about 30% fallen down and the hardwoods that are replacing it are very nice. The access road through private is not accessible to logging trucks because it has a hill that is too steep. | | | | | | | | | | | | | | |
| 33 | Q 6 | Q 1 | 1 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Small wet area. | | | | | | | | | | | | | | |
| 34 | Q 6 | Q 1 | 2 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Small wet area. | | | | | | | | | | | | | | |
| 35 | Q 6 | Q 1 | 2 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Small wet area. | | | | | | | | | | | | | | |
| 36 | Q 6 | Q 1 | 4 | 79 | 10 | 90 | 60 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Wet valley. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D B | Tot. BA | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|------|-----|----------|---------|-----------|---------------------|------------|---------------------|------------|---------------|------------------|---------------|
| 37 | M6 | G0 | 37 | | 10 | 100 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| <p>comnts Fmd : The access road to this stand is private and has a hill so steep that no logging trucks can gain access. The area is so rugged that no other roads are feasible. This is in a management area that recommends less intensive management. The access road is owned by a land owner who is adverse to cutting in the area. This stand has a creek that winds through it with steep bluffs about 100 feet high. The north side of the valley is mostly bare rock. The rest of the stand is big bluffs with Hemlock scattered throughout.</p> | | | | | | | | | | | | | | |
| 38 | Q6 | Q1 | 3 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Small wet area.</p> | | | | | | | | | | | | | | |
| 39 | Q6 | Q1 | 2 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Small wet area.</p> | | | | | | | | | | | | | | |
| 40 | Q6 | Q1 | 21 | 79 | 10 | 100 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Creek valley.</p> | | | | | | | | | | | | | | |
| 41 | Q6 | Q1 | 2 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Small wet area.</p> | | | | | | | | | | | | | | |
| 42 | M6 | G0 | 4 | | 8 | 70 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| <p>comnts Fmd : This small hardwood penninsula was thinned in 2005. It is patchy due to having much of the aspen cut then.</p> | | | | | | | | | | | | | | |
| 43 | Q6 | Q1 | 10 | 79 | 8 | 70 | 55 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Converging drainages and transition to stream. Much of the older fir has fallen and is regenerating.</p> | | | | | | | | | | | | | | |
| 44 | M6 | G0 | 4 | | 8 | 70 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| <p>comnts Fmd : This small hardwood penninsula was thinned in 2005. It is patchy due to having much of the aspen cut then.</p> | | | | | | | | | | | | | | |
| 45 | M6 | G0 | 88 | | 10 | 110 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| <p>comnts Fmd : The access road to this stand is private and has a hill so steep that no logging trucks can gain access. The area is so rugged that no other roads are feasible. This is in a management area that recommends less intensive management. The access road is owned by a land owner who is adverse to cutting in the area. Quite a few Hemlock are scattered fairly uniformly through the stand. The stand has a large valley and high hills. Stand 47 is the bottom of the valley.</p> | | | | | | | | | | | | | | |
| 46 | Q6 | Q1 | 7 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Small wet area in high hills. Has hemlock around it.</p> | | | | | | | | | | | | | | |

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|--------|---------|-----------|---------------------|-------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 47 | M6 | G 0 | 14 | | 8 | 90 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : This stand is the lower valley in stand 45. It has an intermittent creek at the bottom. | | | | | | | | | | | | | | |
| 48 | M6 | G 0 | 13 | | 8 | 90 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : This stand is the Carney lake creek valley . It has beaver activity in recent past. | | | | | | | | | | | | | | |
| 49 | M6 | G 0 | 6 | | 8 | 70 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : This stand is on an East and West rock ridge. The west side drops off and has more aspen, the East side is hardwoods on a higher rock top with thin soils. | | | | | | | | | | | | | | |
| 50 | M5 | A 2 | 17 | | 8 | 50 | 56 | northern hardwood | sparse | N | | 30-39 years | 0 | |
| comnts Fmd : Small rock knobs with drainages in between. The aspen was cut leaving some hardwoods. Fir is regenerating well with balm and aspen on the slopes. Beaver have cut much of the aspen by the stream. | | | | | | | | | | | | | | |
| 51 | A3 | A 1 | 46 | 16 | 2 | 0 | 68 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Stand has many small bluffs with hardwoods on the tops. | | | | | | | | | | | | | | |
| 52 | Q5 | Q 1 | 12 | 69 | 8 | 60 | 40 | mixed swamp conifer | sparse | N | | not scheduled | 0 | |
| 53 | M6 | G 0 | 43 | | 10 | 90 | 60 | northern hardwood | unevenaged | N | | 20-29 years | 0 | |
| comnts Fmd : High rock hills with scattered Hemlock. Nice hardwood which was thinned in 2004. | | | | | | | | | | | | | | |
| 54 | Q6 | Q 1 | 93 | 69 | 10 | 80 | 40 | mixed swamp conifer | mature | N | | not scheduled | 0 | |
| comnts Fmd : More black ash and balm on the south end of the drainage | | | | | | | | | | | | | | |
| 55 | M5 | F 1 | 6 | | 8 | 60 | 56 | northern hardwood | low quality | N | | 10-19 years | 0 | |
| comnts Fmd : This is a rock island with thin soils. | | | | | | | | | | | | | | |
| 56 | M5 | A 2 | 145 | | 8 | 50 | 60 | northern hardwood | immature | N | | 30-39 years | 0 | |
| comnts Fmd : This stand has many small bluffs on which the hardwood was left during an aspen harvest about 15 years ago. The eventual mature stand should be half each of aspen and hardwood. | | | | | | | | | | | | | | |
| 57 | M6 | G 0 | 12 | | 10 | 80 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : This stand was selectively cut in 2004. It is hilly with some rock tops exposed. | | | | | | | | | | | | | | |
| 58 | M6 | G 0 | 34 | | 10 | 80 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : This stand was selectively cut in 2004. It is hilly with some rock tops exposed. | | | | | | | | | | | | | | |
| 59 | A3 | F 1 | 12 | 5 | 1 | 0 | 68 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : This stand is on low ridges through lowland and had big aspen which was cut in 2004. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|------|-----|-----------|--|------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | D | B | | | | | | | | |
| 60 | M6 | G0 | 24 | | 10 | 90 | 60 | northern hardwood | unevenaged | N | | 20-29 years | 0 | |
| comnts Fmd : This is a stand on thin soils with rock showing often. It was cut in 2004, The aspen was cut as a removal and the residual hardwood is patchy. There are patches of hemlock within the stand. | | | | | | | | | | | | | | |
| 61 | M6 | G0 | 3 | | 8 | 110 | 60 | northern hardwood | unevenaged | N | | 20-29 years | 0 | |
| comnts Fmd : This is a steep valley that has a dry but defined stream bed. It was marked to cut in 2004, but it was too steep to operate on and was left. | | | | | | | | | | | | | | |
| 62 | A6 | F1 | 10 | 99 | 10 | 100 | 68 | aspen (upland) | high risk | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too steep | | | | | | | | | | | | | | |
| comnts Fmd : Access to the North and to the South is barred by steep valleys with wet bottoms. Creeks and rough terrain bar the East and West. The stand itself is a rock topped ridge with considerable areas of bare rock. | | | | | | | | | | | | | | |
| 63 | E5 | Q1 | 5 | 69 | 8 | 50 | 40 | swamp hardwoods | mature | N | | not scheduled | 0 | |
| comnts Fmd : West side is steep valley widening and flattening to the East. | | | | | | | | | | | | | | |
| 64 | Q5 | Q1 | 13 | 69 | 10 | 60 | 40 | mixed swamp conifer | mature | N | | not scheduled | 0 | |
| comnts Fmd : The fir has fallen out mostly , but there is some regeneration of the fir. | | | | | | | | | | | | | | |
| 65 | A3 | F1 | 24 | 5 | 1 | 0 | 62 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : About a third of this South facing stand is bare rock. On the sites with soil it grew very good aspen which was harvested in 2004. Scattered red and white pine on rock tops. | | | | | | | | | | | | | | |
| 66 | F5 | F3 | 9 | 10 | 6 | 50 | 55 | spruce-fir (uplands-including upland black spruce) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : This stand was an old white birch stand which has about 70% mortality. It has spruce and fir regeneration so thick it is hard to walk in. There is a spring bank in the south end with a small wet area. | | | | | | | | | | | | | | |
| 67 | M6 | F2 | 16 | | 10 | 70 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : This stand was thinned in 2004. | | | | | | | | | | | | | | |
| 68 | A6 | F1 | 25 | 81 | 10 | 120 | 68 | aspen (upland) | mature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : The stand has a shallow wet East and West drainage. The stand had quite a bit of fir, but it mostly down. Now scattered spruce and cedar grow with aspen and wetland hardwoods. On low rock hills is big aspen. The stand is too wet for harvest operations. | | | | | | | | | | | | | | |
| 69 | A3 | F1 | 11 | 5 | 1 | 0 | 64 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| 70 | Q6 | Q1 | 2 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Small wet area. | | | | | | | | | | | | | | |
| 71 | M6 | F2 | 18 | | 8 | 70 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Looks like W. birch has fallen out of the stand. Patches of hdwd, thick and thin. Rolling 50 ft high ridges. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| S t a n d | Cover Type- Size Dnsty | Under Story- Stkng Level | A c r e s | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|---------------------------------|-----------------------------------|-----------------------|-----|-----------|------------|--------------|------------------------|------------|---------------------------|---------------|------------------|---------------------|------------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 72 | M6 | F2 | 4 | | 8 | 100 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| 73 | A3 | F1 | 5 | 29 | 3 | 0 | 60 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| 74 | M6 | F2 | 3 | | 8 | 100 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Hardwood patch adjacent to lake and campground. | | | | | | | | | | | | | | |
| 75 | Q6 | Q1 | 2 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Small wet area. | | | | | | | | | | | | | | |
| 76 | Q6 | Q1 | 7 | 79 | 10 | 70 | 40 | mixed swamp conifer | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Small wet area. | | | | | | | | | | | | | | |
| 77 | M6 | F2 | 4 | | 8 | 70 | 60 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : This is a hardwood hill with some hemlock, spruce and fir. It borders the lake. | | | | | | | | | | | | | | |
| Total Acres..... 1412 | | | | | | | | | | | | | | |