

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	A6	F1	27	23	5	70	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Excellent fir regeneration in understory.														
2	F3	F1	1	23	3	10	40	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
3	B4	F3	7	77	8	30	50	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : This stand has an old birch overstory which has mostly blown down. The stand was at the end of a big wind event. The understory is a fully stocked fir stand.														
4	B5	F2	9	57	8	40	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : This stand is on thin soils over bedrock. Low areas have patches of cedar and hemlock. Fir and white pine regeration are coming in the understory. Any harvest activities would do significant damage to the regeneration.														
5	E5	D1	9	89	5	50	45	swamp hardwoods	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : This a black ash drainage.														
6	B4	F2	4	57	8	20	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : This stand was the end of a wind event. Almost all of it , including much F3, is blown flat .														
7	A5	F1	10	23	5	60	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Well stocked good aspen stand. Just growing into poles.														
8	A0	A0	9	23	0	0	60	aspen (upland)	in process of regeneration	N		50-59 years	0	
comnts Fmd : A wind event has blown this aspen flat.														
9	N0	N0	110		0	0	45	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : This is a creek bed and surrounding area which has been a beaver flooding.														
10	A5	F1	37	23	5	60	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Well stocked good aspen stand. Just growing into poles.														
11	Q6	Q2	15	94	8	90	33	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
12	A5	F3	10	23	5	50	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : The north end ot this stand has some rock knobs with some hardwood and conifers on the tops.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	Acres	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
13	M5	M1	8	7	40	58	northern hardwood	unevenaged	N			20-29 years	0	
comnts Fmd : Most of the aspen blew down in a wind storm.														
14	Q6	Q2	12	94	8	90	33	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : The south end of this stand was broken out to stand 16. A wind storm has done extensive damage to both stands.														
15	A4	A3	12	23	5	30	55	aspen (upland)	sparse	N		40-49 years	0	
comnts Fmd : Thin soils on a rock knob. A wind storm has damaged the stand.														
16	Q4	Q2	7	94	8	40	33	mixed swamp conifer	sparse	Y		80+ years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : A wind storm has blown down much of this stand. It is nearly impassible on foot. It should make good habitat for rabbits.														
17	M6	M1	30	7	70	60	northern hardwood	unevenaged	N			10-19 years	0	
comnts Fmd : . Stand includes blowdown area from sept 2002. Clear cut (2004 post review). Patchy hardwoods. Could not find imagery to define storm track.														
18	Q6	Q2	20	94	8	90	33	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones														
19	A4	M1	9	74	10	30	60	aspen (upland)	sparse	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : .Most of the stand has extensive wind damage and is in the process of regeneration.														
20	A6	M1	38	74	10	100	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : May need to access stand through private land. This is a variable stand with wet areas and some small highland hardwood patches. Many big aspen have already fallen.														
21	B5	F2	20	57	8	40	55	paper birch	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : This stand is on thin soils over bedrock. Low areas have patches of cedar and hemlock. Fir and white pine regeration are coming in the understory. Any harvest activities would do significant damage to the regeneration.														
22	A5	F1	32	23	5	60	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Well stocked good aspen stand. Just growing into poles. The stand also has wet pockets with Cedar and Hemlock.														
23	A4	F2	8	27	8	20	50	aspen (upland)	immature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Most of the aspen and birch are dead. There are patches of young aspen growing into poles. This stand has rock ridges throughout.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
24	Q 6	Q 1	58	94	8	100	40	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
25	A 6	M 1	7	74	10	100	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : This is a variable stand with wet areas and some small highland hardwood patches. Many big aspen have already fallen.														
26	Q 6	Q 2	8	94	8	90	33	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
27	Q 6	Q 2	7	94	8	90	33	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
28	A 6	M 1	15	74	10	100	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : May need to access stand through private land. This is a variable stand with wet areas and some small highland hardwood patches. Many big aspen have already fallen.														
29	Q 6	Q 2	6	94	8	90	33	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
30	A 6	M 1	5	74	10	90	58	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to small acreage														
comnts Fmd : This stand has about 40% blow down and is regenerating with Aspen , Spruce and Fir . It is wet on the South half. It should be left, as a transition to the creek, to succession.														
31	E 5	D 1	3	89	5	50	45	swamp hardwoods	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : .														
32	M 5	A 2	26		6	40	68	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : The stand had the Aspen removed in 2003. Now it is sparse hardwood with an Aspen regeneration understory.														
33	Q 6	Q 2	11	94	8	90	33	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
34	A 6	M 1	10	74	10	100	60	northern hardwood	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Retention of stand for regeneration purposes (ie. shelterwood)														
comnts Fmd : This is in the last stages of succession to a hardwood stand. So much Aspen and Fir is down that walking through the stand was tough. The stocking of the young hardwoods was ample to make a good hardwood stand. It would be very damaging to the hardwood to try to harvest the remaining aspen. The best management at this stage would be to let the stand finish succeeding to hardwood.														
35	A 5	A 3	60	29	5	50	65	aspen (upland)	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
36	N 0	N 0	5		0	0	45	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : This has been a beaver flooding. It was a Q6 stand, but is now dead.														
37	A 5	A 3	103	29	5	50	65	aspen (upland)	immature	N		20-29 years	0	
38	Q 6	Q 2	5	94	8	90	33	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones														
39	E 5	D 1	18	89	5	50	35	swamp hardwoods	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Black ash drainage.														
40	L 0	L 0	15		0	0	45	lowland brush	nonstocked	N		not scheduled	0	
41	A 5	A 3	41	29	5	50	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Well stocked stand with heavy Fir understory in many places.														
42	L 0	L 0	27		0	0	45	lowland brush	nonstocked	N		not scheduled	0	
43	A 3	F 1	102	18	2	0	50	aspen (upland)	immature	N		40-49 years	0	
44	Q 6	F 2	8	109	6	90	45	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
45	Q 6	F 2	4	109	6	90	45	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
46	H 6	M 1	10		8	100	62	hemlock	unevenaged	N		10-19 years	0	
comnts Fmd : Shallow soils on rock plateau. There are hardwoods and White Pine scattered through the stand.														
47	M 6	M 1	20		8	80	62	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Shallow soils on rock ridge. There are Hemlock and White Pine scattered through the stand. Some little valleys have nice hardwood, but much of stand is sparse on rock tops.														
48	M 6	M 1	10		8	80	62	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Steep slope fringing rock ridge. There are Hemlock and White Pine scattered through the stand.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
49	M 6	M 1	13	82	8	90	62	northern hardwood	immature	N	thinning	within 0-9 years	1	
comnts Fmd : The southern 2/3 of the stand has had an aspen removal and is below adequate stocking. The northern third of the stand is well stocked and can be thinned. What little regeneration there is, is Ironwood and White ash.														
50	A 6	A 3	9	29	5	80	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : There is scattered Fir regeneration in this well stocked high quality stand.														
51	E 5	D 1	10	89	5	50	35	swamp hardwoods	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Black ash drainage.														
52	Q 6	Q 2	2	94	8	90	33	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones														
53	L 0	L 0	21		0	0	45	lowland brush	nonstocked	N		not scheduled	0	
54	Q 6	E 1	26	74	7	90	70	mixed swamp conifer	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
55	A 3	A 3	34	4	1	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : This is a well stocked stand with scattered large White Pine and with patches of mixed pine and fir regeneration.														
56	M 6	M 1	26		8	80	60	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Aspen was removed from the stand in 2005 leaving a hardwood stand with openings of A3. The stand is very rough with several rock ridges and valleys.														
57	A 5	F 1	98	23	5	60	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Well stocked good aspen stand. Just growing into poles.														
58	E 6	E 1	16	109	6	90	50	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Regeneration technology inadequate														
comnts Fmd : Very wet site..														
59	T 6	Q 1	5	109	8	110	60	tamarack	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
60	Q 6	F 2	8	109	6	90	45	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
61	Q 6	F 2	30	109	6	90	45	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
62	A 3	A 3	45	4	1	0	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : This is a well stocked stand with scattered large White Pine and with patches of mixed pine and fir regeneration.														
63	A 9	M 1	4	74	10	90	60	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps Delayed treatment for age/size class diversity														
comnts Fmd : Some windfall mortality.														
64	M 6	M 1	2	79	8	90	62	northern hardwood	immature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : This is a small South facing hardwood stand. Good for diversity.														
65	A 4	F 1	6	23	5	30	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Poorly stocked area. This was likely an old landing.														
66	M 6	M 1	13	79	8	90	62	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : This small hardwood stand appears to have had the aspen cut from the stand .														
400	G 0	G 0	2		0	0	55	grass	nonstocked	N		not scheduled	0	
401	G 0	G 0	2		0	0	55	grass	nonstocked	N		not scheduled	0	

Total Acres..... 1400