

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	J6	J1	57	50	6	100	55	jack pine	immature	N		10-19 years	0	
2	Q5	S1	3	79	5	40	20	mixed swamp conifer	sparse	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
3	R6	F1	15	48	8	100	60	red pine	immature	N		10-19 years	0	
comnts Fmd : RED PINE PLANTATION THINNED IN 2002.														
4	R6	F1	12	48	8	100	60	red pine	immature	N		10-19 years	0	
comnts Fmd : RED PINE PLANTATION THINNED IN 2002.														
5	R6	F1	10	48	8	100	60	red pine	immature	N		10-19 years	0	
comnts Fmd : RED PINE PLANTATION THINNED IN 2002.														
6	A5	F1	11	45	6	50	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Poor quality aspen poles with pockets of younger aspen and jack pine. Clumps of pin oak.														
7	R6	F1	10	48	8	100	60	red pine	immature	N		10-19 years	0	
comnts Fmd : RED PINE PLANTATION THINNED IN 2002.														
8	R6	F1	5	48	8	100	60	red pine	immature	N		10-19 years	0	
comnts Fmd : RED PINE PLANTATION THINNED IN 2002.														
9	R6	F1	13	48	8	100	60	red pine	immature	N		10-19 years	0	
comnts Fmd : RED PINE PLANTATION THINNED IN 2002.														
10	A6	F1	12	45	8	70	55	aspen (upland)	immature	N		10-19 years	0	
11	Q6	Q1	9	75	10	90	35	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Small creek flows through stand.														
12	O6	F1	4	75	10	100	50	oak	immature	N		20-29 years	0	
13	A5	F1	24	34	5	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Fully stocked young aspen stand. Scattered log sized oak and pine. Young aspen decreases in size and more fir is added in the northern portion of stand.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
14	O 6	O 1	26	80	10	120	60	oak	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Mostly pin oak with some scattered large pine.														
15	O 6	A 2	20	80	10	70	60	oak	immature	Y		50-59 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed to take advantage of exceptional site quality or growth														
comnts Fmd : Stand was harvested in 2001. All species, other than oak were cut. Pockets of nice aspen regen.														
16	A 5	F 1	100	31	5	60	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Fully stocked young aspen stand. Scattered log sized oak and pockets of oak.														
17	Q 6	S 1	16	80	8	90	35	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
18	Z 0	Z 0	3			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : POND														
19	Q 6	S 1	13	80	8	90	35	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
20	A 3	F 1	7	15	2	0	65	aspen (upland)	immature	N		40-49 years	0	
21	A 6	M 1	14	70	10	130	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all oak. Summer cut.														
22	A 3	F 1	12	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
23	N 0	N 0	7			0		marsh	nonstocked	N		not scheduled	0	
24	A 6	F 1	17	48	8	90	60	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
25	Q 6	S 1	3	80	8	90	35	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
26	Q 6	S 1	3	80	8	80	35	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
27	F 6	F 1	3	80	10	80	50	spruce-fir (uplands-including upland black spruce)	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : May harvest when stand 16 is ready.														
28	L 0	L 0	1			0	15	lowland brush	nonstocked	N		not scheduled	0	
29	Z 0	Z 0	5			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : FINN LAKE														
30	M 5	F 1	8	45	8	50	45	northern hardwood	immature	N		not scheduled	0	
comnts Fmd : Older birch falling out of stand. Younger red maple and balsam filling in. Buffer for Finn Lake.														
31	A 3	A 3	8	8	1	10	60	aspen (upland)	immature	N		50-59 years	0	
32	L 0	L 0	6			0	35	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 5/6 undivided.														
33	J 3	J 3	17	3	1	0	65	jack pine	immature	N		50-59 years	0	
comnts Fmd : 5/6 undivided.														
34	J 6	J 1	41	50	8	110	60	jack pine	immature	N		10-19 years	0	
comnts Fmd : 5/6 undivided.														
35	A 6	F 1	13	45	8	80	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : 5/6 undivided.														
36	J 5	F 1	13	45	6	50	65	jack pine	immature	N		20-29 years	0	
comnts Fmd : 5/6 undivided.														
37	O 5	F 1	31	75	8	60	55	oak	immature	N		20-29 years	0	
comnts Fmd : 5/6 undivided interest.														
38	A 6	M 1	28	75	10	140	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u> Interest group (name in comments)														
comnts Fmd : UNDIVIDED 5/6. Leave all oak.														
39	J 3	J 3	38	3	1	0	65	jack pine	immature	N		50-59 years	0	
comnts Fmd : U 7/8 INTEREST														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	Acrs	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
40	N0	N0	13			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : UNDIVIDED 7/8 . Old beaver pond.														
41	J3	J3	55	3	1	0	65	jack pine	immature	N		50-59 years	0	
comnts Fmd : U1/8 INTEREST														
Wld : Leave all oak.														
42	Q6	Q1	17	80	8	70	35	mixed swamp conifer	sparse	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : UNDIVIDED 7/8														
43	Q6	S1	9	80	8	80	35	mixed swamp conifer	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : NESE UNDIVIDED 1/2														
44	J3	J3	17	3	1	0	65	jack pine	immature	N		50-59 years	0	
comnts Fmd : UNDIVIDED 1/2														
Wld : Leave all oak.														
45	R5	J1	10	31	6	50	60	red pine	immature	N		20-29 years	0	
comnts Fmd : UNDIVIDED 1/2 . Plantation														
46	A6	O1	6	50	10	120	70	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Interest group (name in comments)														
comnts Fmd : UNDIVIDED 1/8. Leave all oak.														
47	J3	J3	4	3	1	0	65	jack pine	immature	N		50-59 years	0	
comnts Fmd : U7/8 INTEREST														
Wld : Leave all oak.														
48	L0	L0	1			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : 7/8 undivided.														
49	J6	F1	3	50	10	80	65	jack pine	mature	N	final harvest	within 0-9 years	1	
comnts Fmd : 5/6 undivided.														
50	J6	F2	13	50	10	110	65	jack pine	mature	N	final harvest	within 0-9 years	1	
<u>Treatment Limiting Factors:</u>														
Interest group (name in comments)														
comnts Fmd : UNDIVIDED 1/8. Jackpine defoliated by budworm.														
51	O6	O1	17	75	10	80	60	oak	immature	N		20-29 years	0	
comnts Fmd : All species, other than oak, were removed in 1975 cut.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
52	O 6	O 1	6	48	10	90	55	oak	two aged	N		10-19 years	0	
comnts Fmd : Mostly pin oak. Some scattered pine.														
53	A 3	F 1	4	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
54	Q 6	S 1	5	80	8	90	35	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
55	Q 6	Q 1	3	75	10	80	35	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : Small creek flows through stand.														
56	F 6	F 1	3	80	10	80	50	spruce-fir (uplands-including upland black spruce)	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Influence zones Inadequate volume due to small acreage														
comnts Fmd : Cut with stand 27.														
57	A 6	F 1	1	45	8	80	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : 7/8 undivided.														
58	X 0	X 0	13			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : HWY. U.S. 2														
59	X 0	X 0	6			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Iron County Recreation Trail.														
60	J 3	J 3	3	3	1	0	65	jack pine	immature	N		50-59 years	0	
<u>Treatment Limiting Factors:</u> Interest group (name in comments)														
comnts Fmd : U7/8 INTEREST Wld : Leave all oak.														
61	J 3	J 3	3	7	2	0	65	jack pine	immature	N		50-59 years	0	
62	Q 5	S 1	1	79	5	40	20	mixed swamp conifer	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														

CRYSTAL FALLS FOREST MGT UNIT

Stand Level Information

Compartment: 159 Entry Year: 2011

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
63	X 0	X 0	3			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Iron County Recreation Trail.														
400	G 0	G 0	4			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Blueberry and sweet fern. Aspen encroaching.														
401	G 0	G 0	2			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Blueberry and sweet fern. Aspen encroaching.														
402	G 0	G 0	3			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Blueberry and sweet fern. Aspen encroaching.														
403	G 0	G 0	8			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Clumps of jackpine poles with blueberry and sweet fern. Aspen and jackpine encroaching.														
404	G 0	G 0	5			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : UNDIVIDED 5/6. Scattered pole sized jackpine and aspen with blueberry and sweet fern. Stand starting to fill in with aspen and jackpine saps.														
405	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Scattered pole sized jackpine and aspen with blueberry and sweet fern. Stand starting to fill in with aspen and jackpine saps.														
<b>Total Acres.....</b>													<b>877</b>	