

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	A 6	M 1	28	79	10	100	60	aspen (upland)	high risk	Y	final harvest	within 0-9 years	1	
comnts Fmd : Stand was scheduled last two entries. Aspen in rough shape. Pockets of old blowdown. Scattered large white and red pine. Leave all red and white pine.														
2	L 0	L 0	15			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland draining to Paint River.														
3	F 6	F 1	19	79	10	80	50	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones														
comnts Fmd : Buffer for Paint River.														
4	Q 6	Q 1	11	79	8	70	40	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
5	W 9	M 1	13	109	16	120	65	white pine	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
6	C 6	Q 1	6	79	10	100	35	cedar	mature	N		not scheduled	0	
7	M 6	M 1	24	79	10	120	55	northern hardwood	immature	Y	selection	within 0-9 years	1	
comnts Fmd : Maple pole stand with old aspen and paper birch.														
8	W 9	F 2	45	109	16	90	65	white pine	two aged	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Large white pine with pockets of young aspen from 1974 cut. Nice pine regen in most of stand.														
9	E 3	E 3	13	24	3	0	50	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Buffer for Paint River.														
10	A 6	M 1	24	79	10	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all red and white pine.														
11	E 6	E 1	18	79	8	70	50	swamp hardwoods	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
12	A 3	A 3	6	14	2	0	60	aspen (upland)	immature	N		30-39 years	0	
13	A 6	U 1	12	79	10	100	60	aspen (upland)	two aged	Y	final harvest	within 0-9 years	1	
comnts Fmd : Two aged stand. Older aspen starting to break up. Leave all red and white pine.														

CRYSTAL FALLS FOREST MGT UNIT

Stand Level Information

Compartment: 172 Entry Year: 2011

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
14	M 6	M 1	15	79	10	120	55	northern hardwood	immature	Y	selection	within 0-9 years	1	
15	F 6	F 1	19	79	10	100	50	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all red and white pine.														
16	L 0	L 0	23			0		lowland brush	nonstocked	N		not scheduled	0	
17	M 6	F 1	14	79	10	80	60	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : Rocky ridge with nice oak.														
18	R 9	F 1	44	109	14	130	70	red pine	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Nice log sized red pine in pockets with younger pine and spruce fir filling in. Hold until next entry to let spruce fir and young pine to become more merchantable.														
19	Q 6	Q 1	20	79	10	80	35	mixed swamp conifer	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
20	A 5	F 1	36	35	6	60	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Pockets of brush within aspen stand.														
21	L 0	L 0	7			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Lowland with a small beaver pond.														
22	F 6	F 1	44	79	10	90	45	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all red and white pine.														
23	A 6	F 1	203	35	6	90	65	aspen (upland)	immature	N		20-29 years	0	
24	M 6	M 1	82		10	100	55	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : STAND THINNED IN 1999														
25	F 6	F 1	13	43	8	70	45	spruce-fir (uplands-including upland black spruce)	two aged	N		10-19 years	0	
26	A 3	A 3	45	14	2	0	65	aspen (upland)	immature	N		40-49 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
27	Q6	Q1	14	79	8	70	45	mixed swamp conifer	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
28	A6	M1	66	79	10	100	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all red and white pine.														
29	A6	F1	103	30	6	80	65	aspen (upland)	immature	N		20-29 years	0	
30	Q6	S1	25	79	8	80	40	mixed swamp conifer	mature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
31	L0	L0	20			0		lowland brush	nonstocked	N		not scheduled	0	
32	O8	U1	12	79	14	50	55	oak	immature	Y	seed tree	within 0-9 years	1	natural regeneration
comnts Fmd : Cut maple and aspen. Follow up cut with burns to promote oak.														
33	M6	M1	32	79	10	80	55	northern hardwood	immature	N		20-29 years	0	
34	A6	F1	36	30	6	80	65	aspen (upland)	immature	N		20-29 years	0	
35	W9	F1	20	109	16	120	70	white pine	two aged	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Part of this stand had some large pine removed in 2006.														
36	Q6	Q1	20	79	8	90	45	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
37	M6	F1	13	79	8	90	55	northern hardwood	immature	N		20-29 years	0	
38	Q5	Q1	89	79	6	40	35	mixed swamp conifer	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
39	A3	A3	42	14	2	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Pockets of nice spruce regen.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
40	M 9	F 1	88	79	12	100	55	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : THINNED STAND IN 1996														
41	M 6	M 1	17	79	8	90	55	northern hardwood	immature	N		20-29 years	0	
42	M 9	M 1	242		12	110	55	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : THINNED STAND IN 1996														
43	E 6	E 1	58	79	8	80	50	swamp hardwoods	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Pokets of dead black ash.														
44	H 9	M 1	40		14	110	50	hemlock	unevenaged	N		20-29 years	0	
45	H 9	M 1	38		14	120	50	hemlock	unevenaged	N		20-29 years	0	
46	E 5	E 1	3	79	8	50	50	swamp hardwoods	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
47	F 6	F 1	10	79	10	90	45	spruce-fir (uplands-including upland black spruce)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Delayed treatment for age/size class diversity														
comnts Fmd : Hold for ten years and cut with stand 25.														
48	A 3	A 3	65	14	2	0	65	aspen (upland)	immature	N		40-49 years	0	
49	M 9	F 1	76	79	12	100	55	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : STAND THINNED 1996														
50	A 9	F 1	119	79	12	120	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all red and white pine.														
51	M 6	M 1	4	79	10	120	55	northern hardwood	immature	Y	selection	within 0-9 years	1	
52	A 3	A 3	4	11	2	0	65	aspen (upland)	immature	N		40-49 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
53	A 3	A 3	5	11	2	0	65	aspen (upland)	immature	N		40-49 years	0	
54	E 6	E 1	5	79	8	70	50	swamp hardwoods	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
55	M 9	M 1	194		12	90	55	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : STAND THINNED 1998														
56	E 6	E 1	12	79	8	80	50	swamp hardwoods	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
57	E 6	E 1	13	79	8	70	50	swamp hardwoods	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
58	C 6	Q 1	4	79	8	80	40	cedar	immature	N		not scheduled	0	
59	A 6	U 1	32	79	10	100	65	aspen (upland)	two aged	Y	final harvest	within 0-9 years	1	
comnts Fmd : Two aged stand. Older aspen starting to break up. Leave all red and white pine.														
60	R 6	F 1	6	43	8	90	65	red pine	immature	N		20-29 years	0	
comnts Fmd : Plantation.														
61	A 6	W 2	64	35	6	90	65	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Very nice white pine regen.														
62	W 9	F 1	4	109	16	130	65	white pine	immature	Y	seed tree	within 0-9 years	1	
63	A 6	F 1	40	79	10	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all red and white pine.														
64	Q 5	Q 1	2	79	8	60	40	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
65	F 6	F 1	21	43	8	80	50	spruce-fir (uplands-including upland black spruce)	two aged	N		10-19 years	0	
66	W 9	F 2	6	109	16	110	65	white pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Influence zones														
comnts Fmd : Buffer for large L-type.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
67	W9	F2	18	109	16	130	65	white pine	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : Buffer for small creek and beaver pond.														
68	Z0	Z0	7			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver pond.														
69	F6	F1	7	79	10	70	45	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : Buffer for Paint River.														
70	F6	F1	4	79	10	70	45	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : Buffer for Paint River.														
71	E3	E3	2	29	3	0	50	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Drainage running into Paint River.														
72	F6	F1	7	79	10	70	45	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : Buffer for Paint River.														
73	F6	F1	36	79	10	90	45	spruce-fir (uplands-including upland black spruce)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Influence zones														
comnts Fmd : Buffer for Paint River.														
74	F6	F1	26	43	8	90	45	spruce-fir (uplands-including upland black spruce)	two aged	N		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
75	Q6	Q1	1	79	8	80	40	mixed swamp conifer	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
76	E6	E1	4	79	8	90	50	swamp hardwoods	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
77	A6	F1	109	35	6	90	65	aspen (upland)	immature	N		20-29 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
78	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
79	A 9	F 1	14	79	12	110	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all red and white pine.														
80	Q 6	Q 1	6	79	8	80	40	mixed swamp conifer	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
81	Q 6	Q 1	16	79	8	70	40	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
82	M 9	M 1	77		12	90	55	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : STAND THINNED 1998														
83	M 6	M 1	9	79	10	80	55	northern hardwood	immature	N		20-29 years	0	
84	A 3	A 3	19	8	1	0	65	aspen (upland)	immature	N		50-59 years	0	
85	A 9	F 1	20	79	12	120	65	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Leave all red and white pine.														
86	A 3	A 3	3	8	1	0	65	aspen (upland)	immature	N		50-59 years	0	
87	A 3	A 3	42	8	1	0	65	aspen (upland)	immature	N		50-59 years	0	
88	A 6	F 1	60	79	10	100	60	aspen (upland)	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Influence zones														
comnts Fmd : Buffer along Brule River.														
89	P 6	E 1	20	43	8	70	50	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
90	A 3	A 3	2	11	2	0	65	aspen (upland)	immature	N		40-49 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
400	G 0	G 0	39			0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : Grass opening.														
401	G 0	G 0	8			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power line.														
402	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power line.														
403	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power line.														
404	G 0	G 0	5			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power line.														
Total Acres.....			3032											