

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	A3	U0	2	15	1	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Treated in 1990, permit #33-03-87-1 (Boney Falls Aspen).														
2	F2	U0	7	13	1	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Treated in 1990 under contract 33-03-87-01 (Boney Falls Aspen) Scattered areas where fir is coming in, lots of brambles also.														
3	H6	F1	3	81	9	180	50	hemlock	mature	N		40-49 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Cedar or Hemlock cutting restraints														
4	Q5	Q1	2	69	6	50	31	mixed swamp conifer	immature	N		40-49 years	0	
5	A3	A1	65	15	0	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : MIX OF ASPEN AND BALSAM POPLAR SAPLINGS. Teated in 1990 under permit # 33-03-87-01(Boney Falls Aspen)														
6	M9	M1	3	78	14	100	60	northern hardwood	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Nice hardwood stand that could be cut but acreage is small. Mix Hardwood is mix of basswood and white ash.														
7	Q6	Q1	50	95	8	110	35	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Water quality/bmps Potential or designated old growth														
comnts Fmd : LEAVE BUFFER ALONG HUNTERS BROOK - OLD GROWTH.														
8	L0	L0	3		0	0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Lowland brush, tag alder along Hunter's Brook.														
9	Z0	Z0	7		0	0		water	nonstocked	N		not scheduled	0	
10	C6	Q1	38	95	7	80	30	cedar	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : OLD GROWTH POTENTIAL. Leave as buffer along Hunter's brook.														
11	Q5	Q1	20	95	8	50	30	mixed swamp conifer	immature	Y		40-49 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Cedar or Hemlock cutting restraints														
comnts Fmd : Most of the white birch and balsam fir in this stand is declining or dead.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	avg. D			Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	B H	Tot. BA								
12	L0	L0	2			0		lowland brush	nonstocked	N		not scheduled	0	
13	C5	Q1	16	76	6	60	31	cedar	immature	N		30-39 years	0	
comnts Fmd : Small diameter timber.														
14	F3	U0	2	15	1	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Treated in 1990 under permit 33-03-87-01 (Boney Falls Aspen). South side of road filling in nicely with fir and white spruce.														
15	L0	L0	10	15	0	0	48	lowland brush	low quality	N		not scheduled	0	
comnts Fmd : Lowland, tag alder, wet. Some of the higher areas contain some balm. Was treated in 1990 under permit 33-03-87-1 (Boney Falls Aspen). Did not regenerate well at all.														
16	Q5	Q1	35	76	6	50	30	mixed swamp conifer	immature	N		20-29 years	0	
17	A6	F3	14	59	8	150	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : Nice aspen, lots of cedar in understory. Will have to use cedar spec to treat this stand. NW corner of stand is real heavy to cedar and is probably a C6 but is small area and didn't break it out. Stay out of heavy cedar areas.														
18	A4	F1	12	16	5	20	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Nice stand of young aspen, treated back in the late 80's														
19	M6	M1	7		10	130	60	northern hardwood	unevenaged	Y	thinning	within 0-9 years	1	
comnts Fmd : Nice stand of hardwood. Treat when stand to the north and south (both aspen) are treated. Thin to improve the quality of stand.														
21	C6	E1	5	96	8	90	30	cedar	immature	N		10-19 years	0	
22	L0	L0	10			0		lowland brush	nonstocked	N		not scheduled	0	
24	A3	F1	5	13	1	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Treated in 1992 under permit 14-90-1(forgotten aspen sale). Aspen was removed and cedar was left.														
25	A5	F1	8	28	5	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Treated in 1977.														
26	M6	M1	2		8	80	60	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Small stand of hardwood, not in need of treatment at this time.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
27	M6	F1	1		8	70	55	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Water quality/bmps</p> <p>comnts Fmd : Balsam is declining or dead. Close to the Hunter's Brook. Leave for BMP's. Small area.</p>														
28	U0	U0	11	13	0	0	55	upland brush	sparse	N		40-49 years	0	
<p>comnts Fmd : Treated in 1992 under permit 14-90-01 (Forgotten Aspen). Some aspen and balsam fir in areas, lots of brambles.</p>														
29	F6	F1	3	101	8	100	30	spruce-fir (uplands-including upland black spruce)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SMALL UPLAND ISLAND. Access is tough.</p>														
30	L0	L0	20			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : OLD GROWTH POTENTIAL. LOWLAND BRUSH, TAG ALDER ALONG Hunter's Brook.</p>														
31	L0	L0	3	65	0	0	40	lowland brush	nonstocked	N		not scheduled	0	
<hr/>														
32	C6	Q1	19	101	5	110	26	cedar	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : OLD GROWTH POTENTIAL. Timber is small diameter and short. Mis softwood is combo of balsam fir and spruce.</p>														
34	C6	Q1	2	99	7	80	30	cedar	immature	N		10-19 years	0	
<hr/>														
35	A5	F2	6	16	5	50	55	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Young stand, treated in 1989 under contract # 11-87-01 (Hendricks aspen).</p>														
36	T6	L0	10	82	7	80	46	tamarack	immature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : No treatment needed yet. Small diameter and short.</p>														
37	C6	Q2	43	79	7	90	30	cedar	immature	N		30-39 years	0	
<hr/>														
38	Q3	L0	7	15	2	0	40	mixed swamp conifer	immature	N		50-59 years	0	
<p>comnts Fmd : lots of young tamarack and spruce with some cedar.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	Acres	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA	Site Indx							
39	C6	Q1	172	81	7	100	35	cedar	immature	N		30-39 years	0	
40	A3	F1	35	16	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Treated in 1989 under permit #11-07-01 (Hendricks Mile 21 Aspen)														
41	C5	Q2	3	99	6	70	30	cedar	low quality	N		20-29 years	0	
comnts Fmd : Poor quality.														
42	A6	F1	6	68	9	70	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : Continuation of stand (1) in compartment 84. Treat when stand (1) is treated. Compartment 84 is 2006 YOE.														
43	M6	F1	4	78	8	100	55	northern hardwood	two aged	N		10-19 years	0	
comnts Fmd : Young hdwd with young aspen and balsam fir. It was treated in late 70's. Aspen is young and hardwood is borderline to harvest now.														
44	M6	M1	13		8	100	55	northern hardwood	unevenaged	N	thinning	within 0-9 years	1	
comnts Fmd : Treat when stand in adjacent compartment is treated. Adjacent compartment is compartment 84 and is a 2006 YOE.														
45	C6	Q1	20	94	8	140	30	cedar	immature	N		10-19 years	0	
46	A5	F1	17	23	5	40	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Transitioning from A3 > A5, next time around should be an A6. This stand was cut in early 1980's.														
47	A3	F1	21	13	2	0	50	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Treated in 19992 under permit 14-90-01 (Forgotten Aspen).														
48	T5	L0	62	74	7	50	36	tamarack	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
49	Q5	Q1	12	94	7	60	30	mixed swamp conifer	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
50	A6	F1	6	80	9	150	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
51	A6	F1	4	80	9	130	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Treat when Mead (New Page) treats the timber to the east. See if stand 50 can also be treated.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnstry	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
52	L0	L0	4			0		lowland brush	nonstocked	N		not scheduled	0	
53	F2	F1	7	13	1	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
54	L0	L0	5			0		lowland brush	nonstocked	N		not scheduled	0	
55	A5	F1	27	29	5	40	55	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Treated in 1976.														
57	C6	F1	2	94	8	160	40	cedar	immature	N		20-29 years	0	
comnts Fmd : Small Island of timber.														
58	T4	L0	36	62	5	30	40	tamarack	immature	Y		50-59 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Area is filling in with Tamarack. Understory is lowland brush.														
59	E5	F1	6	65	6	60	46	swamp hardwoods	low quality	N		not scheduled	0	
comnts Fmd : Black ash swale between aspen islands on the west side of compartment.														
60	L0	L0	7			0	0	lowland brush	nonstocked	N		not scheduled	0	
61	A6	F1	2	69	8	90	55	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to small acreage														
comnts Fmd : Small island of upland. Access is a problem.														
62	C6	L0	36	94	6	90	30	cedar	immature	N		20-29 years	0	
comnts Fmd : Timber is small.														
63	A6	F1	11	65	8	140	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access Too wet														
comnts Fmd : Aspen is ready to be cut. Access could be a problem. Will have to obtain permission from landowner to the south.														
65	A5	F1	4	65	8	40	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access Too wet														
comnts Fmd : Small Island of timber, lost most of the balsam in this stand. Access is a problem. Will have to get permission from landowner to the south to be able to set up sale or talk to Mead (New Page) if they harvest adjacent timber to the east.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
66	M6	M1	5		10	80	65	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : TREATED UNDER CONTRACT OO7-97-02. (STAND 66 SALE).														
67	N0	N0	4			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : SMALL TIMBERED ISLAND IS OUTIN THE BEAVER MEADOW														
68	E4	L0	6	74	7	30	50	swamp hardwoods	sparse	N		not scheduled	0	
comnts Fmd : Lowland, scattered timber, lowland brush understory.														
69	T5	T1	17	74	7	40	36	tamarack	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Inadequate volume due to small acreage														
70	L0	L0	9			0		lowland brush	nonstocked	N		not scheduled	0	
71	A3	F2	39	8	1	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Treated in 1998 under permit #9-97-01 (Broken Snowshoe).														
73	Q6	Q1	15	70	7	80	40	mixed swamp conifer	immature	N		20-29 years	0	
74	A3	F1	4	7	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : CUT UNDER CONTRACT 008-97-02. (addition to Broken Snowshoe sale).														
75	T5	T1	19	59	7	40	45	tamarack	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd :														
76	A5	F1	2	65	9	60	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Most of the balsam fir is declining or dead. Aspen is in o.k. condition. Area is small, could put up on a small negotiated sale when someone is in the area.														
77	L0	L0	3			0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd :														
78	A5	F1	5	65	8	60	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Patchy timber.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acreage	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
79	A2	F2	21	13	1	0	50	aspen (upland)	immature	N		50-59 years	0	
80	F6	F1	1	55	8	100	50	spruce-fir (uplands-including upland black spruce)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to small acreage														
comnts Fmd : Small island in middle of tamarack swamp.														
81	T4	T1	20	40	5	30	45	tamarack	old growth (potential or actual)	N		50-59 years	0	
comnts Fmd :														
82	T2	U0	6	16	1	0	46	tamarack	immature	N		60-69 years	0	
comnts Fmd : Filling in with Tamarack.														
83	A5	F1	1	65	8	60	50	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Small pocket of timber in middle of swamp. Timber is dying or dead.														
85	A5	F1	1	65	8	50	55	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Small island, not much timber.														
86	A5	F1	1	65	8	60	55	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Small island west of stand 88.														
87	T3	L0	54	15		0	45	tamarack	old growth (potential or actual)	N		50-59 years	0	
comnts Fmd : Stand has a lot of tamarack seedlings coming in.														
88	A6	F1	22	65	8	80	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : Aspen is really declining. Balsam is also declining. Treat this time around. Will probably have to lump with stand 111 and 119 to make it a worthwhile sale.														
89	E5	F1	3	69	7	50	50	swamp hardwoods	immature	N		20-29 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
90	A6	F1	2	65	8	70	50	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : Small island eas of stand 88.</p>														
91	A5	F1	1	65	8	50	50	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p> <p>comnts Fmd : Small island.</p>														
92	F3	F1	4	13	2	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
<p>comnts Fmd : Cut in 1992. Coming back to F3.</p>														
93	T4	L0	119	45	4	30	36	tamarack	old growth (potential or actual)	N		60-69 years	0	
<p>comnts Fmd : Tamarack is seeding in and starting to fill in this area.</p>														
94	F2	F1	5	13	2	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
<p>comnts Fmd : Stand was treated in 1992, filling in with balsam and tamarack.</p>														
95	F6	F1	2	65	10	70	50	spruce-fir (uplands-including upland black spruce)	mature	Y	shelterwood-seed	within 0-9 years	1	natural regeneration
<p>comnts Fmd : ROAD BUFFER. Could remove the mature balsam, aspen, white birch and mark some pine. Combine with other stands in area to make it worthwhile for contractor.</p>														
96	M5	F1	3		8	60	50	northern hardwood	unevenaged	N		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage</p>														
97	F6	F3	29	35	8	70	60	spruce-fir (uplands-including upland black spruce)	mature	N	final harvest	within 0-9 years	6	natural regeneration
<p>comnts Fmd : Currently under contract, sale# 03-02-01.</p>														
98	C7	U0	9	74	11	30	40	cedar	immature	N		50-59 years	0	
<p>comnts Fmd : Treated in 1989. Aspen and Balsam fir were harvested. Sawlog size cedar remains. Aspen regen is poor.</p>														
99	C5	L0	5	72	7	60	30	cedar	immature	N		30-39 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
100	F2	U0	11	15	1	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Stand was treated in 1990 under contract 12-87-01 (Woodlawn aspen). This stand was part of stand 104, but it is the south part of stand and is filling in with balsam fir and spruce regeneration.														
101	C6	Q1	8	88	7	100	30	cedar	immature	N		40-49 years	0	
102	C4	Q1	1	95	5	30	26	cedar	immature	N		not scheduled	0	
103	C5	L0	11	15	10	40	45	cedar	immature	N		50-59 years	0	
104	A3	F1	10	15	2	0	50	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Aspen regeneration, north part of stand. South part will be broken out into new stand. Treated in 1990, contract # 12-87-01 (woodlawn Aspen).														
105	F2	U0	13	13	1	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Treated in 1992, contract 015-90-01 (Lost Photo aspen). East side is filling in with balsam fir.														
106	F5	F2	38	24	5	60	50	spruce-fir (uplands-including upland black spruce)	immature	N		20-29 years	0	
comnts Fmd : More balsam than aspen.														
107	F3	F1	1	15	1	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Treated in 1990, small patch of F3 coming in.														
108	T5	Q1	10	60	7	50	45	tamarack	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd :														
109	T4	L0	23	0	5	30	40	tamarack	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : Filling in with tamarack.														
110	Q5	L0	11	74	7	60	30	mixed swamp conifer	immature	N		10-19 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
111	A6	F1	14	84	8	80	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : Balsam is declining or dead. Cut this time around.														
112	C6	Q1	3	92	7	90	30	cedar	immature	N		10-19 years	0	
comnts Fmd : Balsam fir is dead or dying. Some mature timber but not enough to go after and treat this time around.														
113	A3	F1	28	13	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Treated in 1992, contract 15-90-01 (Lost Photo Aspen).														
114	C5	Q1	2	100	6	50	30	cedar	immature	N		50-59 years	0	
comnts Fmd : Cedar area left when "Lost Photo Aspen" sale was set up.														
115	A5	F1	31	24	5	60	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : SCATTERED MERCHANABLE TREES SCATTERED THROUGH STAND. AREA WAS TREATED IN LATE 70'S EARLY 80'S.														
116	A3	F1	14	2	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Treated in winter of 2003. Coming back to a fully stocked aspen stand with some balsam fir in the understory.														
117	C4	L0	12	65	4	30	30	cedar	immature	N		not scheduled	0	
comnts Fmd : Scattered small cedar with lowland brush in understory.														
118	A2	U0	4	2	1	0	50	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Treated in 2003. Coming back to a scattered , patchy aspen stand.														
119	A6	F1	16	66	8	80	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : Nice ridge of timber, but there has been a decline in the A, Wb, Fb. This stand should have been treated last time around, but was held.														
120	S4	L0	17	28	5	10	40	black spruce-swamp	low quality	N		not scheduled	0	
comnts Fmd : Lowland brush with scattered tamarack and spruce.														
121	A2	F1	3	2	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Treated in 2003. Coming back to a patchy stocked stand of aspen.														
122	C6	Q1	5	100	7	110	30	cedar	immature	N		not scheduled	0	
123	F4	L0	4	32	4	10	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : SMALL PATCH CC 1973														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
124	T5	Q1	7	70	7	40	45	tamarack	immature	Y		30-39 years	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
125	I0	I0	12			0		local use	nonstocked	N		not scheduled	0	
comnts Fmd : CO.RD,RR AND POWERLINE ROW'S														
126	N0	N0	4		0	0		marsh	low quality	N		not scheduled	0	
127	T5	Q1	9	60	7	50	45	tamarack	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to low stocking/small diameter/etc.														
128	L0	L0	7	95	0	0	30	lowland brush	nonstocked	N		not scheduled	0	
131	A5	F1	1	65	8	50	50	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Other special wildlife habitat consideration (desc. In comments)														
comnts Fmd : Small island.														
132	A5	F1	2	65	8	50	50	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Inadequate volume due to small acreage														
comnts Fmd : Island of timber close to the west line of the compartment.														
400	G0	G0	20			0	55	grass	nonstocked	N		not scheduled	0	
comnts Fmd : PRESCRIBE BURN TO MAINTAIN OPENING AND ENCOURAGE HERBACEOUS PLANTS. BURNED THIS AREA IN 1997.														
401	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : STAND IS WITHINSTAND 115. FTP W33-310 ON RECORD TO MAINTAIN.														
404	G0	G0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : SOUTH OF STAND 104. MAINTAINOPENING WITH PERIODIC MOWING.														
420	G0	G0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : MAINTAIN THROUGH PERIODIC MOWING.														
424	G0	G0	1		0	0	58	grass	nonstocked	N		not scheduled	0	
comnts Fmd : APPEARSTO BE OLD CAMP SITE DO NOT USE FOR LANDING AREA														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 85

Entry Year: 2007

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA							
425	G0	G0	1			0	grass	nonstocked	N		10-19 years	0	
comnts Fmd : PERIODICALLY MAINTAIN OPENING, IF ACCESSIBLE.													
443	G0	G0	3			0	grass	nonstocked	N		not scheduled	0	
444	G0	G0	3		0	0	60	grass	nonstocked	N		not scheduled	0
comnts Fmd : PERIODICALLY MAINTAIN OPENING THROUGH MOWING.													
455	G0	G0	2			0	grass	nonstocked	N		not scheduled	0	
comnts Fmd : PERIODICALLY MAINTAIN THROUGH MOWING.													
<b>Total Acres..... 1778</b>													