

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
1	E4	L0	5	72	6	40	46	swamp hardwoods	low quality	N		not scheduled	0	
comnts Fmd : STAND IS VERY WET & MOSTLY TAG ALDER & OTHER LOWLAND BRUSH.														
2	A3	A1	37	8	0	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Stand was cut in 1997 under contract 010-95-01, "Horsefly Aspen".														
3	M6	F1	6	82	9	110	55	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : This stand is adjacent to the Rapid River. SCA designation is for riparian zone along the Rapid River.														
4	Q6	Q1	20	101	8	100	30	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet														
comnts Fmd : GRADES TO MORE OF AN E TYPE TO THE SOUTH.														
5	Z0	Z0	1		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Rapid river.														
6	M6	F1	4	78	9	110	55	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA designation is for riparian zone along Rapid River. MIXED HARDWOOD SAWLOGS IS MADE UP BETWEEN RED MAPLE AND SUGAR MAPLE. MIXED SOFTWOOD IS MIXTURE OF CEDAR, WHITE SPRUCE AND BALSAM FIR.														
7	P2	F1	5	12	3	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : SEVERAL ACRES OF M INCLUSIONS. SOME AREAS OF M RESIDUAL; A3 MIXED IN														
8	C6	Q1	2	105	8	150	30	cedar	immature	N		10-19 years	0	
9	C6	Q1	46	105	8	130	30	cedar	immature	N		10-19 years	0	
comnts Fmd :														
10	A4	A1	27	12	4	10	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : TRANSITIONING BETWEEN A3-A4. 10-20 SQ. FEET B.A. 4" DIAMETER, 1 STICK.														
11	C6	Q1	20	97	7	110	30	cedar	immature	N		10-19 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
12	F4	F1	4	32	4	20	45	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
comnts Fmd : MOSTLY BALSAM FIR.														
13	Q6	Q1	13	76	8	100	50	mixed swamp conifer	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : CONTAINS INCLUSIONS OF M6 & P3. CUT NO CEDAR.														
14	M6	F1	5	78	9	120	55	northern hardwood	mature	Y	selection	within 0-9 years	1	natural regeneration
15	A4	F2	3	28	4	20	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : STAND IS BECOMING AN A6.														
16	M9	M1	10	81	12	100	60	northern hardwood	immature	N	selection	within 0-9 years	1	natural regeneration
comnts Fmd : Stand is nearing time for treatment, a light thinning is all that will be needed.														
17	E6	F1	8	78	8	70	50	swamp hardwoods	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Low wet ground. Drainage area. Mis hardwood is made up of black ash and yellow birch.														
18	A3	F1	17	8	2	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This stand was part of stand 13 originally. This stand was harvested summer of 1997 under contract #33-012-97-01 "Engineer Aspen"/														
19	A3	F1	52	1	2	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This stand was harvested summer of 2004 under contract # 33-009-02-01, "Magpie Sale". There are parts of other stands that are now combined with this stand. Parts of stands 20,21,22, and 29 are included here.														
20	M6	F1	3	78	9	120	55	northern hardwood	mature	Y	selection	within 0-9 years	1	natural regeneration
21	M9	M1	10	81	12	100	60	northern hardwood	immature	N	selection	within 0-9 years	1	natural regeneration
comnts Fmd : same as stand 16, black ash drainage separates the stand.														
22	Z0	Z0	3			0		water	nonstocked	N		not scheduled	0	
comnts Fmd :														
23	Q5	Q1	39	89	7	50	30	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Not the best quality, small wood, very wet. Magpie sale was cut up to this area. Leave it for wildlife cover.														
24	A3	F1	4	1	2	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Stand was scut in 2004, under contract 009-02-01, "Magpie sale. Stand is regenerating nicely to fully stocked stand of aspen.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
25	M6	M1	15	81	10	80	60	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : This stand was harvested during December of 2003 under contract #33-009-02-01 "Magpie Sale"														
26	E6	Q1	5	75	7	70	50	swamp hardwoods	in process of regeneration	N		20-29 years	0	
comnts Fmd : Wetter ground. Ash, W. spruce. Balsam fir, red maple. Higher parts of this stand were harvested under contract 009-02-01, Magpie sale														
27	M6	M1	1		10	70	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : This stand was harvested during December of 2003 under contract #33-009-02-01 "Magpie Sale"														
28	A4	F1	1	28	5	20	60	aspen (upland)	immature	N		20-29 years	0	
29	Z0	Z0	10		0	0		water	nonstocked	N		not scheduled	0	
30	A5	F1	36	28	5	50	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : STAND IS BECOMING AN A6														
31	A5	F1	50	25	4	40	60	aspen (upland)	immature	N		40-49 years	0	
32	Q4	Q1	14	67	6	30	38	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : GENERALLY UNPRODUCTIVE. MOSTLY AN "L" TYPE TO THE WEST. STAND HAS Q2-3 INCLUSIONS OF BALSAM FIR ON N&E SIDES, Could also be called "E" type. Wet ground, small wood.														
33	C5	Q2	16	78	6	70	28	cedar	immature	N		50-59 years	0	
comnts Fmd : Mixture of cedar type to a lowland hardwood type, wet, small wood. Mix softwood is made up of Tamarack and spruce. Mis hardwood is white birch and balsam poplar.														
34	A4	F1	6	25	4	20	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Transition from A3 >A4.														
35	C6	Q1	5	109	7	130	30	cedar	immature	N		10-19 years	0	
comnts Fmd : Heavy to cedar. Mix softwood is mix of black spruce and white spruce.														
36	M6	F1	2	78	9	90	50	northern hardwood	mature	N		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Inadequate volume due to small acreage</p>														
comnts Fmd : Small island of hardwood, predominately red maple. Access is a problem, beaver flooding to the east. Balsam is declining, misx softwood is mixture of balsam and Spruce.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
37	E4	Q1	15	78	6	30	50	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : Black ash drainage, wet. Small creek runs through this stand. SCA designation is for riparian zone along creek.</p>														
38	C6	Q2	8	83	6	80	30	cedar	immature	N		30-39 years	0	
39	M6	F3	2	75	8	80	55	northern hardwood	mature	N	shelterwood-prep	within 0-9 years	1	natural regeneration
<p>comnts Fmd : Heavy to fir in understory, will convert to balsam fir.</p>														
40	M6	M1	3	82	10	100	60	northern hardwood	mature	N	selection	within 0-9 years	1	natural regeneration
41	M9	M1	4		12	80	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	natural regeneration
<p>comnts Fmd : Big wood, nt the best quality logs. Some spots where BA is close to 100 and some spots where its lighter.</p>														
42	Q5	Q2	7	65	7	70	45	mixed swamp conifer	immature	N		10-19 years	0	
<p>comnts Fmd : Mix hardwood is white birch and yellow birch mix. Mix softwood is mix of black and white spruce. Some area's heavy to cedar, other species small 1-3 sticks.</p>														
43	M6	M1	19		10	100	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	natural regeneration
44	E5	E1	6	72	7	40	50	swamp hardwoods	low quality	N		30-39 years	0	
<p>comnts Fmd : Lower wet ground, leave stand for cover. Mix softwood is a mix of balsam fir and white spruce.</p>														
45	A5	F1	2	35	8	60	55	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : STAND CONTAINS A SMALL POND.</p>														
46	A3	U1	3	2	1	0	65	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : This stand was harvested june of 2002 under permit 33-008-02-02 (432 Aspen. There is currently small residual hardwoods scattered through out and also in some small patches. Overall this should be an A3 stand in the future.</p>														
47	T6	G0	8	21	8	70	64	red pine	immature	N	final harvest	within 0-9 years	1	planting
<p>comnts Fmd : Harvest this stand when hardwoods to the west is cut. This looks like an old farm field that was planted with European larch. Long range goal is to try and convert this area back to Northern Hardwoods. Using the Kotar manual it could be planted to red pine and allow hdws to west seed in the open areas. Silviculturalist will be consulted.</p>														
48	N0	N0	13		0	0		marsh	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SITE INDEX AND YEAR OF ORIGIN NOT AVAILABLE. SCA DESIGNATION IS FOR RIPARIAN ZONE MANAGEMENT ALONG SMALL NO- NAME CREEK THAT RUNS THROUGH STAND.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acreage	Age	avg. Diameter		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
49	I0	I0	3		0	0		local use	nonstocked	N		not scheduled	0	
comnts Fmd : County road 432 Right of Way.														
50	E5	Q1	5	78	7	60	50	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Very wet, smallwood, south of beaver pond. SCA designation is for riparian management along Friday creek.														
51	P2	F1	12	11	2	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Balm, 15-20' tall. Some reas of tag alder and cattails in the lower ground. Some areas have good white birch regeneration.														
52	E6	E1	36	75	7	90	48	swamp hardwoods	low quality	N		10-19 years	0	
comnts Fmd : STAND HAS E & C INCLUSIONS; ALSO A 2A UPLAND M TYPE ON EAST SIDE. LOW WET GROUND. WE KIND OF MISSED THE BOAT ON THIS STAND. LOTS OF YOUNG BLACK ASH COMING IN WHERE BLOWDOWNS HAVE OPENED THE STAND UP.														
53	M6	M1	20		10	90	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	natural regeneration
<u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment) Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : FDF QUALITY. Stand basal area ranges from 80- 100. It is borderline on weather to treat now. Could do a light thinning or leave it for 10 years. Check in 2007 and see if sale would be feasible. Wildlife division would like to interplant white pine and hemlock after stand is treated.														
54	F2	F1	3	8	2	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Stand was treated in 1997 under contract #33-003-97-01 (Maki Road Hdws). Some residual spruce, balsam fir, and cedar left after harvest. Starting to fill in with upland conifer.														
55	E6	Q1	12	79	8	100	50	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : POTENTIAL OLD GROWTH. SOME P&Q INCLUSIONS. FRIDAY CREEK RUNS THROUGH STAND, SCA designation is for riparian zone management along creek. Mix hardwood is mix of red maple and white birch.														
56	M6	F2	4		8	100	55	northern hardwood	unevenaged	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : Small stand of northern hardwoods, probably left as a buffer along road. To small to cut on it's own.														
57	A2	A0	4	11	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : DEER BROWSING MAY HAVE HURT STAND. WET SITES MAY SIMPLY HAVE NOT REGENERATED. STAND WAS CUT IN 1994 UNDER CONTRACT # 028-92-01 (RABBIT RUN ASPEN).														
58	M6	F2	1		8	80	55	northern hardwood	unevenaged	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : LEFT AS A BUFFER ALONG ROAD ON PRIOR TIMBER SALE.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				Age	D B H	Tot. BA							
59	I0	I0	1	0	0		local use	nonstocked	N		not scheduled	0	
comnts Fmd : COUNTY ROAD 432 RIGHT OF WAY.													
60	A3	A0	6	11	2	0	55	aspen (upland)	immature	N	40-49 years	0	
comnts Fmd : TREATED IN 1994, CONTRACT # 028-92-01 (RABBIT RUN ASPEN).													
61	P3	F1	1	2	1	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N	50-59 years	0	
comnts Fmd : P-3, TREATED IN 2003, CONTRACT#007-01-01. MOST OF STAND WAS IN COMPARTMENT 98.													
62	A6	F1	24	28	5	70	60	aspen (upland)	immature	N	20-29 years	0	
comnts Fmd :													
63	N0	N0	2		0	0		marsh	old growth (potential or actual)	N	not scheduled	0	
comnts Fmd : OLD BEAVER POND, FILLING IN WITH MARSH GRASS. SCA designation is for riparian zone management.													
64	A3	F1	17	12	2	0	60	aspen (upland)	immature	N	40-49 years	0	
65	C6	Q1	4	102	8	120	30	cedar	immature	N	10-19 years	0	
66	N0	N0	17		0	0		marsh	old growth (potential or actual)	N	not scheduled	0	
comnts Fmd : BEAVER FLOODING; SIGNIFICANT STANDING DEAD TIMBER. SCA designation is for riparian zone along creek.													
67	L0	L0	6		0	0		lowland brush	old growth (potential or actual)	N	not scheduled	0	
comnts Fmd : SCA designation is for riparian zone management along creek.													
68	F1	U0	9	15	2	0	50	spruce-fir (uplands-including upland black spruce)	immature	N	60-69 years	0	
comnts Fmd : MOSTLY BRAMBLES; HAS SOME P CLONES IN THE LOW AREAS. BALSAM FIR IS STARTING TO FILL IN.													
69	M9	M2	49	81	12	100	60	northern hardwood	immature	N	selection	within 0-9 years	1
comnts Fmd : SOME AREA OF GOOD REGENERATION. TIME TO CREATE SOME REGENERATION GAPS. This stand will be treated with stand 25, cmpt 96. Wildlife Div., will also be interplanting hemlock and white pine in this stand.													
70	A5	F1	17	20	5	40	60	aspen (upland)	immature	N	30-39 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
71	M6	M1	30		10	100	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	natural regeneration
comnts Fmd : Wildlife would like to interplant whitepine and hemlock after stand is treated.														
72	A5	F1	17	25	6	60	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Close to being an A6, should be next time around.														
73	Z0	Z1	3		0	0		water	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA designation is for riparian zone management along creek.														
74	A3	F1	23	3	1	0	70	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This stand was harvested spring of 2002 under contract number 33-001-01-01 "Section 33 Aspen"														
75	E5	Q1	41	75	7	60	50	swamp hardwoods	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : VERY WET; WIDE RANGING FOREST CONDITIONS; Q & E INCLUSIONS. MIX SOFTWOOD IS BALSAM FIR AND CEDAR COMBINED.														
76	E6	L0	32	75	7	70	46	swamp hardwoods	mature	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : VERY WET, SMALL WOOD. WEST SIDE OF ROAD LOTS OF DEAD AND DYING TIMBER BECAUSE OF HIGH WATER. TAG ALDER IN UNDERSTORY. THERE ARE 2 SMALL ASPEN ISLANDS INCLUSIONS ON WEST SIDE OF STAND.														
78	A3	A0	8	12	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Treated in 1993 under contract 017-91-01 (Section 32 Aspen)														
82	M6	M1	6	76	8	120	55	northern hardwood	immature	Y	selection	within 0-9 years	1	natural regeneration
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
comnts Fmd : Access is tough, surrounded by beaver floodings and low ground. If accessible from the west, treat when stand in adjacent compartment (98) is treated.														
84	C6	Q1	29	109	9	90	30	cedar	immature	N		30-39 years	0	
85	A4	F1	27	21	4	30	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Beaver have flooded areas within this stand. It was treated in 1987 under contract 045-84-01.														
86	M6	M1	2	80	8	100	60	northern hardwood	immature	N		10-19 years	0	
87	Z0	Z0	9		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER CUTTING & FLOODING KILLED ASPEN IN AREA.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	A c r e s	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							
88	A4	F1	38	21	4	30	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Treated in 1987. Contract 045-84-01.														
89	M9	M1	4		12	110	60	northern hardwood	unevenaged	N		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
comnts Fmd : LOTS OF ROOM FOR CROWN EX- PANSION. THICK BRAMBLE GROUND COVER.														
90	Q6	Q1	22	107	8	80	30	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Low ground. Mixture of lowland conifer and lowland hardwood. Could be called a "q type" in some areas or an "e type " in others. Mix hswdwood is mixture of Y. birch,W. birch and Red Maple.														
91	A4	F1	11	21	4	30	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Cut in 1987. Contract 045-84-01.														
92	A6	F1	2	77	8	100	60	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage														
93	M6	F1	1		8	80	50	northern hardwood	unevenaged	N	selection	within 0-9 years	1	natural regeneration
comnts Fmd : Small patch of hardwood just west of stand 95. Treat when stand 95 is treated.														
94	N0	N0	18		0	0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA DESIGNATION IS FOR RIPARIAN ZONE MANAGEMENT ALONG CREEK.														
95	A6	F1	7	72	10	90	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	natural regeneration
comnts Fmd : Mixture of aspen and balm. Aspen on higher ground, balm on lower ground.														
96	P2	Q1	4	8	1	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : HARVESTED UNDER CONTRACT 03-97-01. MAKI ROAD HARDWOOD.														
97	A5	F1	25	24	5	60	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Stand is in transition from A5>A6.														
98	E5	Q1	4	77	6	60	46	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA DESIGNATION IS FOR RIPARIAN ZONE MANAGEMENT ALONG CREEK. HAS MINOR Q INCLUSIONS.														
99	Z0	Z0	8		0	0		water	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA DESIGNATION IS FOR RIPARIAN ZONE MANAGEMENT ALONG CREEK. BEAVER FLOODING.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 97

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				D B H	Tot. BA	Site Indx							
400	G0	G0	14	0	0		grass	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : East half of the opening will be planted to red pine.													
401	G0	G0	1	0	0	63	grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : PART OF FRIDAY FLOODING OPENING.													
402	G0	G0	2		0		grass	nonstocked	N		within 0-9 years	0	opening maintenance
comnts Fmd : OPENING CREATED IN 1997.													
Total Acres.....			1236										