

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Age	A c r e s	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	M 9	M 1	18		12	110	60	northern hardwood	unevenaged	N	thinning	within 0-9 years	2	
<p>comnts Fmd : Large Diameter could benefit. Last cut in 1988, Thinning by Giguere. Retain the hemlock and favor to leave yellow birch. Improve the existing stand.</p> <p>Wld : Retain hemlock. Favor yellow birch where applicable. Concur with FMFMD.</p>														
2	E 4	E 1	4	56	5	40	46	swamp hardwoods	low quality	N		not scheduled	0	
<p>comnts Fmd : pocket of Black ash and some other species: A,B,S</p>														
3	A 6	F 1	15	66	9	110	56	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	natural regeneration
<p>comnts Fmd : The west edge is heavier to a P/E between the transition of stands 3 and 19. Stay out of the E type. There is a lot of blowdown in this stand. Final Harvest of this stand Taking all Aspen and hardwood except the black ash. Leave all submerchantable spruce and balsam and all cedar. Long term Mo is A. Retain the cedar and ash. Check with the pipeline company to make sure pipe crossing meets their standards before any trucking is done.</p> <p>Wld : Concur with FMFMD.</p>														
4	A 6	F 2	7	66	9	80	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	natural regeneration
<p>comnts Fmd : Final Harvest this stand. Take all Balm, Aspen, and Spruce Fir with 1 or more sticks. Leave Cedar, Submerchantable Spruce and Fir and Black ash. Long term MO is A/F. Retain the cedar and ash. Check with the pipeline company to make sure pipe crossing meets their standards before any trucking.</p> <p>Wld : Concur with FMFMD.</p>														
5	M 6	F 2	4		9	70	55	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Allow the BA of the M to increase and look at a selection harvest next treatment period with an alternate MO of F.</p>														
6	F 4	F 3	1	16	5	30	50	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
<p>comnts Fmd : F3/P3/F4/A2</p>														
7	F 6	F 3	2	46	7	80	40	spruce-fir (uplands-including upland black spruce)	immature	N		20-29 years	0	
8	L 0	L 0	14		0	0		lowland brush	nonstocked	N		not scheduled	0	
9	M 6	F 2	1		7	70	55	northern hardwood	unevenaged	N		20-29 years	0	
10	A 6	A 3	14	37	6	70	50	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : Mix of mature and younger aspen. As understory with F type. Check next Treatment Period for harvest.</p>														
11	Q 2	L 0	19	27	3	0	40	mixed swamp conifer	immature	N		not scheduled	0	
<p>comnts Fmd : q/e/l</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
12	A 5	F 2	4	29	6	60	50	aspen (upland)	immature	N		20-29 years	0	
13	L 0	L 0	1		0	0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA-RIPARIAN AREA BUFFER ZONE														
Wld : SCA - POG - Days River riparian corridor.														
14	A 6	F 2	2	55	9	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	natural regeneration
comnts Fmd : Same as old stand 84. No ash,cedar to be cut. The MO is A. Cut all aspen,balsam with 1 or more sticks and most red maple. Leave the cedar and ash. Check with the pipeline company to make sure that pipe crossing meets their standards before any trucking is done.														
Wld : Concur with FMFMD.														
15	E 6	L 0	1		6	80	46	swamp hardwoods	immature	N		not scheduled	0	
16	M 6	F 1	2		9	70	55	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : long term mo is a/f														
17	M 9	M 1	5		12	100	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : When the BA reaches 100-120 select harvest.														
18	P 3	P 3	52	16	2	0	55	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
19	M 6	F 1	2		10	100	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Treat next treatment period when the BA is 120														
20	A 6	F 1	17	76	9	130	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	natural regeneration
comnts Fmd : Final harvest, Take the Aspen,Balm,Birch, and most of the Red maple. Leave submerchantable spruce and balsam and cedar,hemlock,and black ash. Specs needed for the pipeline. Stand regenerate to aspen,balm, and birch with softwood spruce and balsam for long term mo. Merchantability may be difficult with this stand when prepared due to a significant amount of blowdown.														
Wld : Concur with FMFMD.														
21	M 6	F 3	10		8	70	50	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : mixture of M&F type with F3 understory														
22	P 2	P 2	15	14	3	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : Cut in 1990. Typed as a Q5 when harvested.														
23	C 6	Q 1	16	79	7	90	39	cedar	immature	N		20-29 years	0	
Wld : SCA - POG - Part of a large tamarack complex extending into Compartment 87.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
24	Q 5	Q 3	2	35	4	50	50	mixed swamp conifer	immature	N		10-19 years	0	
comnts Fmd : B4/Q4/P4//A2/Q3. Strip cuts														
25	Q 5	Q 3	3	35	4	50	50	mixed swamp conifer	immature	N		30-39 years	0	
comnts Fmd : b4/p4/a4/q3/e3. Mix of types.this is a strip cut with no cedar found.														
26	Q 6	Q 1	5	100	7	70	30	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : This stand was broken out from stand 100. Poor quality with cedar regeneration not likely.														
27	C 6	Q 1	2	110	8	170	28	cedar	mature	N		not scheduled	0	
comnts Fmd : Cedar regeneration cutting restraints.														
28	F 3	F 3	2	15	2	0	55	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
29	Q 2	Q 2	2	35	2	0	35	mixed swamp conifer	immature	N		not scheduled	0	
30	P 3	P 3	1	16	2	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : cut in 1990														
31	C 6	Q 2	3	86	8	100	32	cedar	in process of regeneration	N		not scheduled	0	
32	A 6	F 2	2	60	8	110	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	natural regeneration
<u>Treatment Limiting Factors:</u> Adjacent landowner denies access														
comnts Fmd : Final Harvest this stand leaving the cedar and less than 1 stick spruce and balsam. Private property owner needs to give permission for access.														
Wld : Concur with FMFMD.														
33	Q 6	Q 1	16	110	8	130	28	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : SCA Riparian area buffer zone														
Wld : SCA - POG - Days River riparian corridor.														
34	E 4	L 0	1		6	30	46	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA-Riparian Area Corridor for Days River														
Wld : SCA - POG - Days River riparian corridor.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
35	Q 4	Q 1	1	110	5	30	28	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment)</p> <p>comnts Fmd : sca Riparian area buffer</p>														
36	A 6	F 3	5	35	7	70	55	aspen (upland)	immature	N		20-29 years	0	
37	Q 6	Q 1	6	96	6	70	28	mixed swamp conifer	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inferior quality</p> <p>comnts Fmd : poor quality and small diameter</p>														
38	F 2	F 2	8	11	1	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
39	Q 5	Q 2	2	89	7	60	28	mixed swamp conifer	immature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Small stand with difficult access and small volume</p>														
40	A 4	F 2	31	35	5	40	50	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : Multiple plots of a4/a3/f4</p>														
41	E 4	E 1	2	67	5	30	46	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment)</p> <p>comnts Fmd : sca riparian area buffer</p>														
42	L 0	L 0	7		0	0		lowland brush	nonstocked	N		not scheduled	0	
43	A 2	A 2	13	15	2	0	50	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : areas of f2/f1</p>														
44	Q 6	Q 1	2	110	8	80	28	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment)</p> <p>comnts Fmd : sca riparian area buffer zone</p>														
45	E 4	L 0	3		6	20	46	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : sca- riparian area buffer zone</p> <p>Wld : SCA - POG - Days River riparian corridor.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
46	F 6	F 1	1	70	8	120	60	spruce-fir (uplands-including upland black spruce)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Other Dept./Div. procedures or practices (describe in comment) comnts Fmd : sca-riparian area buffer zone Wld : SCA - POG - Days River riparian corridor.</p>														
47	F 6	F 2	2	50	8	80	50	spruce-fir (uplands-including upland black spruce)	immature	N		10-19 years	0	
48	C 6	Q 1	9	110	10	170	28	cedar	immature	N		10-19 years	0	
<p>comnts Fmd : LEAVE C FOR COVER</p>														
49	M 6	F 1	4		10	100	55	northern hardwood	unevenaged	N		10-19 years	0	
50	A 2	A 2	17	15	2	0	55	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : This stand has pockets of good and poor regeneration with hemlock and cedar left. South and north ends have better regen with scattered hemlock.</p>														
51	M 6	M 1	1		9	100	60	northern hardwood	unevenaged	N		10-19 years	0	
52	C 6	Q 1	34	103	9	130	34	cedar	immature	N		10-19 years	0	
53	Q 6	Q 1	3	46	8	100	50	mixed swamp conifer	immature	N		20-29 years	0	
<p>comnts Fmd : This stand was part of old stand 22. This is a Q type separate from stand 22. This stand is a Q type.</p>														
54	A 6	F 2	12	35	7	80	60	aspen (upland)	immature	N		20-29 years	0	
55	M 6	M 1	7		11	70	60	northern hardwood	unevenaged	N		10-19 years	0	
56	A 3	A 3	30	18	2	0	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Two openings created not shown on the DOQ.</p>														
57	T 2	T 2	5	16	1	0	55	tamarack	immature	N		50-59 years	0	
<p>comnts Fmd : The south end of stand 102. This stand is regenerating with tamarack. Tamarack is surrounding this area.</p>														
58	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
59	A 3	A 3	68	4	1	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This was the compartment 88 timber sale. Old stands (59,58,90,61,62). The north finger is heavy to cedar with a lot of blowdown. May look at separating this stand the next treatment period. Sale complete in 2002.														
60	L 0	L 0	2			0		lowland brush	nonstocked	N		not scheduled	0	
61	L 0	L 0	1			0		lowland brush	nonstocked	N		not scheduled	0	
63	B 6	F 1	2	70	9	130	60	paper birch	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : sca riparian area buffer zone														
Wld : SCA - POG - Days River riparian corridor.														
64	E 4	L 0	3	76	6	40	46	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : sca riparian area buffer along the Days River														
Wld : SCA - POG - Days River riparian corridor.														
65	A 5	A 3	3	35	6	60	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd :														
66	M 6	F 2	10		9	120	55	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	natural regeneration
comnts Fmd : F is a long term MO. Eastern border is an m6 type. Harvest this stand leaving some M. Thake all aspen,balsam and spruce with 2 or more sticks. Leave all cedar.														
Wld : Concur with FMFMD.														
67	Q 5	Q 3	2	35	5	50	45	mixed swamp conifer	immature	N		20-29 years	0	
76	Q 3	Q 3	1	35	2	0	50	mixed swamp conifer	low quality	N		50-59 years	0	
77	F 6	F 2	3	60	9	90	55	spruce-fir (uplands-including upland black spruce)	mature	Y	final harvest	within 0-9 years	2	natural regeneration
comnts Fmd : Final harvest this stand removing all Aspen and balsam fir with 1 stick or more and maple. Leave the cedar.														
Wld : If found, leave white cedar. Concur with FMFMD.														
78	A 3	F 1	1	14	1	0	60	aspen (upland)	immature	N		40-49 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
79	C 6	Q 1	1	105	8	110	28	cedar	immature	N		not scheduled	0	
80	P 2	P 2	9	3	1	0	55	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
81	A 3	A 3	48	4	1	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This stand was harvested at two different times 1/2 was cut during the winter of 1999 and the other 1/2 ws cut during the winter of 2003. This stand was harvested under permit number 33-011-98-01 (Drenched Days Aspen).														
82	C 6	Q 1	1	86	6	70	35	cedar	immature	N		20-29 years	0	
83	L 0	L 0	29		0	0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA-RIPARIAN AREA BUFFER ZONE Wld : SCA - POG - Days River riparian corridor.														
84	A 6	F 2	2	55	9	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	natural regeneration
comnts Fmd : Retain the cedar and ash. Check with the pipeline company to make sure any pipe crossing meets their standards before any trucking is done. Harvest the aspen,spruce/fir greater than 1 stick, balm, and maple. Alternate MO of F/A/M. Wld : Concur with FMFMD.														
85	A 3	A 3	9	4	1	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This stand was harvested during winter of 2001 under contract number 33-014-98-01 (Compartment 88 Aspen). Did not look at this stand when updating. Should be looked at during next review.														
86	E 6	L 0	27	111	7	100	28	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Cedar or Hemlock cutting restraints														
comnts Fmd : Low area that is too wet and cedar within.														
87	M 6	M 1	12		9	70	50	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : This stand was harvested during winter of 2001 under contract number 33-014-98-01 (Compartment 88 Aspen). Did not look at this stand when updating. Should be looked at during next review.														
88	M 6	M 1	3		11	80	50	northern hardwood	unevenaged	N		10-19 years	0	
89	A 3	A 3	15	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : This was the red camp aspen timber sale.														
91	A 3	A 3	34	9	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cedar residual with some blowdown.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
92	Q 6	Q 1	1	83	8	100	28	mixed swamp conifer	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
comnts Fmd : cedar cutting restraints.														
93	C 6	F 1	15	83	8	70	30	cedar	immature	N		20-29 years	0	
comnts Fmd : A portion of this stand was harvested during winter of 2001 under contract number 33-014-98-01 (Compartment 88 Aspen).														
94	A 6	A 3	22	29	6	80	55	aspen (upland)	immature	N		20-29 years	0	
95	A 4	F 1	27	26	4	40	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : This is a fully stocked aspen stand entering the a6 stage by the next treatment period.														
96	A 3	A 3	44	16	3	0	55	aspen (upland)	immature	N		40-49 years	0	
97	C 5	Q 1	11	100	7	50	30	cedar	immature	N		not scheduled	0	
comnts Fmd : This stand was harvested in 1997.														
98	Q 6	Q 1	12	121	9	160	32	mixed swamp conifer	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
comnts Fmd : Cedar cutting restraints.														
99	A 3	A 3	10	15	2	0	60	aspen (upland)	immature	N		40-49 years	0	
100	C 6	Q 1	15	100	7	110	30	cedar	immature	N		not scheduled	0	
comnts Fmd : LEAVE FOR DEER COVER														
101	Q 6	Q 1	25	83	6	120	29	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : SCA-Days river riparian corridor.														
Wld : SCA - POG - Days River riparian corridor.														
102	A 2	A 2	24	16	1	0	60	aspen (upland)	immature	N		40-49 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
103	Q 6	Q 1	13	79	8	120	50	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Other Dept./Div. procedures or practices (describe in comment)</p> <p>comnts Fmd : Areas that are dominated by cedar. SCA- Days river riparian area corridor. Wld : SCA - POG - Days River riparian corridor.</p>														
105	T 6	T 1	12	79	8	110	45	tamarack	mature	Y	seed tree	within 0-9 years	2	natural regeneration
<p>comnts Fmd : Seed tree harvest in this stand. Leave all cedar and some seed tree tamarack, Leave the submerchantable spruce and balsam. Wld : Leave white cedar and some tamarack seed trees. Concur with FMFMD.</p>														
106	T 6	F 2	27	76	8	100	50	tamarack	mature	Y	seed tree	within 0-9 years	2	natural regeneration
<p>comnts Fmd : Seed tree harvest leaving some T and the submerchantable spruce and balsam. Leave any cedar. Wld : Leave white cedar and some tamarack seed trees. Concur with FMFMD.</p>														
107	C 6	Q 1	18	83	8	150	35	cedar	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA-Days river riparian area corridor. Wld : SCA - POG - Days River riparian corridor.</p>														
109	C 6	Q 1	37	93	8	110	30	cedar	immature	N		10-19 years	0	
110	A 3	A 3	21	16	2	0	55	aspen (upland)	immature	N		40-49 years	0	
111	E 5	E 1	2	56	5	50	46	swamp hardwoods	low quality	N		not scheduled	0	
112	A 6	F 2	27	29	5	90	54	aspen (upland)	immature	N		20-29 years	0	
114	M 6	M 1	16		9	110	65	northern hardwood	unevenaged	N	thinning	within 0-9 years	2	
<p>comnts Fmd : Thinning in this stand. The long term MO is M in this stand. Leave any minor component species. Wld : Concur with FMFMD.</p>														
115	M 6	M 1	30		10	110	60	northern hardwood	unevenaged	N	thinning	within 0-9 years	2	
<p><u>Treatment Limiting Factors:</u> Other Agency concerns (name in comments)</p> <p>comnts Fmd : Thinning in this stand with long term MO of M. Leave minor component species. Lines along the private are needed. Private permission is needed for access to this sale. Make a new road off Beaver Lane and block the old road. Wld : Concur with FMFMD.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
116	A 3	A 3	2	16	2	0	60	aspen (upland)	immature	N		40-49 years	0	
117	M 6	M 1	32		10	100	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Should have 110-120 Ba the next treatment period.														
118	A 3	A 3	21	16	2	0	60	aspen (upland)	immature	N		40-49 years	0	
119	L 0	L 0	7		0	0		lowland brush	old growth (potential or actual)	N		not scheduled	0	
Wld : SCA - POG - Part of a large tamarack complex extending into Compartment 87.														
120	M 6	M 1	2		11	100	60	northern hardwood	unevenaged	N		10-19 years	0	
121	T 6	Q 1	54	79	7	80	39	tamarack	mature	Y	seed tree	within 0-9 years	2	natural regeneration
comnts Fmd : This stand is of variable quality. Some areas are sparse and some of higher densities. This stand was broken out from an original T5 type with an area that is dominate to cedar left out as stand 133. Prescribe a seed tree leaving all cedar, some spruce, and tamarack seed trees.														
Wld : Leave white cedar and some spruce & tamarack seed trees. Concur with FMFMD.														
122	L 0	L 0	28		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : no site index available.														
Wld :														
123	A 3	A 3	38	7	1	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This stand was cut in 1999 under permit number 33-015-98-01. Part of a sale that was in compartment 87 to the west. (Southwest 88 Aspen)														
125	Q 6	Q 1	1	128	9	70	32	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
Treatment Limiting Factors: Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : SCA riparian area buffer for day river.														
Wld : SCA - POG - Days River riparian corridor.														
126	A 5	A 2	2	27	6	60	50	aspen (upland)	immature	N		20-29 years	0	
127	A 4	F 2	2	27	5	40	50	aspen (upland)	immature	N		30-39 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 88 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
129	E 4	L 0	3	79	6	20	46	swamp hardwoods	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Inferior quality														
comnts Fmd : An E type separated from the compartment 88 Aspen Sale. Poor quality stand.														
400	G 0	G 0	7		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Great Lakes Gas pipeline.														
401	G 0	G 0	5		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power line														
402	G 0	G 0	5		0	0		grass	nonstocked	N		not scheduled	0	
403	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
404	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
Wld : Trespass issue. Part of adjacent hay field. Contact landowner.														
405	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Opening created by wildlife division. Check the next treatment period for the boundary created in 2002.														
406	G 0	G 0	3		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Opening created by wildlife division. Check the next treatment period for the boundary created in 2002.														
407	G 0	G 0	4		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This is the great lakes gas pipeline.														
408	G 0	G 0	3		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : This is the great lakes gas pipeline.														
409	G 0	G 0	4		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Power line														
410	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
411	G 0	G 0	1		0	0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : power line														

Total Acres..... 1395