

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acres | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|-----------------------|-------------------------|-------|-----|--------|---------|-----------|--|----------------------------|---------------------|------------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 1 | E 5 | F 1 | 34 | | 6 | 40 | 35 | swamp hardwoods | unevenaged | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. comnts Fmd : Small diameter timber, cedar is poor quality, crooked, small.</p> | | | | | | | | | | | | | | |
| 2 | C 5 | Q 1 | 5 | 96 | 7 | 60 | 30 | cedar | immature | N | | not scheduled | 0 | |
| 3 | F 3 | G 0 | 16 | 14 | 2 | 0 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Filling In nicely with balsam fir and balm.</p> | | | | | | | | | | | | | | |
| 4 | M 6 | M 3 | 8 | 81 | 10 | 90 | 55 | northern hardwood | immature | N | thinning | within 0-9 years | 1 | |
| <p>comnts Fmd : Stand was treated in 1992. There is good maple regeneration is 10-15' tall. Not the best quality. Create some canopy gaps to release established regen. Sale will have to be put up with the area to the north. Contact Gwinn, put up as additional timber when stands 56 & 71 of compartment 92 is being treated. Wld : Will be added to Gwinn's timber sale in 2007. Concur with FMFMD.</p> | | | | | | | | | | | | | | |
| 5 | A 3 | F 1 | 5 | 14 | 2 | 0 | 55 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| <p>comnts Fmd : Stand was treated in 1992. Coming back to mix of aspen and balm.</p> | | | | | | | | | | | | | | |
| 6 | C 6 | Q 1 | 5 | 101 | 7 | 110 | 30 | cedar | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Heavier to cedar. Low area between A3 stand to the east and M6 to the west.</p> | | | | | | | | | | | | | | |
| 7 | M 6 | F 3 | 8 | 81 | 8 | 80 | 50 | northern hardwood | immature | N | shelterwood-prep | within 0-9 years | 1 | |
| <p>comnts Fmd : Most of the balsam fir is dead. Leave good quality R.maple and remove the rest. Mark good R. maple crop trees. Incorporate this with a Gwinn sale to the north (stand 56, Cmpt 92) Wld : Will be added to Gwinn's timber sale in 2007. Concur with FMFMD.</p> | | | | | | | | | | | | | | |
| 8 | C 6 | E 1 | 190 | 88 | 6 | 80 | 26 | cedar | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : STAND CONTAINS C5,Q5, AND E AREAS.</p> | | | | | | | | | | | | | | |
| 9 | M 5 | F 2 | 9 | 81 | 8 | 60 | 55 | northern hardwood | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Stand was treated in 2001 (Deadhorse Chase sale). Balsam fir in understory.</p> | | | | | | | | | | | | | | |
| 10 | F 5 | F 2 | 6 | 5 | 6 | 60 | 50 | spruce-fir (uplands-including upland black spruce) | in process of regeneration | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Stand was treated in 2001 (deadhorse chase sale) Balsam fir and Spruce were left for seed, Yellow birch was also left.</p> | | | | | | | | | | | | | | |
| 11 | M 6 | F 1 | 12 | 81 | 8 | 70 | 55 | northern hardwood | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : treated in 2001 (Deadhorse chase sale).</p> | | | | | | | | | | | | | | |

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|--------|---------|-----------|--|-----------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 12 | E 5 | Q 1 | 2 | 81 | 6 | 50 | 35 | swamp hardwoods | immature | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : CONTAINS SMALL AREAS OF C. ASH SWALE</p> | | | | | | | | | | | | | | |
| 13 | P 6 | F 3 | 20 | 39 | 7 | 70 | 50 | balsam poplar & swamp aspen and swamp white birch | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : B3,F3,& P3 ALL OCCUR IN THE UNDERSTORY.</p> | | | | | | | | | | | | | | |
| 14 | F 2 | U 0 | 1 | 16 | 0 | 0 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : AREA WAS TREATED ABOUT 10 YEARS AGO. Coming back to balsam fir.</p> | | | | | | | | | | | | | | |
| 15 | M 6 | M 1 | 1 | 81 | 9 | 100 | 60 | northern hardwood | immature | N | thinning | within 0-9 years | 2 | |
| <p>comnts Fmd : To small to treat alone. Treat when stand to the west in compartment 90 is treated.</p> <p>Wld : Concur with FMFMD. Leave any upland cedar if found.</p> | | | | | | | | | | | | | | |
| 16 | A 4 | F 1 | 11 | 14 | 5 | 20 | 55 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| 17 | E 6 | F 2 | 67 | 81 | 8 | 90 | 50 | swamp hardwoods | immature | Y | | 10-19 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Too wet Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : Real mackinaw mix. Ground is marginal, high in spots, low in others. Hard to call this one has a tendency to be more of lowland hardwood type.</p> | | | | | | | | | | | | | | |
| 18 | C 6 | Q 1 | 4 | 102 | 8 | 80 | 30 | cedar | immature | N | | 10-19 years | 0 | |
| 19 | F 2 | U 0 | 3 | 5 | 0 | 0 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Treated in 2001 (deadhorse chase sale).</p> | | | | | | | | | | | | | | |
| 20 | C 5 | L 0 | 18 | 79 | 6 | 50 | 30 | cedar | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Appears to have been treated at one time... Tag alder coming up in the understory. Patchy clumps of cedar with lowland brush in open areas.</p> | | | | | | | | | | | | | | |
| 21 | P 3 | F 1 | 2 | 5 | 0 | 0 | 50 | balsam poplar & swamp aspen and swamp white birch | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd :</p> | | | | | | | | | | | | | | |
| 22 | S 5 | L 0 | 4 | 76 | 7 | 50 | 40 | black spruce-swamp | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Small patch of black spruce.</p> | | | | | | | | | | | | | | |

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|--------|---------|-----------|--|-----------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 23 | F 2 | U 0 | 15 | 16 | 0 | 0 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Treated about 10 years ago, filling in with balsam fir. | | | | | | | | | | | | | | |
| 24 | A 4 | F 1 | 36 | 14 | 4 | 10 | 60 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : Coming out of the seedling stage into the sapling stage. | | | | | | | | | | | | | | |
| 25 | E 5 | F 1 | 3 | 76 | 7 | 50 | 48 | swamp hardwoods | immature | N | | 30-39 years | 0 | |
| 26 | M 6 | F 1 | 1 | 81 | 10 | 90 | 60 | northern hardwood | immature | N | selection | within 0-9 years | 1 | |
| Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. Please consult with WLD if stand 401 is considered for a timber landing. May require removal of slash and replanting the portion that will become the timber landing to a perennial grass mix by FMFMD. | | | | | | | | | | | | | | |
| 27 | M 6 | M 1 | 26 | 81 | 10 | 90 | 60 | northern hardwood | immature | N | selection | within 0-9 years | 1 | |
| comnts Fmd : This stand contains a gravel pit. Pit location is on the south side of the Deadhorse road. | | | | | | | | | | | | | | |
| Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. | | | | | | | | | | | | | | |
| 28 | P 6 | Q 1 | 22 | 43 | 8 | 90 | 50 | balsam poplar & swamp aspen and swamp white birch | immature | N | | 10-19 years | 0 | |
| comnts Fmd : 42 years old, hold for next treatment period. | | | | | | | | | | | | | | |
| 29 | M 6 | F 1 | 1 | 81 | 9 | 90 | 55 | northern hardwood | immature | N | selection | within 0-9 years | 1 | |
| comnts Fmd : small astand of hardwood, balsam fir in understory. | | | | | | | | | | | | | | |
| Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. | | | | | | | | | | | | | | |
| 30 | M 6 | M 1 | 7 | 81 | 8 | 90 | 60 | northern hardwood | immature | N | selection | within 0-9 years | 1 | |
| Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. | | | | | | | | | | | | | | |
| 31 | M 6 | F 1 | 5 | 81 | 8 | 100 | 55 | northern hardwood | immature | N | thinning | within 0-9 years | 1 | |
| Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. | | | | | | | | | | | | | | |
| 32 | C 6 | Q 2 | 39 | 79 | 6 | 150 | 30 | cedar | immature | N | | 20-29 years | 0 | |
| comnts Fmd : CONTAINS AREAS OF C4,Q,& L. | | | | | | | | | | | | | | |
| 33 | E 6 | Q 2 | 14 | 79 | 7 | 70 | 48 | swamp hardwoods | immature | Y | | 20-29 years | 0 | |
| Treatment Limiting Factors: Inadequate volume due to low stocking/small diameter/etc. Too wet | | | | | | | | | | | | | | |
| 34 | M 6 | M 1 | 6 | 77 | 8 | 100 | 55 | northern hardwood | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Treated in 2001, contract 004-98-01. Stand was selectively marked. | | | | | | | | | | | | | | |

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|--------|---------|-----------|---|----------------------------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | Site Indx | | | | | | | |
| 35 | A 4 | F 1 | 18 | 17 | 4 | 20 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| 36 | M 6 | M 1 | 7 | 81 | 10 | 80 | 60 | northern hardwood | immature | N | thinning | within 0-9 years | 1 | |
| <p>Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. Please consult with WLD before using adjacent G-types as timber landings. WLD may require that slash be removed and replanting of a perennial mix by FMFMD. Some of these openings are scheduled for herbaceous planting by WLD.</p> | | | | | | | | | | | | | | |
| 37 | C 5 | P 3 | 13 | 106 | 7 | 60 | 35 | cedar | in process of regeneration | N | | 50-59 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> <p>comnts Fmd : Treated in 2002, contract 007-98-01. Most of the merchantable timber was harvested. Cedar, ash, yellow birch and white birch were left. Mix softwood is balsam and spruce.</p> | | | | | | | | | | | | | | |
| 38 | M 5 | F 3 | 1 | 78 | 8 | 50 | 50 | northern hardwood | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Small opening between opening and sale area.</p> | | | | | | | | | | | | | | |
| 39 | Z 0 | Z 0 | 17 | | 0 | 0 | | water | old growth (potential or actual) | N | | not scheduled | 0 | |
| <p>comnts Fmd : Old and new beaver flooding area.</p> <p>Wld : SCA - POG - Rapid River and Deadhorse Creek confluence.</p> | | | | | | | | | | | | | | |
| 40 | C 6 | Q 1 | 52 | 108 | 7 | 150 | 26 | cedar | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Wld : SCA - POG - Rapid River and Deadhorse Creek confluence.</p> | | | | | | | | | | | | | | |
| 41 | P 3 | F 2 | 28 | 5 | 0 | 0 | 50 | balsam poplar & swamp aspen and swamp white birch | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Treated in 2001, contract 33-07-98-01. Heavy to P3 on high ground, low ground is filling in with upland spruce-fir.</p> | | | | | | | | | | | | | | |
| 42 | M 6 | M 1 | 80 | 79 | 10 | 100 | 60 | northern hardwood | immature | N | selection | within 0-9 years | 1 | |
| <p>Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. Please consult with WLD before using adjacent G-types as timber landings. WLD may require that slash be removed and replanting of a perennial mix by FMFMD. Some of these openings are scheduled for herbaceous planting by WLD.</p> | | | | | | | | | | | | | | |
| 43 | A 6 | F 1 | 12 | 43 | 8 | 100 | 55 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Nice stand of aspen, will hold for 10 yrs.</p> | | | | | | | | | | | | | | |
| 44 | C 5 | P 3 | 10 | 106 | 7 | 60 | 35 | cedar | in process of regeneration | N | | 40-49 years | 0 | |
| <p>comnts Fmd : This stand was cut in 1999 under contract number 33-010-98-01. Some balsam and hardwo was left along with some cedar. Understory is A3, P3, F3.</p> | | | | | | | | | | | | | | |

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----------|-----|-------|---------|-----------|-------------------|-----------|---------------------|---------------|------------------|------------------|---------------|
| | | | | | D B H | Tot. BA | Site Indx | | | | | | | |
| 45 | A 6 | F 1 | 35 | 49 | 8 | 120 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| <p>comnts Fmd : Should have been treated the last time around. Lost a lot of balsam. West side of stand contains more balsam, East side more aspen.</p> <p>Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. Please consult with WLD before using adjacent G-types as timber landings. WLD may require that slash be removed and replanting of a perennial mix by FMFMD. Some of these openings are scheduled for herbaceous planting by WLD.</p> | | | | | | | | | | | | | | |
| 46 | A 4 | F 1 | 5 | 18 | 4 | 10 | 60 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| <p>comnts Fmd : A3 grading to A4.</p> | | | | | | | | | | | | | | |
| 47 | M 6 | M 1 | 10 | 81 | 10 | 110 | 60 | northern hardwood | immature | N | selection | within 0-9 years | 1 | |
| <p>comnts Fmd : THINNED IN 1992. NEEDS TO BE THINNED AGAIN. Create some larger (approx 60') canopy gaps for black cherry regeneration. Leave upland cedar.</p> <p>Wld : Create some canopy gaps (approx. 60ft) for black cherry regeneration. Leave any upland cedar. Concur with FMFMD. Please consult with WLD before using adjacent G-types as timber landings. WLD may require that slash be removed and replanting of a perennial mix by FMFMD. Some of these openings are scheduled for herbaceous planting by WLD.</p> | | | | | | | | | | | | | | |
| 48 | M 6 | F 1 | 11 | 79 | 8 | 120 | 55 | northern hardwood | mature | Y | thinning | within 0-9 years | 1 | |
| <p>Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. Please consult with WLD before using adjacent G-types as timber landings. WLD may require that slash be removed and replanting of a perennial mix by FMFMD. Some of these openings are scheduled for herbaceous planting by WLD.</p> | | | | | | | | | | | | | | |
| 49 | A 3 | F 1 | 10 | 17 | 2 | 0 | 60 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| <p>comnts Fmd : A3/M2, Areas of A3 and areas of maple., varies as you go thru stand.</p> | | | | | | | | | | | | | | |
| 50 | C 5 | A 3 | 23 | 7 | 7 | 60 | 30 | cedar | immature | N | | 30-39 years | 0 | |
| <p>comnts Fmd : This stand was cut in 1999 under contract number 33-010-98-01.</p> | | | | | | | | | | | | | | |
| 51 | C 6 | Q 1 | 2 | 98 | 7 | 140 | 30 | cedar | immature | N | | 20-29 years | 0 | |
| 52 | M 4 | F 1 | 2 | 34 | 4 | 10 | 50 | northern hardwood | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Young maple stand with aspen mixed in.</p> | | | | | | | | | | | | | | |
| 53 | C 4 | P 3 | 10 | 7 | 7 | 40 | 40 | cedar | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : This stand was cut in 1999 under contract number 33-010-98-01.</p> | | | | | | | | | | | | | | |
| 54 | C 6 | Q 1 | 14 | 79 | 7 | 140 | 27 | cedar | immature | N | | 30-39 years | 0 | |
| 55 | A 3 | X 0 | 66 | 19 | 3 | 0 | 50 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| <p>Wld : This stand has a small constructed opening within it.</p> | | | | | | | | | | | | | | |
| 56 | C 6 | Q 1 | 7 | 98 | 8 | 130 | 30 | cedar | immature | N | | 10-19 years | 0 | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. D | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------|-----|--------|---------|-----------|-------------------|----------------------------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | Site Indx | | | | | | | |
| 57 | M 6 | M 1 | 38 | | 10 | 120 | 60 | northern hardwood | unevenaged | Y | selection | within 0-9 years | 1 | |
| <p>comnts Fmd : Mix hardwood is mixture of basswood and red maple.</p> <p>Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD.</p> | | | | | | | | | | | | | | |
| 58 | A 4 | F 1 | 31 | 16 | 4 | 10 | 60 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| <p>comnts Fmd : Just reaching the A4 stage.</p> | | | | | | | | | | | | | | |
| 59 | M 5 | F 1 | 2 | 79 | 8 | 60 | 55 | northern hardwood | old growth (potential or actual) | N | | not scheduled | 0 | |
| <p>comnts Fmd : Buffer along the Rapid River.</p> <p>Wld : SCA - POG - Rapid River and Deadhorse Creek confluence.</p> | | | | | | | | | | | | | | |
| 60 | A 3 | F 1 | 4 | 4 | 0 | 0 | 50 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood)</p> | | | | | | | | | | | | | | |
| <p>comnts Fmd : Treated in 2002, contract 003-98-01. Cedar, yellow birch and black ash was left.</p> | | | | | | | | | | | | | | |
| 61 | C 6 | Q 1 | 6 | 96 | 7 | 140 | 30 | cedar | immature | N | | 40-49 years | 0 | |
| 62 | C 5 | P 3 | 4 | 96 | 9 | 40 | 40 | cedar | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : STAND CUT IN 1990-WILL BECOME A P6.</p> | | | | | | | | | | | | | | |
| 63 | M 6 | F 1 | 3 | 81 | 9 | 90 | 55 | northern hardwood | old growth (potential or actual) | N | | not scheduled | 0 | |
| <p>comnts Fmd : Buffer along Rapid River.</p> <p>Wld : SCA - POG - Rapid River and Deadhorse Creek confluence.</p> | | | | | | | | | | | | | | |
| 64 | A 3 | F 1 | 8 | 10 | 2 | 0 | 60 | aspen (upland) | old growth (potential or actual) | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Treated in 1996. SCA-Stand is within the rapid river floodplain.</p> <p>Wld : SCA - POG - Rapid River and Deadhorse Creek confluence.</p> | | | | | | | | | | | | | | |
| 65 | E 6 | Q 1 | 65 | 106 | 9 | 100 | 30 | swamp hardwoods | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> | | | | | | | | | | | | | | |
| <p>comnts Fmd : SCA, Buffer along the Rapid River. There is also a BMP issue located at the stream crossing, ORV's are using this area to cross and it is illegal</p> <p>Wld : SCA - POG - Rapid River and Deadhorse Creek confluence.</p> | | | | | | | | | | | | | | |
| 66 | A 6 | F 2 | 7 | 44 | 7 | 70 | 60 | aspen (upland) | old growth (potential or actual) | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Young stand. Mix of aspen and balm with some softwoods. SCA- stand is within floodplain of Rapid river and Deadhorse Creek.</p> <p>Wld : SCA - POG - Rapid River and Deadhorse Creek confluence.</p> | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Age | A c r e s | avg. D | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----|-----------|--------|---------|-----------|-------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B H | Tot. BA | Site Indx | | | | | | | |
| 67 | M 6 | M 1 | 25 | | 9 | 70 | 55 | northern hardwood | old growth (potential or actual) | N | | 10-19 years | 0 | |
| comnts Fmd : CUT IN 1996 UNDER CONTRACT #33-034-93-01. SCA- Within the Deadhorse creek and Rapid River floodplain. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 68 | E 6 | Q 1 | 15 | 93 | 8 | 80 | 46 | swamp hardwoods | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : LOWLAND AREA WITH DRAINAGE FLOWING TO RAPID RIVER. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 69 | C 6 | Q 1 | 30 | 93 | 7 | 160 | 30 | cedar | immature | N | | 20-29 years | 0 | |
| comnts Fmd : Mix hardwood spp is made up of Black ash and white birch. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 70 | A 3 | F 1 | 15 | 10 | 2 | 0 | 55 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Treated in 1996, contract#33-34-93-01. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 71 | L 0 | L 0 | 5 | | 0 | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : Stand lies within floodplain of the Rapid River. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 72 | A 3 | F 1 | 5 | 10 | 2 | 0 | 55 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Treated in 1996, contract #33-34-93-01. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 73 | A 6 | F 1 | 5 | 79 | 9 | 70 | 60 | aspen (upland) | old growth (potential or actual) | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : Buffer along river. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 74 | L 0 | L 0 | 17 | | 0 | 0 | | lowland brush | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : Lowland brush are along the Rapid River. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|--------|---------|-----------|--|----------------------------------|---------------------|---------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 75 | E 5 | L 0 | 5 | 79 | 6 | 50 | 46 | swamp hardwoods | immature | Y | | 30-39 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Inadequate volume due to low stocking/small diameter/etc. | | | | | | | | | | | | | | |
| comnts Fmd : | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 76 | M 6 | F 1 | 2 | 79 | 8 | 90 | 60 | northern hardwood | old growth (potential or actual) | N | | not scheduled | 0 | |
| comnts Fmd : Buffer along Rapid River. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 77 | A 6 | F 1 | 3 | 61 | 10 | 120 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. This stand should be changed to stand condition 8. | | | | | | | | | | | | | | |
| 78 | A 6 | F 1 | 4 | 61 | 8 | 120 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. This stand should be changed to stand condition 8. | | | | | | | | | | | | | | |
| 79 | M 6 | F 1 | 4 | 79 | 9 | 110 | 60 | northern hardwood | old growth (potential or actual) | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Potential or designated old growth | | | | | | | | | | | | | | |
| comnts Fmd : Small buffer patch along River. Mix hardwood spp is made up of Yellow birch and basswood. | | | | | | | | | | | | | | |
| Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. | | | | | | | | | | | | | | |
| 80 | A 3 | A 1 | 8 | 4 | 0 | 0 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 81 | F 2 | U 0 | 7 | 4 | 0 | 0 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 60-69 years | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Retention of stand for regeneration purposes (ie. shelterwood) | | | | | | | | | | | | | | |
| comnts Fmd : Treated in 2002, contract 003-98-01. Cedar, yellow birch and ash was left. | | | | | | | | | | | | | | |
| 82 | C 6 | E 1 | 9 | 106 | 7 | 110 | 30 | cedar | immature | N | | 30-39 years | 0 | |
| 83 | A 3 | F 1 | 1 | 4 | 0 | 0 | 50 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Treated in 2002, should come back to a fully stocked stand of aspen. Contract # 003-98-01. | | | | | | | | | | | | | | |
| 84 | C 6 | Q 1 | 4 | 98 | 7 | 120 | 30 | cedar | immature | N | | 30-39 years | 0 | |

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|--------|---------|-----------|---|------------|---------------------|---------------|------------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 85 | M 6 | M 1 | 38 | | 9 | 80 | 55 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| comnts Fmd : Treated in 2002, contract 03-98-01. Stand was selectively marked and harvested. | | | | | | | | | | | | | | |
| 86 | A 6 | F 1 | 20 | 42 | 6 | 80 | 60 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| comnts Fmd : YOUNG A6 STAND. | | | | | | | | | | | | | | |
| 87 | A 4 | F 1 | 83 | 14 | 4 | 20 | 60 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : Treated in 1992. | | | | | | | | | | | | | | |
| 88 | E 6 | Q 1 | 14 | 79 | 8 | 80 | 46 | swamp hardwoods | mature | Y | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Stand was suppose to be treated under contract # 33-003-98-01. Area is very wer and contractor could not freze it. It would be best if this stand was left alone. Would have to harvest cedar in order to remove other spp. | | | | | | | | | | | | | | |
| 89 | A 5 | F 1 | 18 | 28 | 6 | 50 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| 90 | M 6 | M 1 | 5 | 79 | 8 | 70 | 50 | northern hardwood | immature | N | | 10-19 years | 0 | |
| comnts Fmd : LOW QUALITY/POOR STEM FORM- CONTAINS BLACK ASH SWALES. | | | | | | | | | | | | | | |
| 91 | A 3 | F 1 | 88 | 4 | 0 | 0 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Treated in 2002, Contract 002-98-01. Should come back to a fully stocked stand of aspen. | | | | | | | | | | | | | | |
| 92 | P 3 | Q 1 | 7 | 16 | 2 | 0 | 55 | balsam poplar & swamp aspen and swamp white birch | immature | N | | 50-59 years | 0 | |
| 93 | A 3 | F 1 | 1 | 14 | 2 | 0 | 60 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : A3, treated in 1992, contract 33-18-91-1. This stand is a continuation of stand 7 of compartment 98. | | | | | | | | | | | | | | |
| 94 | M 5 | F 2 | 1 | | 8 | 60 | 50 | northern hardwood | unevenaged | N | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood) | | | | | | | | | | | | | | |
| comnts Fmd : Treated in 1992, contract 33-018-91-01. F2 and raspberry in understory. This stand is a continuation of stand 4 in compartment 98. | | | | | | | | | | | | | | |
| 95 | C 4 | P 3 | 6 | 4 | 7 | 40 | 45 | cedar | immature | N | | 50-59 years | 0 | |
| <u>Treatment Limiting Factors:</u> Retention of stand for regeneration purposes (ie. shelterwood) | | | | | | | | | | | | | | |
| comnts Fmd : Treated in 2002, contract 007-98-01. Cedar, W. birch, yellow birch, and ash trees were left. | | | | | | | | | | | | | | |
| 96 | A 6 | F 2 | 1 | 76 | 8 | 90 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| Wld : Concur with FMFMD. | | | | | | | | | | | | | | |

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D B | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|----------|---------|-----------|--|------------|---------------------|---------------|------------------|------------------|---------------|
| | | | | | H | Tot. BA | | | | | | | | |
| 97 | Z 0 | Z 0 | 2 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Beaver pond. | | | | | | | | | | | | | | |
| 98 | C 5 | P 3 | 7 | 42 | 7 | 50 | 40 | cedar | immature | N | | 30-39 years | 0 | |
| comnts Fmd : Treated in the 1960's, balm and balsam fir 10-15' tall. | | | | | | | | | | | | | | |
| 99 | A 6 | F 3 | 7 | 41 | 7 | 70 | 60 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| comnts Fmd : Young aspen stand, 3-4 sticks tall, 7-8" diameter. | | | | | | | | | | | | | | |
| 100 | F 5 | F 3 | 3 | 41 | 7 | 60 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 10-19 years | 0 | |
| 101 | A 6 | F 3 | 12 | 41 | 7 | 70 | 60 | aspen (upland) | immature | N | | 10-19 years | 0 | |
| 102 | E 6 | F 2 | 61 | 46 | 7 | 80 | 50 | swamp hardwoods | immature | N | | 20-29 years | 0 | |
| 103 | M 6 | M 1 | 5 | 79 | 10 | 100 | 55 | northern hardwood | immature | N | thinning | within 0-9 years | 1 | |
| Wld : Leave white cedar if found within stand boundaries. Concur with FMFMD. | | | | | | | | | | | | | | |
| 104 | A 3 | F 1 | 7 | 7 | | 0 | 55 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : Treated in 1999, contract#33-10-98-01. Coming back to A3-P3. | | | | | | | | | | | | | | |
| 105 | A 6 | F 3 | 3 | 51 | 8 | 90 | 55 | aspen (upland) | mature | Y | removal | within 0-9 years | 1 | |
| comnts Fmd : Heavy to aspen in the North, as you move to the south, it fades into more balsam and hardwood. This was left to keep aspen from encroaching into the opening. Treat when hardwood stand to south is treated. Remove mature aspen and balsam fir, leave good quality hardwood. | | | | | | | | | | | | | | |
| Wld : Concur with FMFMD. | | | | | | | | | | | | | | |
| 106 | Z 0 | Z 0 | 17 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Old beaver flooding. | | | | | | | | | | | | | | |
| 107 | A 6 | F 1 | 17 | 47 | 9 | 100 | 55 | aspen (upland) | mature | N | final harvest | within 0-9 years | 1 | |
| comnts Fmd : Leave some spruce for seed source. | | | | | | | | | | | | | | |
| Wld : Leave a component of spruce for a seed source. Concur with FMFMD. | | | | | | | | | | | | | | |
| 108 | M 6 | F 1 | 2 | 79 | 9 | 120 | 50 | northern hardwood | immature | Y | thinning | within 0-9 years | 1 | |
| Wld : Leave a component of spruce for a seed source. Concur with FMFMD. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Age | A c r e s | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----|-----------|--------|---------|-----------|--|------------|---------------------|---------------|------------------|------------------|---------------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 109 | P 6 | Q 1 | 19 | 45 | 8 | 110 | 50 | balsam poplar & swamp aspen and swamp white birch | mature | N | final harvest | within 0-9 years | 1 | |
| <p>comnts Fmd : Remove shortlived spp. Stay out of heavy cedar There is enough room to move around. Put lines around heavy cedar areas and stay out of those areas. Cut everything else which is not lined. Leave some spruce for seed source.</p> <p>Wld : Ratain cedar patches, cut the rest. Leave some spruce seed trees. Concur with FMFMD. Please consult with WLD before using adjacent G-types as timber landings. WLD may require that slash be removed and replanting of a perennial mix by FMFMD. Some of these openings are scheduled for herbaceous planting by WLD.</p> | | | | | | | | | | | | | | |
| 110 | C 6 | Q 1 | 3 | 98 | 7 | 120 | 30 | cedar | immature | N | | 20-29 years | 0 | |
| 111 | E 5 | Q 1 | 5 | 79 | 6 | 50 | 46 | swamp hardwoods | immature | Y | | 30-39 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Mix conifer is mixture of balsam fir and white spruce.</p> | | | | | | | | | | | | | | |
| 112 | F 1 | U 0 | 2 | 3 | | 0 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Treated in 2003 under contract #007-98-01. Some young balsam and spruce beginning to show.</p> | | | | | | | | | | | | | | |
| 113 | F 5 | F 2 | 1 | 31 | 7 | 40 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 10-19 years | 0 | |
| <p>comnts Fmd : Small patch of balsam in field.</p> | | | | | | | | | | | | | | |
| 114 | F 3 | U 0 | 5 | 17 | | 0 | 50 | spruce-fir (uplands-including upland black spruce) | immature | N | | 50-59 years | 0 | |
| <p>comnts Fmd : Semi open, filling in with f3,</p> | | | | | | | | | | | | | | |
| 115 | C 6 | Q 1 | 1 | 98 | 8 | 80 | 30 | cedar | immature | N | | 10-19 years | 0 | |
| 116 | A 6 | F 1 | 36 | 48 | 8 | 80 | 60 | aspen (upland) | mature | Y | final harvest | within 0-9 years | 1 | |
| <p>comnts Fmd : Mature aspen, treat this time around.</p> <p>Wld : Please consult with WLD before using adjacent G-types as timber landings. WLD may require that slash be removed and replanting of a perennial mix by FMFMD. Some of these openings are scheduled for herbaceous planting by WLD.</p> | | | | | | | | | | | | | | |
| 117 | E 6 | Q 2 | 1 | 79 | 7 | 70 | 48 | swamp hardwoods | immature | Y | | 20-29 years | 0 | |
| <p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Too wet</p> <p>comnts Fmd : Stand is a continuation of stand 33. Compartment line separates it.</p> | | | | | | | | | | | | | | |
| 401 | G 0 | O 0 | 3 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance |
| <p>comnts Fmd : OPENING CONSTRUCTED IN JULY 1993. Contact wildlife if using opening for landing areas.</p> <p>Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available.</p> | | | | | | | | | | | | | | |

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Age | A c r e s | avg. D | | | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----|-----------|--------|---------|-----------|---------|------------|---------------------|------------|------------------|------------------|---------------------|
| | | | | | B H | Tot. BA | Site Indx | | | | | | | |
| 402 | G 0 | O 0 | 2 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | |
| comnts Fmd : OPENING CONSTRUCTED IN MAY 1993. Contact wildlife if opening will be used for landings. | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. | | | | | | | | | | | | | | |
| 403 | G 0 | O 0 | 2 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Contact wildlife if opening will be used for landing | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available. | | | | | | | | | | | | | | |
| 404 | G 0 | O 0 | 1 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Cnntact wildlife if using for landing. | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available. | | | | | | | | | | | | | | |
| 405 | G 0 | O 0 | 1 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Contact wildlife Div if using for landing. | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available. | | | | | | | | | | | | | | |
| 406 | G 0 | O 0 | 1 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Contact wildlife Div. If if using for landings. | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. | | | | | | | | | | | | | | |
| 407 | G 0 | O 0 | 1 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Contact Wildlife Div. If using for landings. | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. | | | | | | | | | | | | | | |
| 408 | G 0 | O 0 | 1 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Coantact Wildlife Div if using for landing. | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available. | | | | | | | | | | | | | | |
| 409 | G 0 | O 0 | 1 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Contact Wildlife Div if using for opening. | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available. | | | | | | | | | | | | | | |
| 410 | G 0 | O 0 | 1 | | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Contact Wildlife Div. If using for landing. | | | | | | | | | | | | | | |
| Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available. | | | | | | | | | | | | | | |

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 91

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | avg. | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need | |
|--|------------------|-------------------------|-------------|------|-------|-----------|---------|------------|---------------------|------------|------------------|------------------|---------------------|---------|
| | | | | Age | D B H | | | | | | | | | Tot. BA |
| 411 | G 0 | O 0 | 1 | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance | |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Contact Wildlife Div, if using for landing. Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available. | | | | | | | | | | | | | | |
| 412 | G 0 | O 0 | 2 | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | | |
| comnts Fmd : OPENING CONSTRUCTED IN AUG. 1990. Contact Wildlife Div if using as landing. Wld : This opening was once managed. Currently has cool summer grasses. | | | | | | | | | | | | | | |
| 413 | G 0 | O 0 | 1 | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | | |
| comnts Fmd : Contact Wildlife Div. If using this area as landing. Wld : This opening was once managed. Currently has cool summer grasses. | | | | | | | | | | | | | | |
| 414 | G 0 | O 0 | 3 | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | opening maintenance | |
| comnts Fmd : OPENING CONSTRUCTED IN 1990. Contact Wildlife Div if using for landing. Wld : This opening was once managed. Currently has cool summer grasses. This opening will be planted to a wildlife mix if personnel and funding is available. | | | | | | | | | | | | | | |
| 415 | G 0 | O 0 | 6 | 0 | 0 | | grass | nonstocked | N | | within 0-9 years | 0 | | |
| comnts Fmd : Contact wildlife Div if using for landing area. Wld : SCA - POG - Rapid River and Deadhorse Creek confluence. This stand is growing in with aspen, balsam poplar, and willow spp. | | | | | | | | | | | | | | |
| 416 | G 0 | G 0 | 1 | 0 | 0 | | grass | nonstocked | N | | not scheduled | 0 | | |
| comnts Fmd : Contact Wildlife Div. If using for landing area. Wld : This opening was once managed. Currently has cool summer grasses. | | | | | | | | | | | | | | |
| Total Acres..... | | | 1897 | | | | | | | | | | | |