

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 95

Entry Year: 2009

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	I 0	I 0	3			0		local use	nonstocked	N		not scheduled	0	
comnts Fmd : Road right of way.														
2	M 6	F 1	9	78	9	90	57	northern hardwood	mature	N		20-29 years	0	
comnts Fmd : Treated in 2002, contract 005-99-01. Stand was selectively marked and harvested. This stand was combined with stand 4. The original stand 4 was treated in 1991 under contract 30-90-01. It should be treated next time around. Mix hardwood spp include yellow birch and sugar maple.														
3	E 6	F 2	2		7	70	50	swamp hardwoods	unevenaged	N		10-19 years	0	
comnts Fmd : Stand was not treated the last time around. Contains lowland hardwood and is a drainage area.														
4	M 6	F 3	17	67	8	80	55	northern hardwood	immature	N	selection	within 0-9 years	1	
comnts Fmd : Patches of aspen are scattered throughout this stand. Lots of young balsam in the understory. In stand retention will include: under represented spp., conifer and deciduous diversity, mast trees, super canopy, live cavity trees.														
Wld : GLO survey notes: "That upon the dry land being Hemlock, Sugar, Yellow Birch, Fir, Lynn (basswood), Elm, Maple, Ironwood....The eastern and south eastern portion is the least swampy and is thickly wooded with sugar, hemlock, maple, fir, and some beech." WLD and FMFMD will evaluate stands under prescriptions, with the help of Kotar, to determine which ones will be underplanted.														
5	E 5	E 1	9	78	6	40	46	swamp hardwoods	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Wet drainageway.														
6	M 5	F 2	2	78	10	60	58	northern hardwood	mature	N		10-19 years	0	
comnts Fmd : Treated in 1991 under contract 30-90-01. Check next time around and treat with stand 2 if possible.														
7	P 5	F 2	3	32	6	60	55	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : Treated in 1975 under contract 7-72A. Low ground.														
8	A 6	F 1	16	32	7	70	58	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Stand was harvested in 1975, under contract 7-72A.														
9	M 9	M 1	22		12	90	63	northern hardwood	mature	N		10-19 years	0	
comnts Fmd : Stand was thinned in 1991 under contract 30-90-01. Nice stand with bigger timber. BA's are a little light yet, let go another 10 years.														
10	E 6	Q 1	2	35	5	70	46	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Drainage area. Some timber was harvested out of this stand in 1972.														
11	M 6	F 1	1	80	9	110	55	northern hardwood	mature	N		10-19 years	0	
comnts Fmd : Treat with stand 9.														
12	M 6	M 1	12		9	80	60	northern hardwood	mature	N		10-19 years	0	
comnts Fmd : Parts of stand were treated. East side of stand heavier to red maple.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 95

Entry Year: 2009

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
13	A 3	X 0	36	5	2	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Treated in 2002, contract 005-99-01.														
14	E 5	Q 1	3		8	70	46	swamp hardwoods	unevenaged	N		not scheduled	0	
comnts Fmd : Area was left as is when rest of the areqa was harvested. Low wet drainage.														
15	A 3	X 0	4	5	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Treated in 2002 under contract 005-99-01.														
16	M 6	F 2	7	78	8	70	58	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : Treated in 2002, contract 005-99-01. Selectively marked and harvested.														
17	E 6	Q 1	5	78	7	110	46	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA Buffer along creek bottom. Q6 inclusions.														
Wld : SCA - Boudreau Creek Riparian Buffer.														
18	M 6	F 2	17	78	8	70	58	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : Treated in 2002, contract 005-99-01. Selectively marked and harvested.														
19	E 5	F 1	2	77	7	40	46	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Small wetland area.														
20	L 0	L 0	20		0	0	50	lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : Creek bottom. Most of area is beaver flooding meadow. Becoming forested. SCA														
Wld : SCA - Boudreau Creek Riparian Buffer.														
21	F 6	F 2	3	76	8	120	55	spruce-fir (uplands-including upland black spruce)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity														
comnts Fmd : Spruce and balsam is mature. Remove mature A,Wb,Fb and Fs. Remove some Hdwds to feel designated spp. But try to leave the majority of the maple. Leave some of the spruce and balsam for seed.														
22	M 6	M 1	30	63	10	100	60	northern hardwood	immature	N	selection	within 0-9 years	1	
comnts Fmd : nice stand of hardwood, Treat this time around. Thin BA to 80. Within stand retention will include: under represented spp., coniferous/deciduous for diversity, mast trees, large/super canopy trees and live cavity trees.														
23	A 5	F 1	7	14	5	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Treated in 1992 under contract 21-91-01. Contains significant areas of upland brush (brambles).														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 95

Entry Year: 2009

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B	Tot. BA								
24	A 5	F 1	17	14	5	50	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Harvested in 1993 under contract 21-91-01.														
26	A 5	F 1	11	14	5	40	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Harvested in 1993 under contract 21-91-01. Contains significant areas of upland brush.														
27	Q 5	Q 2	2	67	7	50	50	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA buffer along Boudreau creek. Mix hardwood spp. Is mixture of red maple and black ash. Contains some P & L inclusions. Wld : SCA - Boudreau Creek Riparian Buffer.														
28	M 6	M 1	10	82	10	130	60	northern hardwood	mature	Y	selection	within 0-9 years	1	
comnts Fmd : NE part of stand has patch of aspen. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														
29	A 6	F 1	8	77	9	70	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Wld : Concur with FMFMD.														
30	M 6	M 1	1	77	10	110	60	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA buffer along Boudreau Creek. Same as stand 28 but Boudreau creek separates stands. Wld : SCA - Boudreau Creek Riparian Buffer.														
31	L 0	L 0	10	47	0	0	46	lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA: buffer along Boudreau Creek. Lowland brush. Some pockets of P and Fb starting to fill in the area. Wld : SCA - Boudreau Creek Riparian Buffer.														
32	M 6	F 3	4	78	9	130	60	northern hardwood	old growth (potential or actual)	Y		not scheduled	0	
Treatment Limiting Factors: Potential or designated old growth comnts Fmd : SCA, buffer along Boudreau Creek. Wld : SCA - POG - Next to Bodreau Creek Riparian Buffer.														
33	A 3	F 1	7	4	0	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Treated in 2003, contract 15-99-01. Some yellow birch, spruce and balsam fir were left for diversity.														
34	E 6	E 1	30		8	80	46	swamp hardwoods	unevenaged	N		not scheduled	0	
comnts Fmd : Mixture of everything in this stand. Low wet ground. Mix Hdwd is P and Yb.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 95

Entry Year: 2009

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
35	P 5	F 1	6	22	5	40	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Two aged stand. Combined stands 35 and 36. Deleted stand 36.														
37	M 6	F 2	6		9	90	57	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Light thinning needed. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														
38	M 6	M 1	13	81	8	70	60	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : Treated in 2003, contract 15-99-01. Stand was selectively marked and harvested.														
39	E 6	Q 1	30		8	90	46	swamp hardwoods	unevenaged	N		not scheduled	0	
comnts Fmd : Drainage area.														
40	P 5	F 1	8	77	9	60	50	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Lots of overmature timber. Try to salvage whats left standing. Wld : Concur with FMFMD.														
42	F 4	F 2	8	16	5	20	55	spruce-fir (uplands-including upland black spruce)	immature	N		30-39 years	0	
comnts Fmd : Harvested in 1991 under contract 28-89-01. Stand varies from F4> P4 in spots. Seems to more balsam in stand overall.														
44	F 2	U 0	14	13	2	0	50	spruce-fir (uplands-including upland black spruce)	immature	N		50-59 years	0	
comnts Fmd : Some patches of pure aspen but mostly coming back to balsam fir.														
45	M 8	M 1	17		12	60	55	northern hardwood	mature	N		10-19 years	0	
comnts Fmd : Treated in 1994 under contract 041-92-01. Bigger trees but was cut hard last time.														
46	P 4	F 1	13	13	5	30	50	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : Stand tree in 1994 under contract 004-92-01. Half of stand is U. Heavy brambles. Filling in with Fb and heavy aspen and balm regeneration.														
47	F 2	F 2	10	4	8	60	50	spruce-fir (uplands-including upland black spruce)	immature	N		30-39 years	0	
comnts Fmd : Treated in 2003, contract 15-99-01, Hardwood was marked and balsam fir less than 3 sticks was left. Stand has a lot of fir in understory and overstory was left to insure to regeneration to upland spruce-fir.														
48	M 6	F 1	3		9	100	50	northern hardwood	unevenaged	N		10-19 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
49	P 5	F 1	8	16	5	40	55	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Contains F1 and U inclusions.														
52	M 6	M 1	50		10	100	60	northern hardwood	mature	N	selection	within 0-9 years	1	
comnts Fmd : Stand cut in 1989. Could use another thinning now. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														
53	P 5	F 2	26	16	5	40	55	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Contains significant F1 to F2 and U inclusions.														
54	M 6	F 1	21		10	90	55	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : Stand was thinned in the not too distant past.														
55	E 6	F 2	2		8	100	50	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Upland mixed with floodplain. SCA- buffer along Rapid River.														
56	M 6	F 3	6		8	70	55	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Contains an F6 inclusion in the north part of stand. SCA: hardwood stand along the Rapid River. Mixed sonifer spp. Contains balsam, spruce, hemlock and cedar. Mix hdwd spp. Contains W birch and Y birch.														
Wld : SCA - Rapid River Riparian Buffer.														
57	C 6	Q 2	3	75	7	90	30	cedar	immature	N		not scheduled	0	
comnts Fmd : Patch of cedar within an old clearcut.														
60	M 6	F 3	8		8	120	55	northern hardwood	unevenaged	Y	thinning	within 0-9 years	1	
comnts Fmd : Remove the larger red maple and y. birch. Remove all aspen, and > 2 stick balsam. Leave hemlock inclusions. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														
61	E 6	F 2	13	78	8	100	50	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Upland mixed with floodplain. SCA, buffer along the Rapid River.														
62	Z 0	Z 0	6		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Rapid River.														
63	M 6	F 3	3	75	8	90	57	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : This stand was harvested winter of 2002. Contract 33-013-99-01 Little Red Ridinghood.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 95

Entry Year: 2009

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
64	N 0	N 0	5		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Was forest-flooded by beaver-drained-now is meadow and open water. Succeeding back to forest. Lots of dead standind trees.														
65	P 6	F 2	11	77	8	110	55	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : Remove the overmature P,Wb,Fb, A, R. maple, and Spruce. Leave some patches of timber that include all spp. Patch or patches should be big enough to meet th within stand retention guidelines.														
Wld : Concur with FMFMD. As a reference, use the Within-Stand Retention Guidelines. This document includes targeted retention characteristics that may include; diversity (tree species, vertical, and horizontal), mast trees, cavity trees/standing dead/down wood, retention, and additional considerations.														
66	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
67	E 3	Q 1	2	37	3	0	46	swamp hardwoods	immature	N		40-49 years	0	
comnts Fmd : Young stand of lowland hdwds. Predominately black ash.														
68	X 0	X 0	1		0	0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
69	E 5	Q 1	8	72	7	60	46	swamp hardwoods	immature	N		30-39 years	0	
comnts Fmd : Black ash, cedar drainage. Contains a Q1 component in places.														
70	P 5	F 3	5	37	5	60	50	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Edge of swamp-clearcut approximately 20 years ago. P3 inclusions.														
71	C 6	Q 1	5	92	7	120	30	cedar	immature	N		not scheduled	0	
comnts Fmd : Looks like two age classes. Lots of blowdown. Q inclusions. Red maple and white birch make up the mix hdwd spp.														
72	M 6	M 1	16		10	90	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Opening separates stand 75 and this stand. They were both treated at the same time last time around. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														
73	A 3	F 2	21	5	1	0	55	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : This stand was harvested winter of 2002. Contract 33-013-99-01 Little Red Ridinghood.														
74	M 6	M 1	4	78	9	90	60	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : This stand was harvested winter of 2002. Contract 33-013-99-01 Little Red Ridinghood.														
75	M 6	M 1	28		10	100	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Ancillary stand. Cut in 1992. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
76	Q 3	Q 2	1	45	3	0	40	mixed swamp conifer	immature	N		40-49 years	0	
comnts Fmd : Mostly fir regeneration.														
77	M 5	F 3	6	79	8	60	55	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : Cut in 1989.														
78	Q 6	Q 1	61	97	7	80	30	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Other special wildlife habitat consideration (desc. In comments)														
Cedar or Hemlock cutting restraints														
comnts Fmd : Heavy to cedar, best left for wildlife cover. R. maple and W birch make up the mix hdwd spp.														
79	M 6	M 1	6		10	90	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Contains some pockests of good maple regeneration.														
80	L 0	L 0	1	15	0	0	60	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : SI is estimated. Stand cut in 1992.														
81	M 6	M 1	23		11	80	55	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Cut in 1992. It was cut hard because BA's are still below 100.														
82	E 6	F 2	38		7	100	46	swamp hardwoods	unevenaged	N		10-19 years	0	
comnts Fmd : Drainage area. Mix hdwd is mix of R. maple, W. birch and balm.														
83	M 6	F 3	38		8	90	50	northern hardwood	unevenaged	N		10-19 years	0	
84	M 9	M 1	85		12	90	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
comnts Fmd : Cut in 1992 under contract 16-89-01. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														
85	M 6	F 1	9		10	90	61	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
comnts Fmd : SCA- buffer, Upland hardwood and floodplains on Rapid River.														
Wld : SCA - Rapid River Riparian Buffer.														
86	Z 0	Z 0	6		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Rapid River.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
87	M 6	F 1	7	10	70	61	northern hardwood	old growth (potential or actual)	N			not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA- Buffer; Upland hardwood and flood plains on Rapid River.</p> <p>Wld :</p>														
88	M 6	M 1	1	77	8	80	55	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : Cut recently. Buffer along the Rapid River.</p> <p>Wld : SCA - Rapid River Riparian Buffer.</p>														
89	L 0	L 0	4	0	0	50	lowland brush	old growth (potential or actual)	N			not scheduled	0	
<p>comnts Fmd : All dead standing-beaver flooding meadow. Buffer along the Rapid River.</p> <p>Wld : SCA - Rapid River and Boudreau Creek Riparian Buffer.</p>														
90	A 6	F 3	7	72	8	130	60	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : Access would have to be through private land. SCA, buffer along Rapid River, With leaving the allotted distance from the river for BMP's not enough for sale.</p>														
91	N 0	N 0	7	0	0		marsh	nonstocked	N			not scheduled	0	
<p>comnts Fmd : SCA</p>														
92	M 6	M 1	4	8	110	60	northern hardwood	old growth (potential or actual)	N			not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA- Buffer along the Rapid River. Access would be tough.</p> <p>Wld : SCA - Rapid River Riparian Buffer.</p>														
93	A 4	F 1	4	15	5	30	55	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : treated in 1992, contract 16-89-01.</p>														
94	Z 0	Z 0	4	0	0		water	nonstocked	N			not scheduled	0	
<p>comnts Fmd :</p>														
95	E 5	F 3	35	8	60	46	swamp hardwoods	unevenaged	N			10-19 years	0	
<p>comnts Fmd : Contains F6 and E6 inclusions.</p>														
96	C 6	Q 1	2	97	7	110	30	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : Is an E6 stand in places.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 95

Entry Year: 2009

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
97	M 6	F 2	7	77	9	90	55	northern hardwood	mature	N	selection	within 0-9 years	1	
comnts Fmd : Treat with stand 84. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														
98	Q 6	Q 1	14	97	7	70	30	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Cedar or Hemlock cutting restraints														
comnts Fmd : Stand contains some heavy cedar pockets in places.														
99	C 6	Q 1	28	97	7	120	30	cedar	immature	N		not scheduled	0	
comnts Fmd : some strips were cut at the south part of the stand.														
100	A 3	F 1	4	15	1	0	60	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Treated in 1992 under permit 16-89-01.														
102	C 6	Q 1	27	97	7	120	30	cedar	immature	N		not scheduled	0	
comnts Fmd :														
103	M 6	F 3	12		8	70	50	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : This stand was harvested winter of 2002. Contract 33-013-99-01 Little Red Ridinghood.														
104	E 6	F 1	22		7	70	46	swamp hardwoods	unevenaged	N		not scheduled	0	
comnts Fmd : Mixed E and Q type.														
105	A 3	F 1	15	15	3	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand was treated in 1992, contract # 9-89-01. F inclusions. Significant areas of brambles (u) and L around edges.														
106	M 6	M 1	20	72	10	110	60	northern hardwood	mature	N	selection	within 0-9 years	1	
comnts Fmd : Stand was thinned in 1992 under contract 9-89-01, thin again and treat with stand 107. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.														
107	P 6	F 2	17	82	11	70	55	balsam poplar & swamp aspen and swamp white birch	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : This stand should have been treated last time around. Lost some timber, still have pockets where it good but there are areas where timber is spotty. Wld : Concur with FMFMD. As a reference, use the Within-Stand Retention Guidelines. This document includes targeted retention characteristics that may include; diversity (tree species, vertical, and horizontal), mast trees, cavity trees/standing dead/down wood, retention, and additional considerations.														
108	A 3	F 1	64	15	3	0	55	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 to A0 stand. Significant L, N and U inclusions. Deer browsing preventing regeneration. Do not plant, will reforest naturally.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
109	Q 6	Q 2	20		8	90	40	mixed swamp conifer	unevenaged	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : Stand was put up for harvest but did not sell. Brought in logging contractor to look at it when he was working in the area but he was not interested in it. Sale was cancelled</p>														
110	A 5	F 1	15	15	5	40	55	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Treated in 1992, contract #16-89-01.A5, L,U, and N inclusions.</p>														
111	M 6	M 1	18		10	110	60	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
<p>comnts Fmd : Cut in 1992, under contract 16-89-01. Access could be tough but it was cut at one time so it should be able to be done again. Within stand retention will include: under represented spp., coniferous/deciduous diversity, mast trees, large/super canopy trees and live cavity trees.</p>														
400	G 0	X 0	1			0	65	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Opening constructed October, 1997.</p> <p>Wld : Leave as-is.</p>														
401	G 0	G 0	4			0	65	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Opening constructed in October, 1997. Stand will be mowed.</p> <p>Wld : Leave as-is. Mixed grasses, raspberry, a little bit of birdsfoot trefoil and clover left.</p>														
402	G 0	G 0	4			0	60	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Opening bulldozed and enlarged October, 1997. Stand will be mowed.</p>														
403	G 0	G 0	1			0	60	grass	nonstocked	N		10-19 years	0	
<p>comnts Fmd : Opening enlarged by hand cutting in 1993. Stand will be mowed.</p> <p>Wld : Mixed grasses and forbs. One apple tree. A little bit of bal</p>														
404	G 0	G 0	1			0	60	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Opening enlarged by hand cutting in 1993. Stand will be mowed.</p> <p>Wld : Leave as-is.</p>														
405	G 0	G 0	2			0	60	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Mowed in 1997. Stand will be mowed this treatment period.</p> <p>Wld : Hilly. Birdsfoot trefoil, orange hawkweed, some thistle, st john's wort. Growing with spruce and balsam poplar along perimeter. Leave as-is.</p>														
406	G 0	G 0	8		0	0	65	grass	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Mowed in 1997. Stand will be mowed this treatment period.</p> <p>Wld : Fair amount of birdsfoot trefoil present. Leave as-is.</p>														
407	G 0	G 0	1			0	65	grass	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : Opening enlarged by hand cutting in 1993.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 95

Entry Year: 2009

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
408	G 0	G 0	1		0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997. Stand will be mowed this treatment period.													
Wld : Birdsfoot trefoil, bracken fern, ox-eyed daisies. Leave as-is.													
409	G 0	G 0	1		0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997.													
410	G 0	G 0	2		0	65	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997.													
411	G 0	G 0	3		0	62	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997. Stand will be mowed this treatment period.													
Wld : Raspberry, birdsfoot trefoil, grasses, thistel, ox-eyed daisies.													
412	G 0	G 0	3		0	62	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997. This stand will be mowed this treatment period.													
413	G 0	G 0	3		0	62	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997. Stand will be mowed this treatment period.													
414	G 0	G 0	1		0	62	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997. Stand will be mowed this treatment period.													
415	G 0	G 0	1		0	62	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997. Stand will be mowed this treatment period.													
416	G 0	G 0	1		0	62	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997. This stan will be mowed this treatment period.													
417	G 0	G 0	2		0	62	grass	nonstocked	N		not scheduled	0	
comnts Fmd : Mowed in 1997. Stand will be mowed this treatment period.													
418	G 0	G 0	1		0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Part of county road 432 right of way, cleared portion on corner.													
<b>Total Acres.....</b>			<b>1386</b>										