

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 74

Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	C 6	E 1	22	104	10	120	30	cedar	immature	N		20-29 years	0	
comnts Fmd : Nice cedar, Good quality.														
2	C 6	E 1	5	104	8	110	28	cedar	immature	N		50-59 years	0	
3	C 5	Q 1	3	104	5	60	28	cedar	low quality	N		not scheduled	0	
comnts Fmd : (Q-E) 2 - (Drainage impeded by Limpert Rd.culverts too high)														
4	A 5	E 1	11	23	5	50	60	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Stand was treated in 1985, It's A4>A5 depending on where the plots fall.														
5	A 6	E 1	12	39	8	70	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd :														
6	C 6	P 3	13	110	10	160	40	cedar	immature	N		50-59 years	0	
comnts Fmd : Stand was trated in 1994, (limpert road balm). Regen varies from Mt. Maple, balm and raspberries.														
7	C 6	E 1	52	110	10	130	40	cedar	immature	N		50-59 years	0	
comnts Fmd : Excellent cedar, young ash and tagalder in the understory.														
8	E 6	E 1	6		8	70	46	swamp hardwoods	unevenaged	N		30-39 years	0	
9	C 6	Q 1	16	104	7	80	28	cedar	immature	N		not scheduled	0	
comnts Fmd : smaller diameter cedar with other species mixed in. Strips have been cut on the west end.														
10	E 4	F 2	2	39	4	30	46	swamp hardwoods	immature	N		50-59 years	0	
comnts Fmd : Strips that were cut in 1969. Balsam fir and spruce in understory.														
11	C 6	L 0	13	104	8	80	28	cedar	immature	N		20-29 years	0	
comnts Fmd : West side of south 40. Come in from M-35.														
12	A 4	F 3	5	39	8	30	55	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Should be treated next time around.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
13	A5	F3	5	39	10	60	55	spruce-fir (uplands-including upland black spruce)	sparse	N	improvement	within 0-9 years	2	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Adjacent landowner denies access</p> <p>comnts Fmd : In some places aspen is heavy and there is good balsam fir regen in the understory. It would be nice to harvest the mature aspen but there is not much volume.</p> <p>Wld : Concur with FMFMD.</p>														
14	M6	M1	8	94	9	70	55	northern hardwood	low quality	N		10-19 years	0	
<p>comnts Fmd : Sugar maple is poor quality. Ash is nice. Porcupine damage is occurring throughout the stand.</p>														
15	A6	F3	45	37	9	70	60	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : BALSAM RESIDUAL HAS BEEN CUT UNDER PERMIT 003-92-1. Aspen and Balm should be ready to be cut next time around.</p>														
16	P3	F1	60	15	3	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
<p>comnts Fmd : Cut under permit 33-37-90-01 (Borderline sale). Stand is a P2>>P3 in places, F2>>>F3 in other areas, some areas did not come back at all.</p>														
17	M5	M1	2	33	8	50	55	northern hardwood	immature	N		10-19 years	0	
<p>comnts Fmd : East side has more red maple than west. Heavier to ash, cedar as you go west. Stand was harvested in the 70's.</p>														
18	C6	E1	8	114	10	110	40	cedar	immature	N		not scheduled	0	
<hr/>														
19	L0	L0	29	104	0	0	28	lowland brush	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA- Belt of mature cedar/hemlock wildlife habitat that continues in compartment 75 to the north.</p>														
20	Q4	L0	51	104	5	40	26	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : SCA- Belt of mature cedar/hemlock wildlife habitat that continues in compartment 75 to the north.</p>														
21	P3	E1	6	14	2	0	55	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
<p>comnts Fmd :</p>														
22	Q5	X0	13	42	6	60	32	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA- Belt of maute cedar/hemlock wildlife habitat that continues in compartment 75 to the north. Strip cut area, Some strips cut in 1966 others in 1977. East finger of stand was supposedly set aside as a cedar research area, The area was treated with an American Ranger, limed and exclosures were put in. Did not see evidence of this. It would be worthwhile to look this area over when there is no snow.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 74

Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
23	Z 0	Z 0	3		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver flooding.														
24	P 4	E 1	21	18	5	40	55	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
comnts Fmd : Stand was harvested in 1990 (Pikes Peak Sale). Low ground in places, high in others, could be called an "A".														
25	P 3	P 1	21	8	10	80	48	balsam poplar & swamp aspen and swamp white birch	two aged	N		50-59 years	0	
comnts Fmd : Some balm regeneration is heavy in some areas, otherwise it's scattered. Raspberries and mt. Maple came in heavy in some places. Residual cedar throughout stand.														
Wld : Scarification will be conducted with wildlife funding.														
26	C 6	E 1	70	120	7	100	27	cedar	immature	N		50-59 years	0	
comnts Fmd : STRIP CUT														
27	H 6	M 2	17	118	10	150	46	hemlock	two aged	N		20-29 years	0	
comnts Fmd : Predominately hemlock, has area's of hardwood in patches. Stand has been harvested in. Clumps of M3 is spots.														
Wld : Create an opening in the southeast corner of this stand. About 2 acres of openings will be created in old log landings, roads, or where regeneration is sparce.														
28	E 6	F 1	3	23	5	70	50	swamp hardwoods	immature	N		20-29 years	0	
29	M 5	M 1	4	38	5	60	50	northern hardwood	immature	N		30-39 years	0	
Treatment Limiting Factors:														
Other Dept./Div. procedures or practices (describe in comment)														
comnts Fmd : This stand was harvested during the winter of 2002-2003 under contract number 33-013-00-01 (Wacky Wednesday). Some scattered pine. Should be looked at next decade.														
30	H 6	W 1	12	109	9	110	48	hemlock	mature	N		10-19 years	0	
comnts Fmd : Stand was treated under contract 33-13-00-01(Wacky Wednesday).														
31	H 6	W 2	7	109	9	110	48	hemlock	in process of regeneration	N		10-19 years	0	
comnts Fmd :														
32	M 5	F 2	16	29	4	50	55	northern hardwood	immature	N		30-39 years	0	
comnts Fmd : Stand was harvested in 1979. It has come back to A1, P1, E1, M1, depending on where you take yor point. Good regen of all species. White birch is scattered throughout.														
33	C 5	E 1	35	117	8	50	40	cedar	mature	N		not scheduled	0	
comnts Fmd : This stand was harvested during the winter of 2002-2003 under contract number 33-013-00-01 (Wacky Wednesday). Should be checked next inventory. Long range management objective is lowland hardwoods.														
34	A 4	E 1	8	26	5	40	60	aspen (upland)	immature	N		30-39 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
35	A5	L0	2	71	10	50	55	aspen (upland)	low quality	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Inadequate volume due to small acreage</p> <p>comnts Fmd : Access is limited, may not be able to get to this stand. Stand was left when sale was cu to the north, Aspen is way overmature. Approximately 3 ac area. Not worth trying to get someone in here to harvest. Let nature take its course.</p>														
36	Q5	L0	12	104	6	50	28	mixed swamp conifer	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Scattered C,T,S. mostly lowland brush made up of tagalder and Holly.</p>														
37	F6	F1	13	83	8	110	50	spruce-fir (uplands-including upland black spruce)	mature	Y	shelterwood-seed	within 0-9 years	3	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Access is limited, may not be able to get to this stand. Most of the Aspen has been lost Spruce/ fir type is ready for harvest.</p> <p>Wld : Do not cut cedar. Concur with FMFMD.</p>														
38	E6	L0	3	73	8	140	48	swamp hardwoods	mature	N		10-19 years	0	
<p>comnts Fmd :</p>														
39	L0	L0	33	73	0	0	46	lowland brush	nonstocked	N		not scheduled	0	
40	C6	E1	22	109	8	180	28	cedar	immature	N		10-19 years	0	
41	C6	L0	61	109	7	120	28	cedar	immature	N		not scheduled	0	
42	R8	F2	4	104	12	70	55	red pine	two aged	Y	shelterwood-seed	within 0-9 years	3	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Ridge of pine. Access is difficult. Retain cedar if found within stand.</p> <p>Wld : Do not cut cedar. Concur with FMFMD.</p>														
43	M6	F2	14	73	11	80	55	northern hardwood	two aged	N		10-19 years	0	
<p>comnts Fmd :</p>														
44	E5	F1	27	69	8	60	50	swamp hardwoods	immature	N		10-19 years	0	
<p>comnts Fmd : "E" is mostly black ash with some green ash. "M" is red maple and yellow birch. Small creek from Deer Pond runs through the stand.</p>														
45	A4	F2	16	23	4	40	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Harvested in 1982. Stand has regenerated to a mix of A,M,P, F. More A&P than M.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 74

Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
46	H 6	X 0	35	108	10	120	46	hemlock	mature	N		10-19 years	0	
47	C 6	F 1	17	104	7	110	28	cedar	immature	N		not scheduled	0	
48	M 6	F 1	6		9	150	55	northern hardwood	unevenaged	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage comnts Fmd : Could be treated now or leave until there is more timber in the area to harvest.</p>														
49	E 6	E 1	10	73	7	100	46	swamp hardwoods	mature	N		not scheduled	0	
50	H 6	F 1	4	0	10	120	50	hemlock	immature	N		10-19 years	0	
51	F 5	F 1	4	38	6	50	50	spruce-fir (uplands-including upland black spruce)	immature	N		20-29 years	0	
52	N 0	N 0	4		0	0		marsh	nonstocked	N		not scheduled	0	
53	Z 0	Z 0	3		0	0		water	nonstocked	N		not scheduled	0	
54	A 4	W 3	10	19	6	40	55	aspen (upland)	immature	N		40-49 years	0	
55	A 5	F 1	33	19	5	40	60	aspen (upland)	immature	N		30-39 years	0	
56	A 3	F 1	27	6	1	0	60	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : This stand was harvested under contract number 33-008-00-01 (Deer Pond Sale). South half was cut during the spring of 2001 and the north half was cut during the spring of 2003. Wld : Create about 2 acres of openings following the timber harvest. Openings will be created on the log landings or roads.</p>														
57	Q 5	L 0	16	115	7	70	40	mixed swamp conifer	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Too wet Cedar or Hemlock cutting restraints</p>														
58	W 8	W 1	29	14	14	70	50	white pine	in process of regeneration	N		20-29 years	0	
<p>comnts Fmd : Stand was harvested in 1994 under contract 33-19-91-01 (Deer Pond sale) Some white pine regen.</p>														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 74

Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
59	C 6	E 2	31	104	7	120	28	cedar	immature	N		not scheduled	0	
60	C 6	F 1	55	104	8	140	38	cedar	immature	N		10-19 years	0	
comnts Fmd : Hemlock patches in the North and South portions of this stand. Heavy to cedar. Balm is declining.														
61	C 6	F 1	23	104	9	100	30	cedar	immature	N		not scheduled	0	
62	P 5	F 3	5	28	5	40	55	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd :														
63	C 6	X 0	4	114	11	180	41	cedar	immature	N		10-19 years	0	
64	M 5	F 1	1		9	60	50	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : West of strips. Timber is two aged. It appears that it has been cut at some time.														
65	M 6	F 1	2	68	8	80	55	northern hardwood	mature	N		10-19 years	0	
comnts Fmd : Treat with stand 15.														
66	E 6	E 1	10	63	9	100	50	swamp hardwoods	mature	N		10-19 years	0	
comnts Fmd : treat with stand 15.														
67	Z 0	Z 0	4		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Old beaver flooding.														
72	P 4	F 2	1	39	8	30	55	balsam poplar & swamp aspen and swamp white birch	immature	N		10-19 years	0	
comnts Fmd : Treat when stand 13 is treated.														
89	L 0	L 0	7	110	0	0	18	lowland brush	sparse	N		not scheduled	0	
95	P 6	F 3	29	28	7	80	55	balsam poplar & swamp aspen and swamp white birch	immature	N		20-29 years	0	
comnts Fmd : Some of the strips contain more "E" , but for the most part they are a P4>>>P5.														
113	S 2	Q 1	4	4	0	20	40	mixed swamp conifer	immature	N		not scheduled	0	
comnts Fmd : This stand was harvested during the spring of 2003 under contract number 33-008-00-01 (Deer Pond Sale). Pine and spruce seed trees were left.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 74

Entry Year: 2010

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
114	P 2	F 1	9	13	1	50	50	cedar	in process of regeneration	N		40-49 years	0	
comnts Fmd : Stand is regenerating to P,F,M. There are some areas that have only cattails also.														
115	R 8	F 2	1	5	14	40	55	red pine	in process of regeneration	N		20-29 years	0	
comnts Fmd : CUT WITH ADJ ST IN MEN CO														
117	C 6	E 1	2	118	7	130	30	cedar	immature	N		not scheduled	0	
118	N 0	N 0	3			0	46	marsh	nonstocked	N		not scheduled	0	
119	F 5	F 3	4	39	6	50	55	spruce-fir (uplands-including upland black spruce)	immature	N		10-19 years	0	
120	C 6	E 1	9	109	7	130	30	cedar	immature	N		not scheduled	0	
comnts Fmd : This stand was created due to a timber sale. Inventory called for this stand to be harvested as part of stand 33 but this was mostly cedar so it was not included in the sale.														
402	G 0	G 0	5			0	65	grass	nonstocked	N		not scheduled	0	
Wld :														
403	G 0	G 0	2			0	65	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : GIS approximately 1.7 acres. As a cooperative project with a local sportsmen club, this opening will be planted into a wildlife mix if funds and personnel are available.														
404	G 0	G 0	1			0	60	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : GIS approximately 1.2 acres. As a cooperative project with a local sportsmen club, this opening will be planted into a wildlife mix if funds and personnel are available.														
405	G 0	G 0	3			0	65	grass	nonstocked	N		not scheduled	0	
Wld : This stand should be changed to an L-type. West 0.6 acres is dry with one juniper. Rest of opening is wet with some patches of phragmites and balsam poplar growing in.														
415	G 0	G 0	1			0	70	grass	nonstocked	N		not scheduled	0	
comnts Fmd :														
Wld :														
455	G 0	G 0	1			0	70	grass	nonstocked	N		within 0-9 years	0	opening maintenance
Wld : GIS approximately 1.0 acres. As a cooperative project with a local sportsmen club, this opening will be planted into a wildlife mix if funds and personnel are available.														

Total Acres..... 1226