

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	M9	F1	28		11	100	52	northern hardwood	unevenaged	N	selection	within 0-9 years	2	natural regeneration
comnts Fmd : General Comments: This stand contains M,C,H, Yellow Birch, and some other minor species. The H is heavy in some pockets. The BA is less than stand 39 but both were cut under the shinglebolt block sale. Lots of blowdown. Treatment: Selection harvest. Harvest down to the 70 BA mark and harvest around the heavier H inclusions leaving all species within these inclusions. Create regeneration openings where possible. Meet with wildlife division at some point to ensure hemlock marking is in appropriate amounts. The Long term MO is to improve the quality of the existing stand. Retention will be both 3-10% acreage and BA within the inclusion areas.														
2	A3	A3	53	15	2	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : PART OF SHINGLEBOLT BLOCK SALVAGE WINDTHROW														
3	C6	Q1	47	124	8	110	24	cedar	immature	N		not scheduled	0	
5	C9	Q1	87	111	11	160	30	cedar	mature	N		not scheduled	0	
Treatment Limiting Factors: Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints														
comnts Fmd : General Comments: This stand is a combination of stands; 10,11,8,9, and 5. There is some Hemlock pockets on the finger to the west of stand 7.														
6	P3	P3	10	16	2	0	65	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd : General Comments: This stand is a mix of A&P with some big tooth. (Previous OI Comments): PART OF SHINGLEBOLT BLOCK UPLAND P3 -CLUMPY 2-AGED STREAKS OF(C-H6)														
7	M9	M1	18	91	10	110	57	northern hardwood	mature	N	thinning	within 0-9 years	1	
comnts Fmd : General Comments: This stand is a mix of maple and basswood. There is a significant amount of both on the ground. The blowdown could be salvaged for firewood. This stand was cut under the Deer Creek Block sale. Treatment: Thinning harvest down to the 70 BA focusing on adding quality to the existing stand. Salvage the downed material. The long term MO is to manage for single tree selection uneven aged condition. The retention will be 3-10% BA leaving possible wildlife trees and minor component species.														
12	E9	F2	18	131	10	160	50	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
Treatment Limiting Factors: Potential or designated old growth Potential or designated old growth Potential or designated old growth														
comnts Fmd : General Comments: This stand consists of black ash, green ash, cedar, hemlock, spruce, white pine, balsam fir. SCA Comments: Riparian area corridor for the Deer Creek.														
13	C6	Q1	55	131	9	170	32	cedar	old growth (potential or actual)	N		not scheduled	0	
Treatment Limiting Factors: Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints Potential or designated old growth														
comnts Fmd : General Comments: Combined stands 13 and 28. SCA Comments: The Deer Creek Riparian area corridor.														
14	C6	Q1	43	131	9	190	30	cedar	immature	N		not scheduled	0	
Treatment Limiting Factors: Potential or designated old growth Cedar or Hemlock cutting restraints														
comnts Fmd : General comments: This stand was removed from SCA status.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	Tot. BA								
15	M9	F1	4	99	12	70	55	northern hardwood	immature	N		20-29 years	0	
comnts Fmd : General Comments: Small hardwood stand along the private property. This stand was removed from SCA status.														
16	C9	Q1	31	131	12	130	40	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth Cedar or Hemlock cutting restraints														
comnts Fmd : General Comments: This stand is a combination of stands 16,72,96. All stands were removed from SCA status. This stand is cut with some aspen regeneration and spruce/fir. F/Q regeneration with raspberries.														
17	C6	Q1	110	121	9	140	23	cedar	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints														
comnts Fmd : General Comments: This stand is 24 and 17 combined.														
18	T4	Q1	8		6	30	36	tamarack	immature	N		30-39 years	0	
19	A6	A2	54	27	5	80	74	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : General Comments: Combined stands 76,19,26,34,115,67, and 408.														
20	C5	Q2	20	99	7	60	33	cedar	immature	N		50-59 years	0	
22	H9	F1	5	121	14	130	50	hemlock	immature	N		not scheduled	0	
23	M6	M2	2	99	9	70	58	northern hardwood	immature	N		10-19 years	0	
comnts Fmd : PART OF SHINGLEBOLT BLOCK														
25	A2	A2	10	19	4	0	60	aspen (upland)	immature	N		40-49 years	0	
27	A3	A3	33	14	3	0	74	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : NW CORNER UPLAND. CEDAR BLOWDOWN.														
30	H6	X0	9	131	9	190	40	hemlock	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints Potential or designated old growth														
comnts Fmd : General Comments: Hemlock stand with a few other minor component species. This stand was added to the SCA status. SCA comments: Deer creek riparian area corridor.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
31	E 6	F 2	8	89	9	80	60	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Delayed treatment for age/size class diversity</p> <p>comnts Fmd : General Comments: This stand has an overstory of M/E with some spruce, hemlock, and birch. The understory consists of spruce/fir. SCA Comments: Deer Creek Riparian Area Corridor.</p>														
33	A 5	F 2	63	27	6	50	70	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : General Comments: Some poor quality regenerating areas. This stand is comprised of an A4/5 stand with several areas A1,2/F1,2 pockets. There is a Hemlock inclusion within this stand.</p>														
36	H 6	X 0	56	157	10	170	36	hemlock	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Potential or designated old growth Potential or designated old growth</p> <p>comnts Fmd : General Comments: This stand is a high density hemlock stand. Patc of hardwood within this stand. SCA Comments: Deer Creek Riparian Area corridor.</p>														
38	A 3	A 3	19	5	1	0	47	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd :</p>														
39	M 9	F 1	39	99	12	120	58	northern hardwood	mature	Y	selection	within 0-9 years	2	natural regeneration
<p>comnts Fmd : General Comments: This stand is part of the Shinglebolt block. The stand is large diameters with a fair amount of blowdown. Higher BA's of hemlock in locations throughout the stand. There is C,H,M,Basswood,YB. There is a significant amount of raspberries in this stand. Treatment: Selection harvest. Mark around the high BA hemlock pockets. Harvest the stand to the 70-80 BA throughout all species excluding the H/C inclusions. Create regeneration openings where feasible. Meet with wildlife division at some point to discuss wether the hemlock is marked in appropriate amounts. Long term MO is to improve the existing stand quality of the hardwoods and enhance regeneration of F/M types. Retention will be leaving the H inclusions with other species in these inclusions at 3-10% acreage and 3-10% BA.</p>														
40	Q 2	Q 2	1	5	1	0	38	mixed swamp conifer	immature	N		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
41	Q 3	Q 2	10	5	2	0	37	mixed swamp conifer	immature	N		60-69 years	0	
<p>comnts Fmd : General Comments: Combined stands 81 and 42.</p>														
42	P 6	F 2	25	39	6	70	65	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
<p>comnts Fmd : General Comments: Combined stands 81 and 42.</p>														
43	E 4	L 0	12	112	8	40	36	swamp hardwoods	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Potential or designated old growth Potential or designated old growth</p> <p>comnts Fmd : PART OF SHINGLEBOLT BLOCK</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B								
44	A 2	A 2	32	5	2	0	55	aspen (upland)	immature	N		50-59 years	0	
45	N 0	N 0	74		0	0		marsh	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : General Comments: GREAT BLUE HERON ROOKERY SCA Comments: Deer Creek Riparian area Corridor.</p>														
46	M 6	F 1	2	99	9	100	58	northern hardwood	immature	N		10-19 years	0	
<p>comnts Fmd : PART OF SHINGLEBOLT BLOCK</p>														
47	Z 0	Z 0	1			0		water	nonstocked	N		not scheduled	0	
48	M 9	M 1	11		12	100	60	northern hardwood	unevenaged	N		10-19 years	0	
50	H 6	F 1	19	131	9	90	36	hemlock	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Potential or designated old growth Potential or designated old growth</p> <p>comnts Fmd : General Comments: Mix of F/Q/X understory. SCA Comments: Deer Creek Riparian Area Corridor.</p>														
51	C 9	Q 1	85	136	11	160	40	cedar	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : General Comments: This is a large diameter cedar stand with a mix of A,P,Birch, Spruce/Fir within the stand. This is a higher site than the surrounding low areas of cedar.</p>														
52	C 6	Q 1	35	136	8	120	22	cedar	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
53	S 6	S 1	19	94	8	110	38	black spruce-swamp	mature	Y	seed tree	within 0-9 years	2	natural regeneration
<p><u>Treatment Limiting Factors:</u> Delayed treatment for age/size class diversity Adjacent landowner denies access Too wet</p> <p>comnts Fmd : General Comments: The majority of this stand is comprised of black spruce with white pine, Tamarack, Birch recorded here as well. Treatment: Seed tree harvest leaving enough seed trees of any species throughout the stand for seed dispersal. Leave good quality seed trees. This harvest will be limited by access through private. Look to secure access prior to setting up the sale. Retention is > 3% retention of BA of seed trees left. Long term MO of Black spruce.</p>														
54	C 6	Q 1	64	136	7	120	22	cedar	low quality	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
55	F 6	F 2	9	64	10	150	50	spruce-fir (uplands-including upland black spruce)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : General Comments: This stand is a mix of A,P,Spruce, Fir, H. SCA Comments: Deer Creek Riparian Area Corridor.</p>														
56	Q 2	Q 2	1	5	2	0	35	mixed swamp conifer	immature	N		50-59 years	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
57	Q 2	Q 2	2	5	2	0	37	mixed swamp conifer	immature	N		50-59 years	0	
58	C 6	Q 1	4	55	9	150	45	cedar	immature	N		not scheduled	0	
59	C 6	Q 1	56	121	9	130	32	cedar	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : General Comments: Combined with stand 61.</p>														
60	Q 4	Q 1	9	121	7	40	20	mixed swamp conifer	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints Inadequate volume due to low stocking/small diameter/etc. Cedar or Hemlock cutting restraints</p>														
62	A 3	A 3	15	3	1	0	67	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : stand cut under contract (035-01-01) Fox Block 02/2006 Scattered residual cedar remains.</p>														
63	A 6	A 3	21	31	5	80	70	aspen (upland)	immature	N		50-59 years	0	
64	H 6	X 0	8	134	10	140	40	hemlock	immature	N		not scheduled	0	
<p>comnts Fmd : stand cut under contract (035-01-01) Fox Block (02/2006) stand coded as a Q6 before timber sale</p>														
65	C 6	Q 1	10	116	7	100	18	cedar	low quality	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
66	A 4	F 1	2	29	4	40	70	aspen (upland)	immature	N		20-29 years	0	

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 38

Entry Year: 2011

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
68	C 5	E 2	8	96	7	40	32	cedar	low quality	N		not scheduled	0	
69	C 6	Q 2	27	127	8	100	17	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
Cedar or Hemlock cutting restraints														
70	C 6	Q 1	14	129	10	130	28	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
Cedar or Hemlock cutting restraints														
71	H 6	Q 1	9	131	10	100	45	hemlock	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
Potential or designated old growth														
Potential or designated old growth														
Cedar or Hemlock cutting restraints														
Cedar or Hemlock cutting restraints														
comnts Fmd : General Comments: This stand is a mix of A,B,C,F and Hemlock areas. M-35 and Lake Michigan shoreline. SCA Comments: Lake Michigan riparian area corridor.														
73	N 0	N 0	4			0		marsh	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
Potential or designated old growth														
Potential or designated old growth														
comnts Fmd : SCA Comments: Deer creek riparian area corridor.														
74	E 3	E 3	6	30	4	0	60	swamp hardwoods	immature	N		30-39 years	0	
comnts Fmd : General Comments: This stand is a mix of E,M,P with some larger diameter spruce, B.F, and P. Tag alder and low wet site.														
75	C 9	Q 1	3	131	16	150	40	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
Cedar or Hemlock cutting restraints														
76	P 2	F 1	6	9	2	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
Cedar or Hemlock cutting restraints														
77	H 6	F 1	10	131	10	190	40	hemlock	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
Cedar or Hemlock cutting restraints														
Potential or designated old growth														
comnts Fmd : SCA Comments: This stand is added to SCA. Deer Creek Riparian Corridor.														

ESCANABA FOREST MGT UNIT

Stand Level Information

Compartment: 38

Entry Year: 2011

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
78	A 6	A 3	6	27	6	120	65	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd :														
79	C 6	Q 3	31	99	9	110	38	cedar	immature	N		40-49 years	0	
comnts Fmd : General Comments: This stand is a stand that was strip cut with Q3 strips regenerating with a mix of SP/F/P/ash/ and a C6 overstory with the uncut strips. Combination of stands 85,86,87,88,89,90,103,110,111,112,114,107,108,109.														
81	P 2	F 1	1	9	2	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		50-59 years	0	
comnts Fmd : Mix of P and A. This stand was a grass opening.														
82	X 0	X 0	8			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : M-35														
83	X 0	X 0	8			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : M-35														
84	Z 0	Z 0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd :														
91	P 2	F 2	6	14	3	0	65	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
comnts Fmd :														
92	H 6	X 0	2	129	9	110	45	hemlock	immature	N		not scheduled	0	
Treatment Limiting Factors: Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints														
93	A 3	A 3	2	13	3	0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : General Comments: This stand was removed from SCA status.														
94	C 6	Q 1	2	129	10	100	30	cedar	old growth (potential or actual)	N		not scheduled	0	
Treatment Limiting Factors: Potential or designated old growth Potential or designated old growth Potential or designated old growth														
comnts Fmd : General Comments: This stand is along M-35 and Lake Michigan. SCA Comments: Lake Michigan riparian area corridor.														

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
95	C4	Q1	5	131	8	40	30	cedar	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Potential or designated old growth Potential or designated old growth</p> <p>comnts Fmd : General Comments: Some cedar with other minor componet species. SCA Comments: Lake Michigan shoreline riparian area corridor.</p>														
96	E4	L0	4	99	6	20	39	swamp hardwoods	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth Inferior quality</p> <p>comnts Fmd :</p>														
97	C6	Q3	37	131	9	120	30	cedar	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : General Comments: This stand is a series of strip cuts with the uncut strips a C6 and the cut strips a Q3. This is stands : 102,104,105,106, and 21.</p>														
101	C6	Q1	2	131	10	140	38	cedar	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
113	P2	Q1	10	34	2	0	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
<p>comnts Fmd : General Comments: This stand was originally a smaller strip cut. A few residual cedars and some areas within the stand that is P4 or P5. Lower site than stand 33. Spruce/F, P and some cedar.</p>														
117	P6	F2	33	27	7	70	70	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	
<p>comnts Fmd : General Comments: No planting scheduled for this stand. There is decent regeneration within this stand. The north end of the original stand 117 is lumped into stand 33. (Previous OI Comments): MO= P-F. INTERPLANT WHITE SPRUCE IN OPEN AND SEMI-OPEN AREAS. USE RED PINE IN HIGHER AREAS. MAY NEED HERBICIDE IN SEMI-OPEN OR BRUSHY AREAS. Try to trench rather than use herbicides due to wildlife division concerns regarding use of chemicals. Avoid planting in row. Estimate that only 20% of stand will be planted.</p>														
118	F2	F2	13	27	3	0	70	spruce-fir (uplands-including upland black spruce)	immature	N		30-39 years	0	
<p>comnts Fmd : General Comments: This stand is a mix of F2/P2/A1.</p>														
124	C6	Q1	13	111	9	110	45	cedar	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : NORTH EDGE OF STAND MAY BE CUT WITH ADJ STAND 123.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D	B Tot. BA								
125	Q6	Q1	6	121	9	70	26	mixed swamp conifer	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Inadequate volume due to low stocking/small diameter/etc. Inadequate volume due to low stocking/small diameter/etc. Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
comnts Fmd : General Comments: There are pockets of Q2/E2 within this stand.														
126	E6	Q1	7		10	120	55	swamp hardwoods	unevenaged	N		10-19 years	0	
comnts Fmd : General Comments: Access is difficult. There is not much F understory to regenerate here. Look at the next treatment period. Mix of E/Q/L understory.														
127	C6	Q1	9	121	9	160	32	cedar	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
128	Q4	Q1	6	121	5	40	15	mixed swamp conifer	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p>														
129	A2	F2	6	7	3	0	60	aspen (upland)	immature	N		50-59 years	0	
130	C6	Q2	5	141	7	120	26	cedar	immature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
131	A3	A3	4	14	3	0	50	aspen (upland)	immature	N		30-39 years	0	
132	C6	Q1	9	121	9	140	27	cedar	mature	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints</p>														
133	Q6	Q1	12	121	8	80	33	mixed swamp conifer	mature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Cedar or Hemlock cutting restraints Inadequate volume due to low stocking/small diameter/etc.</p>														
comnts Fmd : General Comments: Places of poor quality and L type. Cedar cutting restraints. DID NOT GET A THOROUGH LOOK AT THIS ONE. MAY MERGE INTO ADJ ST TO NORTH. MAY BE CUT WITH ADJ ST. TO BE DETERMINED BY SALE PREPARER.														
134	C9	Q1	11	131	11	110	40	cedar	immature	N		not scheduled	0	
135	P6	F1	7	30	6	100	60	balsam poplar & swamp aspen and swamp white birch	immature	N		30-39 years	0	

comnts Fmd : General Comments: This stand is a mix of A&P. A scattering of Rpine,spruce,cedar in the overstory.

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
137	A3	F 2	21	14	3	0	60	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : General Comments: This stand is a mix of A&P with a mix of spruce/fir. SCA comments: This stand was removed from SCA status.														
138	M6	F 1	39		10	110	65	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
Potential or designated old growth														
Potential or designated old growth														
comnts Fmd : General Comments: This stand has Hemlock,W.B,Rmaple,and yellow birch with an F understory. Lots of blowdown. SCA Comments: Deer Creek Riparian area Corridor.														
139	C6	Q 1	10	136	9	170	30	cedar	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
Cedar or Hemlock cutting restraints														
comnts Fmd :														
140	E5	F 2	10	63	7	50	51	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
Potential or designated old growth														
Potential or designated old growth														
comnts Fmd : General Comments: Black Ash,Spruce/Fir SCA Comments: Deer creek Riparian corridor.														
141	E5	F 1	4	63	8	40	51	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Potential or designated old growth														
Potential or designated old growth														
comnts Fmd : General Comments: I did not walk to this stand. This stand was out of the way and not of concern for management at this time. SCA Comments: Deer Creek riparian area Corridor.														
142	H9	Q 1	4	131	12	150	50	hemlock	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Cedar or Hemlock cutting restraints														
Cedar or Hemlock cutting restraints														
144	A4	F 2	2	29	4	40	70	aspen (upland)	immature	N		20-29 years	0	
145	A4	F 2	3	29	4	40	70	aspen (upland)	immature	N		20-29 years	0	
405	G0	G 0	1			0		grass	nonstocked	N		not scheduled	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
406	G 0	G 0	2			0		grass	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA Comments: Lake Michigan Riparian Area Corridor.</p>														
410	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
411	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	

Total Acres..... 1809