

GAYLORD FOREST MGT UNIT

Stand Level Information

Compartment: 155 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	R3	U2	30	3	0	0	58	red pine	immature	N		within 0-9 years	0	release
comnts Fmd : STAND WAS CLEAR CUT IN 1999. AERIAL HERBICIDE APPLICATION IN AUGUST 2002. HAND PLANTED TO RED PINE SPRING 2003. ANOTHER HERBICIDE APPLICATION WILL POSSIBLY BE NECESSARY IN THE NEXT 2 OR 3 YEARS TO HELP RELEASE RED PINE SEEDLINGS. SEEDLINGS 1-2 FEET HIGH.														
2	R9	M3	77	68	16	90	69	red pine	mature	N		10-19 years	0	
comnts Fmd : LARGE, MATURE RED PINE SAWTIMBER AND UTILITY POLES, LYING BETWEEN WOLVERINE RD. AND MENTOR RD. READY FOR HARVEST, ADACENT TO WELL-TRAVELED COUNTY ROAD, AETHETICS MAJOR CONSIDERATION. STAND TO EAST WAS CLEARCUT IN 1999 AND HAS 1 -2 FEET SEEDLINGS PLANTED. HOLD THIS STAND 10 YEARS BEFORE HARVEST. THIS STAND ALSO MIGHT BE A GOOD ONE TO LEAVE, AT LEAST SOME BASAL AREA IN LARGE PINES BECAUSE OF VISIBILITY.														
3	A4	N2	1	35	4	30	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : SMALL, SPARSE STAND OF ASPEN WITH SCATTERED SMALL W.P. AND J.P. ON LOWER GROUND THAN ADJACENT RED PINE STAND. THIS STAND IS LOCATED IMMEDIATELY ADJACENT TO MENTOR ROAD AND HAS NO COMMERCIAL TIMBER VOLUME PRESENTLY.														
4	T6	L2	2	85	6	80	37	tamarack	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
Inadequate volume due to small acreage														
Scenic values/visual values														
comnts Fmd : SMALL STAND OF TAMARACK OVER LOWLAND SHRUBS ON LOWER, POORLY DRAINED GROUND. ADJACNET TO MENTOR RD. LIMITING FACTORS PRESENT.														
5	X0	X0	6			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : WOLVERINE RD.														
6	M6	M3	196		8	90	67	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : NORTHERN HARDWOOD POLETIMBER STAND ON EAST-FACING SLOPE. MANY MULTIPLE STEMS FROM STUMP SPROUTS. MOSTLY SMALLER DIAMETERS, LOWER B.A. RE-EXAMINE IN 10 YEARS.														
7	R3	U2	37	3	0	0	69	red pine	immature	N		within 0-9 years	0	release
comnts Fmd : STAND WAS CLEAR CUT IN 1999. AERIAL HERBICIDE APPLICATION IN AUGUST 2002. HAND PLANTED TO RED PINE SPRING 2003. WILL ALSO NEED A SECOND HERBICIDE APPLICATION IN A FEW YEARS TO HELP RELEASE RED PINE SEEDLINGS.														
8	R9	M2	210	72	15	80	66	red pine	mature	N		10-19 years	0	
comnts Fmd : COMMERCIALY MATURE RED PINE STAND. PORTIONS OF THIS STAND HAVE BEEN FINAL HARVESTED IN THE LAST 8 YEARS. THIS STAND WILL REMAIN THE UNHARVESTED PORTION.														
9	M2	U1	40	7	0	0	69	red pine	immature	N		within 0-9 years	0	planting
comnts Fmd : STAND WAS CLEARCUT IN 1999. PRESCRIBED BURN SPRING 2003. WAS TRENCHED IN FALL OF 2005. FTP CALLS HAND PLANTING RED PINE SEEDLINGS IN SPRING 2006. AN AERIAL APPLICATION OF HERBICIDE WILL PROBABLY BE NECESSARY IN A COUPLE YEARS TO RELEASE SEEDLINGS FROM COMPETING VEGETATION.														
10	D1	D1	1		0	0		treed bog	sparse	N		not scheduled	0	
comnts Fmd : SMALL TREED BOG. A FEW BLACK SPRUCE AND TAMARACK CLUMPED TOGETHER.														

GAYLORD FOREST MGT UNIT

Stand Level Information

Compartment: 155 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
11	M3	M3	8	18	0	0	69	red pine	immature	N		within 0-9 years	0	planting
comnts Fmd : STAND IS ONE OF FIVE RED PINE CLEARCUT STRIPS FROM 1988. DENSE, YOUNG HARDWOOD REGEN PRESENT. AFTER ADJACENT RED PINE STRIPS ARE HARVESTED IN 2013, TRENCH AND RE-PLANT THESE STRIPS BACK TO RED PINE ALSO.														
12	R9	M3	26	72	15	120	73	red pine	mature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : MATURE RED PINE SAWTIMBER STAND. INCLUDES 4 STRIPS OF MATURE R.P. ALSO. CLEARCUT THIS STAND IN THE 2013 Y.O.E. CHIP TOPS TO REDUCE SLASH. TRENCH AND RE-PLANT RED PINE SEEDLINGS AFTER HARVEST. AERIAL HERBICIDE IN A COUPLE YEARS TO REDUCE COMPETITION ON NEW RED PINE SEEDLINGS.														
13	R9	M3	17	72	14	190	71	northern hardwood	mature	Y	delayed removal	within 0-9 years	1	
comnts Fmd : REMOVE MATURE RED PINE SAWTIMBER DURING THE 2013 Y.O.E. STAND IS ALREADY CONVERTING TO NORTHERN HARDWOODS. DENSE HARDWOOD REGEN ALREADY PRESENT. TOPOOGRAPHY IN THIS STAND DOES NOT MAKE IT PRACTICAL TO REPLANT RED PINE.														
14	R9	M3	99	72	16	130	69	red pine	mature	N		10-19 years	0	
comnts Fmd : MATURE RED PINE. HEAVY HARDWOOD REGEN. LEAVE THIS STAND IN MATURE PINE FOR NOW, RE-EVALUATE IN 10 YEARS.														
15	R2	U2	42	16	2	0	69	red pine	immature	N		30-39 years	0	
comnts Fmd : YOUNG STAND OF MIXED PLANTED RED PINE, ASPEN AND JACK PINE WHICH SPROUTED AFTER 1990 HARVEST. LET THIS DEVELOP AS A MIXED STAND.														
16	M6	M2	133		8	110	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : N. HARDWOOD POLETIMBER AND BOLTWOOD, ON ROLLING HILLS. SCATTERED RED PINE SAWTIMBER PRESENT. HOLD TREATMENT FOR AT LEAST 10 YEARS, RE-EVALUATE NEXT Y.O.E.														
17	M3	R2	29	8	0	0	69	red pine	immature	N		within 0-9 years	0	release
comnts Fmd : STAND WAS CLEAR CUT IN 1998. HERBICIDE APPLIED AND RE-PLANTED TO TO RED PINE IN SPRING 2002. WILL NEED A SECOND APPLICATION OF HERBICIDE TO HELP RELEASE RED PINE SEEDLINGS, IF IT'S NOT ALREADY TOO LATE. MAY HAVE TO LET IT DEVELOP INTO A MIXED STAND AT THIS POINT.														
18	A5	M3	14	65	8	60	58	aspen (upland)	mature	Y	final harvest	within 0-9 years	1	
comnts Fmd : SMALLER, OLDER STAND OF LESSER QUALITY QUAKING ASPEN, BASSWOOD AND A FEW DYING JACK PINE. FINAL HARVEST THIS Y.O.E. AND MANAGE FOR ASPEN.														
19	R9	M3	112	77	15	120	67	red pine	mature	N		10-19 years	0	
comnts Fmd : MATURE RED PINE SAWTIMBER. HOLD THIS STAND 10 YEARS. THREE RED PINE STANDS ADJACENT TO THIS ONE HAVE BEEN HARVESTED WITHIN THE LAST 10 YEARS. SEASONAL COUNTY ROAD RUNS THROUGH STAND. POSSIBLY HARVEST A PORTION OF THIS STAND IN 10 YEARS.														
20	M6	M3	11		8	110	68	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : SMALL STAND OF HARDWOOD POLETIMBER GROWING WHERE RED PINE MORTALITY OCCURRED, SMALLER DIAMETERS, LET STAND CONTINUE TO DEVELOP.														
21	R3	U2	23	4	0	0	67	red pine	immature	N		within 0-9 years	0	release
comnts Fmd : STAND WAS CLEAR CUT IN 1998, BURNED IN SUMMER 2000, HERBICIDED, TRENCHED 2001, AND HANDPLANTED RED PINE SEEDLINGS IN 2002. PROBABLY WOULD NOT BE A BAD IDEA TO REAPPLY HERBICIDE AGAIN IN THE NEXT COUPLE OF YEARS. ANOTHER HERBICIDE APPLICATION TOOK PLACE SEPTEMBER 2004.														

GAYLORD FOREST MGT UNIT

Stand Level Information

Compartment: 155 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA	Site Indx							
22	R3	U2	41	4	0	0	67	red pine	immature	N		within 0-9 years	0	release
comnts Fmd : STAND WAS CLEAR CUT IN 1998, BURNED IN SUMMER 2000, HERBICIDED, TRENCHED IN 2001, AND HAND PLANTED RED PINE SEEDLINGS IN 2002. STAND COULD USE SOME ADDITIONAL HERBICIDE IN THE NEXT COUPLE YEARS. ANOTHER HERBICIDE APPLICATION TOOK PLACE SEPTEMBER 2004.														
23	R9	M3	8	77	14	130	70	red pine	mature	N		10-19 years	0	
comnts Fmd : SMALL STAND OF RED PINE SAWTIMBER ON SOUTH-FACING SLOPE BETWEEN MARL CREEK RD. AND N. HARDWOOD STAND. ADJACENT RED PINE CLEARCUTS EAST AND WEST OF THIS STAND OCCURRED WITHIN THE LAST 10 YEARS. HOLD THIS STAND FOR 10 YEARS.														
24	R9	M3	75	72	14	160	72	red pine	mature	N		10-19 years	0	
comnts Fmd : MATURE RED PINE SAWTIMBER. HOLD STAND 10 YEARS BECAUSE YOUNG RED PINE (LESS THAN 10 YEARS OLD), EXISTS ON ALL SIDES.														
25	R3	M2	27	14	2	0	60	red pine	immature	N		30-39 years	0	
comnts Fmd : YOUNG RED PINE STAND PLANTED IN 1992. SOME MORTALITY TOWARDS THE NORTH END OF STAND. ASPEN AND HARDWOOD FILLING IN SPARSE AREAS OF RED PINE. RED PINE NOW 6 - 20' TALL. HERBICIDE APPLICATION NOT NECESSARY AT THIS POINT.														
26	R9	M3	59	72	14	120	66	red pine	mature	N	final harvest	within 0-9 years	1	planting
comnts Fmd : MATURE RED PINE SAWTIMBER. FINAL HARVEST THIS STAND 2013 Y.O.E. TRENCH AND RE-PLANT TO RED PINE. MOST LIKELY WILL NEED AN AERIAL HERBICIDE APPLICATION TO HELP RELEASE SEEDLING FROM VEGETATIVE COMPETITION IN A COUPLE YEARS.														
27	A5	M2	11	50	8	50	58	aspen (upland)	mature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Delayed treatment for age/size class diversity														
comnts Fmd : SMALL STAND OF ASPEN AND SCATTERED N. HARDWOOD ON HIGHER GROUND. SMALLER DIAMETERS. LIES BETWEEN RECENT RED PINE CLEARCUT AND MANAGED WILDLIFE OPENING. HOLD 10 YEARS FOR AGE/SIZE CLASS DIVERSITY.														
28	Z0	Z0	10		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER POND														
29	N0	N0	6			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : WET TRANSITION AREA BETWEEN BEAVER POND AND P3 STAND.														
30	Q5	E2	3	76	6	60	30	mixed swamp conifer	mature	N		not scheduled	0	
comnts Fmd : CONIFER SWAMP WITH W. BRANCH OF STURGEON RIVER FLOWING ABOUT 4 CHAINS TO THE EAST. INOPERABLE DUE TO POORLY DRAINED SOIL. WITH RIVER CLOSE BY, STREAM PROTECTION IS A PRIORITY.														
31	P3	L2	26	24	3	0	50	balsam poplar & swamp aspen and swamp white birch	immature	N		40-49 years	0	
32	Z0	Z0	1		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER POND OFF OF W. BRANCH OF STURGEON RIVER.														

GAYLORD FOREST MGT UNIT

Stand Level Information

Compartment: 155 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand ID	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
33	M4	M3	18		4	30	57	northern hardwood	unevenaged	N		40-49 years	0	
comnts Fmd : STAND OF YOUNGER, SMALLER DIAMETER N. HARDWOODS, MOSTLY SUGAR MAPLE. LOWER BASAL AT PRESENT. LEAVE FOR SEVERAL DECADES TO DEVELOP.														
34	U2	U2	23		0	0		upland brush	nonstocked	N		50-59 years	0	
comnts Fmd : UPLAND BRUSH WITH SPARSE SCATTERED N. HARDWOODS AND ASPEN ENCROACHING.														
35	M5	M3	24		6	60	64	northern hardwood	unevenaged	N		30-39 years	0	
comnts Fmd : HARDWOOD POLETIMBER, BETTER QUALITY AND STOCKING THAN HARDWOOD STAND ADJACENT TO THE WEST. HEAVY M3 UNDERSTORY. LET STAND DEVELOP FOR SEVERAL DECADES.														
36	M5	M3	60		6	40	51	northern hardwood	unevenaged	N		30-39 years	0	
comnts Fmd : STAND CONSISTS OF AN OVERSTORY OF LESSER STOCKED HARDWOOD SPECIES WITH SCATTERED ASPEN CLONES PRESENT ALSO. LESSER QUALITY. DENSE HARDWOOD REGEN PRESENT THROUGHOUT STAND. LET UNDERSTORY CONTINUE TO DEVELOP FOR SEVERAL DECADES.														
37	A3	A3	4	31	3	0	50	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : SMALL STAND OF DENSE ASPEN REGEN, AVE. 30' IN HEIGHT, ADJACENT TO SEASONAL COUNTY ROAD.														
38	M5	M2	45		8	40	57	northern hardwood	unevenaged	N		30-39 years	0	
comnts Fmd : SPARSE STAND OF LESSER QUALITY HARDWOOD POLETIMBER, WITH SCATTERED ASPEN CLONES, MOSTLY IN WEST HALF OF STAND. FAIRLY GOOD HARDWOOD REGEN PRESENT IN MOST PLACES. MANAGE FOR N. HARDWOODS, LET HARDWOOD UNDERSTORY AND POLETIMBER DEVELOP FOR SEVERAL DECADES.														
39	Z0	Z0	8		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER POND														
40	M1	U1	41	2	0	0	58	red pine	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : RED PINE FINAL HARVEST COMPLETED IN FALL 2004. ALL TOPS CHIPPED. SALE AREA WAS TRENCHED IN FALL 2005. FTP WILL CALL FOR PLANTING RED PINE SEEDLINGS IN 2006. IT MOST LIKELY WILL BE NECESSARY TO APPLY AN AERIAL HERBICIDE TO RELEASE SEEDLINGS FROM COMPETING VEGETATION IN A FEW YEARS.														
41	M1	U1	42	1	0	0	58	red pine	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : RED PINE FINAL HARVEST COMPLETED 6/2005. SALE AREA WAS TRENCHED FALL 2005 WITH RED PINE SEEDLINGS TO BE PLANTED IN SPRING 2006. MOST LIKELY WILL NEED TO APPLY AN AERIAL HERBICIDE AT A LATER DATE, TO RELEASE SEEDLINGS FROM COMPETING VEGETATION.														
42	M1	U1	37	1	0	0	69	red pine	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : RED PINE FINAL HARVEST COMPLETED 6/2005. SALE AREA WAS TRENCHED FALL 2005. FTP CALLS FOR PLANTING RED PINE SEEDLINGS IN 2006 AND MOST LIKELY APPLYING AN AERIAL HERBICIDE IN A FEW YEARS TO RELEASE SEEDLINGS FROM COMPETING VEGETATION.														
43	U2	X0	29	2	0	0	69	red pine	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : RED PINE FINAL HARVEST COMPLETED 10/2004, TRENCHED IN FALL 2005. FTP HAS BEEN SUBMITTED TO RE-PLANT TO RED PINE. PROBABLY NEED TO APPLY AERIAL HERBICIDE 1 TO 2 YEARS AFTER RE-PLANTING TO SET BACK HARDWOOD REGEN AND RELEASE RED PINE SEEDLINGS.														

GAYLORD FOREST MGT UNIT

Stand Level Information

Compartment: 155 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand ID	Cover Type-Dnsty	Under Story-Stkng Level	Age	A c r e s	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
44	U2	X0	28	2	0	0	67	red pine	nonstocked	N		within 0-9 years	0	planting
comnts Fmd : RED PINE FINAL HARVEST COMPLETED 10/2004. TRENCHED IN FALL 2005. FTP HAS BEEN SUBMITTED TO RE-PLANT RED PINE SEEDLINGS. AERIAL HERBICIDE WILL PROBABLY BE APPLIED IN THE FIRST YEAR OR TWO AFTER PLANTING TO SET BACK HARDWOOD REGEN AND HELP RELEASE RED PINE SEEDLINGS.														
45	R9	M3	26	72	14	140	71	northern hardwood	mature	N	delayed removal	within 0-9 years	1	
comnts Fmd : MATURE RED PINE SAWTIMBER STAMD, ENCROACHING INTO N. HARDWOOD STAND. HARDWOOD POLETIMBER AND HEAVY HARDWOOD REGEN PRESENT. SOME LOCATED ON SLOPES. PRESECRIBE TO REMOVE RED PINE SAWTIMBER AND LET STAND CONTINUE TO DEVELOP INTO N. HARDWOOD POLETIMBER. NOT PRACTICAL AT THIS POINT IN TIME TO TRY TO SET BACK DENSE HARDWOOD REGEN AND RE-PLANT RED PINE ON SLOPES. MANAGE FOR N. HARDWOOD.														
46	R9	M3	11	72	15	130	70	northern hardwood	mature	N	delayed removal	within 0-9 years	1	
comnts Fmd : MATURE RED PINE SAWTIMBER STAMD, ENCROACHING INTO N. HARDWOOD STAND. HARDWOOD POLETIMBER AND HEAVY HARDWOOD REGEN PRESENT. SOME LOCATED ON SLOPES. PRESECRIBE TO REMOVE RED PINE SAWTIMBER AND LET STAND CONTINUE TO DEVELOP INTO N. HARDWOOD POLETIMBER. NOT PRACTICAL AT THIS POINT IN TIME TO TRY TO SET BACK DENSE HARDWOOD REGEN AND RE-PLANT RED PINE ON SLOPES. MANAGE FOR N. HARDWOOD.														
47	R9	M3	26	72	14	110	70	northern hardwood	mature	N	delayed removal	within 0-9 years	1	
comnts Fmd : MATURE RED PINE SAWTIMBER STAMD, ENCROACHING INTO N. HARDWOOD STAND. HARDWOOD POLETIMBER AND HEAVY HARDWOOD REGEN PRESENT. SOME LOCATED ON SLOPES. PRESECRIBE TO REMOVE RED PINE SAWTIMBER AND LET STAND CONTINUE TO DEVELOP INTO N. HARDWOOD POLETIMBER. NOT PRACTICAL AT THIS POINT IN TIME TO TRY TO SET BACK DENSE HARDWOOD REGEN AND RE-PLANT RED PINE ON SLOPES. MANAGE FOR N. HARDWOOD.														
48	Z0	Z0	2		0	0		water	nonstocked	N		not scheduled	0	
comnts Fmd : BEAVER POND														
49	Q5	E2	64	76	6	60	30	mixed swamp conifer	mature	N		not scheduled	0	
comnts Fmd : CONIFER SWAMP WITH W. BRANCH OF STURGEON RIVER FLOWING THROUGH STAND. SOME TIMBER HAS BEEN FLOODED OUT CLOSER TO BEAVER PONDS ADJACENT TO THIS STAND. INOPERABLE DUE TO POORLY DRAINED SOIL. WITH RIVER CLOSE BY, STREAM PROTECTION IS A PRIORITY.														
50	L2	G0	7		0	0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : LOWLAND BRUSH.														
51	M6	M2	35		8	100	60	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : LOWER STOCKED, SMALLER DIAMETER HARDWOOD POLETIMBER ON NORTH AND WEST FACING SLOPE. NEEDS TO DEVELOP.														
121	R2	U2	6	4	0	0	67	red pine	immature	N		within 0-9 years	0	release
comnts Fmd : STAND WAS CLEAR CUT IN 1998, BURNED IN SUMMER 2000, HERBICIDED, TRENCHED 2001, AND HANDPLANTED RED PINE SEEDLINGS IN 2002. PROBABLY WOULD NOT BE A BAD IDEA TO REAPPLY HERBICIDE AGAIN IN THE NEXT COUPLE OF YEARS. ANOTHER HERBICIDE APPLICATION TOOK PLACE SEPTEMBER 2004.														
401	G0	G0	11			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : MAINTAINED WILDLIFE OPENING.														
402	G0	G0	8			0		grass	nonstocked	N		10-19 years	0	
comnts Fmd : MAINTAINED WILDLIFE OPENING.														

GAYLORD FOREST MGT UNIT

Stand Level Information

Compartment: 155 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							

Total Acres..... 1936