

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acres | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|-------|-----|--------|---------|-----------|-------------------|------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 1 | A2 | A2 | 62 | 18 | 0 | 0 | 46 | aspen (upland) | sparse | N | | 30-39 years | 0 | |
| comnts Fmd : highly variable stand. Habitat cut in 1987. Pockets of dense A3 intermixed with many open areas of GO or LO. | | | | | | | | | | | | | | |
| 2 | A4 | A1 | 68 | 32 | 4 | 20 | 46 | aspen (upland) | sparse | N | | 20-29 years | 0 | |
| comnts Fmd : habitat cut in 1973 by D7. A few A5 clones with overall very poor stocking. If habitat cut in 20 years leave all pine. | | | | | | | | | | | | | | |
| 3 | A1 | A1 | 63 | 18 | 3 | 0 | 46 | aspen (upland) | sparse | N | | 30-39 years | 0 | |
| 4 | B6 | N1 | 3 | 65 | 9 | 80 | 55 | paper birch | mature | Y | seed tree | within 0-9 years | 2 | |
| <u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : very small stand of younger maple and over mature aspen and birch. A lot of the birch has died and aspen is in poor health. Seed tree harvest. Leave all pine and mark to retain roughly 20-30 BA/AC of mixed species. | | | | | | | | | | | | | | |
| 5 | Z0 | Z0 | 2 | | 0 | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| 6 | Z0 | Z0 | 7 | | 0 | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| 7 | Z0 | Z0 | 25 | | 0 | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| 8 | A2 | A2 | 12 | 28 | 3 | 0 | 46 | aspen (upland) | sparse | N | | 20-29 years | 0 | |
| comnts Fmd : A2-A1. Commercial harvest probably impossible unless access is gained from private however there is a 10' deer fance on property to the north. | | | | | | | | | | | | | | |
| 9 | Z0 | Z0 | 9 | | 0 | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| 10 | A1 | L0 | 57 | 28 | 3 | 0 | 46 | aspen (upland) | sparse | N | | 20-29 years | 0 | |
| comnts Fmd : habitat cut in 1977. Very poor stocking | | | | | | | | | | | | | | |
| 11 | L0 | L0 | 5 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 12 | A2 | A2 | 50 | 8 | 1 | 0 | 58 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : cc 1997. A3 areas with some open areas. Overall decent regen. | | | | | | | | | | | | | | |
| 13 | A5 | M1 | 4 | 65 | 10 | 50 | 58 | northern hardwood | mature | Y | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Recreational site | | | | | | | | | | | | | | |
| comnts Fmd : camping areas surrounded by maure to overmature A5/A6. Leave as pocket of mature timber in a heavily cut area. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | avg. D | | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------|--------|-----|---------|------------|-----------------|------------|---------------------|------------------|------------------|------------------|---------------|
| | | | | Age | B H | Tot. BA | | | | | | | | |
| 14 | N0 | N0 | 6 | 0 | 0 | | marsh | nonstocked | N | | not scheduled | 0 | | |
| 15 | E5 | E1 | 13 | 80 | 7 | 40 | 55 | swamp hardwoods | mature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : stand varies from E4/LO to E6. To wet for treatment. Low volumes and poor quality leave as mature timber | | | | | | | | | | | | | | |
| 16 | N0 | N0 | 6 | 0 | 0 | | marsh | nonstocked | N | | not scheduled | 0 | | |
| 17 | G0 | L0 | 245 | 0 | 0 | 60 | white pine | nonstocked | N | | within 0-9 years | 0 | planting | |
| comnts Fmd : East portion of stand was prescribed to be burned last YOE, This wasn't done. Much of stand is upland with bracken fern intermixed with many LO/VO leatherleaf and blueberry bog inclusions. There are many large red and white pine stumps throughout this area. Burn as much of this stand as possible for blueberry production and dispure plant white pine to restore white pine to portions of this area. This can likely be done on a small scale with a local volunteer group. | | | | | | | | | | | | | | |
| 18 | N0 | N0 | 18 | 0 | 0 | | marsh | nonstocked | N | | not scheduled | 0 | | |
| 19 | A4 | A1 | 38 | 32 | 6 | 10 | 46 | aspen (upland) | sparse | N | | 20-29 years | 0 | |
| comnts Fmd : Highly variable stand. A3-A1 pockets to A4-A5 pockets with lots of open areas. May be feasible to free a road in across the beaver dam in stand 20 to do a comercial harvest for stands 19, 1, 2, and 3. | | | | | | | | | | | | | | |
| 20 | Z0 | Z0 | 37 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| 21 | A5 | O1 | 8 | 73 | 10 | 40 | 55 | aspen (upland) | sparse | Y | final harvest | within 0-9 years | 2 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Blocked by other physical obstacle | | | | | | | | | | | | | | |
| comnts Fmd : prescribed for a habitat cut last YOE. Didn't occur. Habitat cut this YOE. leave all oak and pine. | | | | | | | | | | | | | | |
| 22 | L0 | L0 | 17 | 0 | 0 | | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 23 | A2 | A2 | 30 | 17 | 3 | 0 | 60 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| 24 | L0 | L0 | 6 | 0 | 0 | | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 25 | A2 | A2 | 25 | 17 | 2 | 0 | 60 | aspen (upland) | immature | N | | 30-39 years | 0 | |
| comnts Fmd : A3 pockets intermixed with open areas. South end of stand has a small tamarack pocket to the north of stand 29 | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------|-----|--------|---------|-----------|-----------------|------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 26 | E6 | L0 | 8 | 80 | 8 | 80 | 55 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : to wet to treat | | | | | | | | | | | | | | |
| 27 | A2 | O1 | 13 | 8 | 1 | 0 | 50 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : A5 stand CC 1997. Overall decent oak and aspen regen | | | | | | | | | | | | | | |
| 28 | V0 | V0 | 2 | | 0 | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| 29 | V0 | V0 | 2 | | 0 | 0 | | bog or muskeg | nonstocked | N | | not scheduled | 0 | |
| 30 | E5 | L0 | 4 | 65 | 8 | 50 | 50 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| 31 | A2 | A2 | 66 | 26 | 1 | 0 | 50 | aspen (upland) | high risk | N | | 20-29 years | 0 | |
| comnts Fmd : some areas habitat cut and some comercial cut. Ridges nice A2/A3 intermixed with oak. Lower areas E4 over LO. | | | | | | | | | | | | | | |
| 32 | L0 | L0 | 8 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 33 | L0 | L0 | 4 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 34 | L0 | L0 | 10 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 35 | R6 | R1 | 2 | 50 | 8 | 170 | 65 | red pine | two aged | N | thinning | within 0-9 years | 2 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : stand was set up last YOE however it wasn't completely harvested. Natural red pine stand. Individual mark to 90-110BA/Ac. Leave the large super canopy trees. Thin from suppressed and co-dominants, remove all hardwoods by specification. | | | | | | | | | | | | | | |
| 36 | L0 | L0 | 4 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : scattered maple, birch and aspen. | | | | | | | | | | | | | | |
| 37 | A2 | A2 | 30 | 26 | 3 | 0 | 55 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A2 with patches of LO at north and mid section of stand, South end of stand is on a ridge, mixed A3 with oak red and white pine. | | | | | | | | | | | | | | |
| 38 | L0 | L0 | 22 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : scattered maple, birch, aspen, and tamarack. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----------|-----|--------|---------|-----------|-----------------|-------------|---------------------|------------|------------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 39 | W5 | N2 | 15 | 26 | 7 | 40 | 50 | white pine | immature | N | | 70-79 years | 0 | |
| comnts Fmd : W5 with GO, oak, maple, and red pine intermixed. W2 converting to W5. | | | | | | | | | | | | | | |
| 40 | B6 | N1 | 2 | 70 | 9 | 80 | 50 | paper birch | mature | Y | seed tree | within 0-9 years | 2 | |
| <u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : mark 20-30 BA/AC of mixed oak and paper birch to leave. 2" spec all other species. Could burn or scarify to promote oak and birch regen. | | | | | | | | | | | | | | |
| 41 | E5 | L0 | 9 | 70 | 8 | 50 | 65 | swamp hardwoods | low quality | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : E4/E5 over LO for the most part. Some pockets of white pienn and cedar. To wet to treat | | | | | | | | | | | | | | |
| 42 | A2 | A2 | 46 | 26 | 3 | 0 | 60 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A2/M1/M1 mixed with some red an white pine. Some areas A5ish | | | | | | | | | | | | | | |
| 43 | L0 | L0 | 7 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 44 | E5 | L0 | 6 | 70 | 6 | 40 | 60 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| 45 | Z0 | Z0 | 6 | | | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : beaver flooding | | | | | | | | | | | | | | |
| 46 | A1 | L0 | 79 | 15 | 2 | 0 | 60 | aspen (upland) | sparse | N | | 40-49 years | 0 | |
| comnts Fmd : LO with scattered pockets of A1 to A3. Ridges mixed oak and aspen. Lower areas mainly LO. | | | | | | | | | | | | | | |
| 47 | W1 | N1 | 4 | 8 | 1 | 0 | 50 | white pine | sparse | N | | not scheduled | 0 | |
| comnts Fmd : Birch ridge that was CC last YO. No birch or aspen has regenerated. White pine is slowly filling in the area along with some oak. Stand should slowly fill in to be a mixed oak maple pine stand. | | | | | | | | | | | | | | |
| 48 | E6 | E1 | 6 | 80 | 8 | 80 | 55 | swamp hardwoods | immature | N | | 10-19 years | 0 | |
| <u>Treatment Limiting Factors:</u> Too wet | | | | | | | | | | | | | | |
| comnts Fmd : Very wet, probably to wet to commercially harvest. Mixed maple ash and a few scattered large aspen. North end is more E4 over LO. | | | | | | | | | | | | | | |
| 49 | W5 | N3 | 28 | | 8 | 70 | 60 | white pine | two aged | N | | 10-19 years | 0 | |
| comnts Fmd : mixed white pine with paper birch, aspen , and soft maple. Manage for mixed maple, aspen, birch, and pine stand. Could do a hardwood removal this YO to regenerate mixed maple aspen and oak or hold 10 years to let the soft maple get a bit larger in areas. | | | | | | | | | | | | | | |
| 50 | W2 | N2 | 4 | 8 | 1 | 0 | 60 | white pine | sparse | N | | not scheduled | 0 | |
| comnts Fmd : stand has not yet regenerated to aspen. Was an A6 Last YO. Filling in with white pine, and a few oak and aspen. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-------|-----|--------|---------|-----------|-----------------|------------|---------------------|------------|------------------|------------------|----------------------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 51 | E4 | U0 | 7 | 75 | 7 | 40 | 54 | swamp hardwoods | sparse | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : observed stand from across flooding and stand 50. Painted out of sale last YOE. E5 with maple ash white pine and some aspen. To wet for harvest. | | | | | | | | | | | | | | |
| 52 | Z0 | Z0 | 8 | | 0 | 0 | | water | nonstocked | N | | not scheduled | 0 | |
| 53 | E5 | L0 | 4 | 75 | 7 | 60 | 54 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : observed stand from across flooded area. Mixed soft maple, aspen and some white pine. Stand has LO understory miced with WP and E1 | | | | | | | | | | | | | | |
| 54 | L0 | L0 | 7 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 55 | W4 | N2 | 3 | 26 | 7 | 30 | 50 | white pine | immature | N | | 70-79 years | 0 | |
| comnts Fmd : W5 with GO, oak, maple, and red pine intermixed. W2 converting to W5. | | | | | | | | | | | | | | |
| 56 | L0 | L0 | 6 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : LO with scattered maple, birch and aspen at south end. North end has scattered white pine. | | | | | | | | | | | | | | |
| 57 | B5 | N3 | 2 | 75 | 7 | 60 | 54 | paper birch | mature | Y | seed tree | within 0-9 years | 2 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : small paper birch pocket with dense W3 understory feasible to get to stand for a comercial harvest but may need factor limited to to small size and volume. Mark 20-30BA/AC of mixed species to leave as seed source | | | | | | | | | | | | | | |
| 58 | L0 | L0 | 61 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 59 | B6 | N2 | 2 | 75 | 7 | 90 | 54 | paper birch | mature | Y | seed tree | within 0-9 years | 2 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Inadequate volume due to small acreage | | | | | | | | | | | | | | |
| comnts Fmd : small paper birch pocket with dense W2 understory. feasible to get to stand for a comercial harvest but may need factor limited to to small size and volume. Stand has a few large red and white pine. Cut all but 20-30 BA of paper birch as seed source. | | | | | | | | | | | | | | |
| 60 | A1 | N0 | 8 | 15 | 0 | 0 | 58 | paper birch | immature | N | | within 0-9 years | 0 | other - specify in remarks |
| comnts Fmd : south end of stand has some W3 areas. Stand is a mix of GO areas along with A3 clones and W2 clumps. There is quite a bit of oak that hasn't yet made it above the browse line. This stand will be burned to help promote Paper Birch regen as a seed source is available to the south and west end of this stand. Resulting regen for this treatment should be a mix of Oak, Birch, aspen and pine. | | | | | | | | | | | | | | |
| 61 | A1 | N1 | 18 | 8 | 0 | 0 | 54 | aspen (upland) | immature | N | | 50-59 years | 0 | |
| comnts Fmd : deceng regen after 1997 CC. Quite a bit of white pine mixed in as well. | | | | | | | | | | | | | | |

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----------|-----|--------|---------|-----------|-----------------|------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B H | Tot. BA | | | | | | | | |
| 62 | E6 | E1 | 6 | 75 | 9 | 100 | 55 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : very wet stand. LO and ZO understory in areas. South end has E9 are but overall stand is E6ish with some cedar in areas. | | | | | | | | | | | | | | |
| 63 | A3 | A3 | 11 | 15 | 0 | 0 | 58 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : nice A3 as result of 1990 CC | | | | | | | | | | | | | | |
| 64 | A5 | A1 | 3 | 34 | 5 | 40 | 60 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A3 converting to A6 | | | | | | | | | | | | | | |
| 65 | A6 | A1 | 10 | 34 | 5 | 70 | 60 | aspen (upland) | immature | N | | 20-29 years | 0 | |
| comnts Fmd : A3 converting to A6. | | | | | | | | | | | | | | |
| 66 | A2 | A2 | 9 | 8 | 1 | 0 | 60 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : good to poor aspen regen, some pockets of nice oak regen as well. | | | | | | | | | | | | | | |
| 67 | E6 | E1 | 13 | 80 | 8 | 80 | 55 | swamp hardwoods | mature | N | | not scheduled | 0 | |
| comnts Fmd : E mixed with aspen and cedar. Sensitive fern and swamp grass ground cover in areas...some bracken fern. Could possibly do a aspen and paper birch removal and mark remaining species down to 50BA/AC. However stand is very wet, probably to wet for a comercial harvest. | | | | | | | | | | | | | | |
| 68 | E6 | E1 | 16 | 80 | 8 | 130 | 55 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| comnts Fmd : far west end has mixed maple, ash and a dense cedar grove. Majorety of stand is a true E-type that is very wet. | | | | | | | | | | | | | | |
| 69 | A2 | A2 | 4 | 8 | 1 | 0 | 60 | aspen (upland) | immature | N | | 40-49 years | 0 | |
| comnts Fmd : similar to stand 66. East end of stand has a small GO area | | | | | | | | | | | | | | |
| 70 | L0 | L0 | 5 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : L0 with some ash and maple E4-E6 on edges | | | | | | | | | | | | | | |
| 71 | A5 | A2 | 40 | 34 | 5 | 40 | 60 | aspen (upland) | sparse | N | | 20-29 years | 0 | |
| comnts Fmd : A2 converting to A5-A6. | | | | | | | | | | | | | | |
| 72 | L0 | L0 | 9 | | 0 | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : | | | | | | | | | | | | | | |
| 73 | A3 | A3 | 9 | 25 | 2 | 0 | 65 | aspen (upland) | sparse | N | | 40-49 years | 0 | |
| comnts Fmd : A2 converting to A5-A6. | | | | | | | | | | | | | | |
| 74 | A5 | A2 | 5 | 34 | 5 | 40 | 60 | aspen (upland) | sparse | N | | 20-29 years | 0 | |

GLADWIN FOREST MGT UNIT

Stand Level Information

Compartment: 46

Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand | Cover Type-Size Dnsty | Under Story-Stkng Level | Acres | Age | avg. D | | Site Indx | Mgt Obj | Condition | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|-----------------------|-------------------------|-------------|-----|--------|---------|-----------|---|-------------|---------------------|------------|---------------|------------------|---------------|
| | | | | | B | Tot. BA | | | | | | | | |
| 75 | T3 | T3 | 3 | 26 | 3 | 0 | 50 | tamarack | immature | N | | 50-59 years | 0 | |
| 76 | X0 | X0 | 4 | | | 0 | | other non-stocked or non-forest or non-productive | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : Wildwood road | | | | | | | | | | | | | | |
| 77 | E5 | L0 | 5 | 75 | 7 | 60 | 50 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| comnts Fmd : mixed maple and ash. Very wet with quite a bit of mortality from flooding. Way to wet to treat. | | | | | | | | | | | | | | |
| 78 | E5 | L0 | 14 | 75 | 6 | 50 | 55 | swamp hardwoods | low quality | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : ash maple stand under H20. To wet for treatment. | | | | | | | | | | | | | | |
| 79 | E4 | L0 | 18 | 75 | 6 | 30 | 50 | swamp hardwoods | nonstocked | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : ash swail, 1-2 stick ash over LO | | | | | | | | | | | | | | |
| 80 | R6 | N1 | 3 | 50 | 9 | 80 | 60 | red pine | immature | N | | 10-19 years | 0 | |
| comnts Fmd : mixed white pine, red pine, maple, birch and aspen. Hold 10 years and do a birch, maple, aspen removal. Manage for mixed pine stand. | | | | | | | | | | | | | | |
| 81 | A1 | A1 | 42 | 30 | 3 | 0 | 46 | aspen (upland) | nonstocked | N | | 30-39 years | 0 | |
| comnts Fmd : D7 habitat cut in 1975. Very poor stocking. A1 almost A4/A5 in areas | | | | | | | | | | | | | | |
| 82 | L0 | L0 | 28 | | | 0 | | lowland brush | nonstocked | N | | not scheduled | 0 | |
| 83 | E6 | E1 | 5 | 73 | 8 | 70 | 50 | swamp hardwoods | immature | N | | not scheduled | 0 | |
| <u>Treatment Limiting Factors:</u> | | | | | | | | | | | | | | |
| Too wet | | | | | | | | | | | | | | |
| comnts Fmd : ash and maple over swamp grass and ZO along with a few overmature aspen. | | | | | | | | | | | | | | |
| 400 | G0 | G0 | 8 | | | 0 | | grass | nonstocked | N | | not scheduled | 0 | |
| comnts Fmd : powerline ROW | | | | | | | | | | | | | | |
| Total Acres..... | | | 1599 | | | | | | | | | | | |