

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	W 9	A 2	40	51	10	110	75	white pine	immature	N	final harvest	within 0-9 years	1	natural regeneration
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle</p> <p>comnts Fmd : Aspen understory is pole-sized. White pine age is 56. Thin white pine in dense patches down to 90 BA. Final harvest all other species to 2". May want to mark some white pine to harvest in areas where it would shade out aspen regen. Access will be a challenge. Across railroad to north, L-type to east and south, or private land to west. Through private would likely be best alternative, if permission is granted. Some drains and wet pockets scattered throughout stand.</p>														
2	L 0	L 0	11				0	lowland brush	nonstocked	N		not scheduled	0	
3	W 9	A 3	91	56	14	70	65	white pine	immature	N		10-19 years	0	
<p>comnts Fmd : Aspen understory is between pole and sawtimber size. Aspen age is 30 years. Some red pine mixed in.</p>														
4	A 4	L 0	36	24	3	30	55	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Beaver activity last YOY but none now, as area has heavy trapping. Stand just reaching pole size.</p>														
5	W 9	A 2	18	63	11	90	60	white pine	immature	N		30-39 years	0	
<p>comnts Fmd : Stand is on a dry ridge. Ave BA = 90, so no thin.</p>														
6	A 6	A 3	122	24	4	70	60	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Scattered white pine. Wide ditch on west side of Gypsum Road. THIS IS A MIXED STAND OF MAINLY A3 WITH AREAS OF A1/L AND A2/L</p>														
7	Z 0	Z 0	5				0	water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Stand is a beaver pond which enlarged from 1987 to 1998 photos.</p>														
8	L 0	L 0	5				0	lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Stand links drainage ditch along Gypsum Rd.</p>														
9	A 2	L 0	25	4	0	0	55	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Stand was clearcut in 2003. Stand was A4/L of poor quality. Harvest removed aspen, hardwoods and orange painted white pine.</p>														
10	W 8	A 2	29	60	10	70	70	white pine	immature	N		40-49 years	0	
<p>comnts Fmd : Stand was harvested in 2003. Was W6/W2. Harvest cut all aspen, hardwoods, and orange painted white pine. Some white pine poles in understory but predominantly 7 ft tall aspen regen.</p>														
11	A 3	E 2	4	6	0	0	55	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Stand was clearcut in 2001. Was A6/E2. Harvest removed all aspen, hardwoods, and orange painted white pine.</p>														
12	A 1	A 1	12	4	0	0	65	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : In 2003, part of stand was clearcut, all species except pine. Was W7/W2. Stand currently has some 1-2 foot tall aspen regen in patches.</p>														
13	W 9	A 3	39	97	10	130	62	aspen (upland)	immature	N		10-19 years	0	

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
14	E 7	A 2	82	43	6	20	62	aspen (upland)	immature	N		30-39 years	0	
15	E 9	L 0	60	43	9	90	55	swamp hardwoods	immature	N		10-19 years	0	
16	W 7	E 3	7	4	15	30	62	swamp hardwoods	immature	N		70-79 years	0	
comnts Fmd : East part of stand was clearcut in 2003. Harvested all spp except pine. Red maple is coming back nicely. Also fair amount of white pine regen.														
17	W 9	W 2	4	97	10	100	71	white pine	immature	N		20-29 years	0	
18	W 9	E 3	22	60	9	90	70	white pine	immature	N		40-49 years	0	
comnts Fmd : Stand was select cut in 2003. Harvested 40BA of pine & hardwoods.														
19	E 6	W 1	7	44	6	80	70	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Very wet. Almost sawtimber size. Lots of elm. Tip-ups and standing water everywhere.														
20	W 9	W 1	25	67	15	100	65	white pine	immature	N		40-49 years	0	
comnts Fmd : Stand select cut in 2003. Removal of 20 BA of mixed pine and hardwoods.														
21	A 3	A 3	38	15	3	0	70	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Stand clearcut in 1992. Pockets of L and N throughout. Regen is A3 with an increasing amount of maple and white pine.														
22	A 3	E 2	34	15	2	0	70	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Stand clearcut in 1992. Pockets of marsh along drain that cuts across stand. Understory also has a lot of white pine.														
23	A 3	W 1	35	15	3	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand clearcut in 1992. Wet pockets throughout.														
24	A 2	A 2	9	7		0	80	aspen (upland)	in process of regeneration	N		50-59 years	0	
comnts Fmd : Stand clearcut in 2000. Was A9/W2.														
25	W 9	W 1	54	60	11	80	65	white pine	immature	N		20-29 years	0	
26	A 8	W 2	39	69	12	70	70	white pine	two aged	Y	final harvest	within 0-9 years	1	natural regeneration

Treatment Limiting Factors:

Too wet

comnts Fmd : Aspen is dying out. Edges of stand have some E coming in. Rest has good pole-sized W regen. Stand was A9/W2. Final harvest all species except red pine. Leave all red pine and mark several clumps of white pine for retention. Wet areas of the stand may be left for retention as well. Best access is through gated two-track off Sand Lake Road and through stand 24. The stand is wet leave it to be habitat cut.

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
27	E 8	W 1	19	69	10	50	70	white pine	low quality	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Lots of aspen mortality in this stand. Drain runs through stand. Mix of ash, maple, and aspen in overstory.														
28	E 5	A 2	19	60	9	50	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 except where beaver thinned, then X0.														
29	A 6	A 2	7	60	7	110	55	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
comnts Fmd : Stand was prescribed for habitat cutting last YOE and not completed. No access. Stand surrounded by marsh.														
30	N 0	N 0	45			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Evidence of beaver activity, but did not appear current. Scattered ash poles (mostly dead.) Bridge constructed over creek...RDR on file.														
31	A 3	E 1	4	6	1	0	60	aspen (upland)	in process of regeneration	N		40-49 years	0	
comnts Fmd : Stand habitat cut in 2001. Was A9.														
32	A 3	E 1	3	6	1	0	60	aspen (upland)	in process of regeneration	N		40-49 years	0	
comnts Fmd : Stand habitat cut in 2001. Was A6.														
33	E 9	E 2	4	60	10	80	60	swamp hardwoods	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
34	E 9	E 2	71		14	110	62	swamp hardwoods	unevenaged	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too steep														
Too wet														
comnts Fmd : Leave stand as a buffer for Au Gres River. Wet and difficult to access.														
35	E 5	E 2	34	64	7	50	85	swamp hardwoods	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Ash drainage. Very wet. Maiden hair and sensitive fern throughout. Lots of tag alder.														
36	E 8	W 2	10	69	14	60	70	swamp hardwoods	immature	N		30-39 years	0	
comnts Fmd : Stand select cut in 2003. Aspen and birch removed (approx 40 BA). Very little aspen regen, mostly white pine.														
37	A 2	A 2	8	4	0	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand clearcut in 2003. Evidence of deer browse.														
38	E 9	W 2	14	69	13	120	70	swamp hardwoods	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Drain runs through center of stand. Dying ash likely due to rot, a result of high water table. Marsh grass and flowing water. No evidence of EAB. Whole stand is very wet.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
39	W 8	E 3	37	69	14	50	70	white pine	two aged	N		10-19 years	0	
comnts Fmd : Stand select cut in 2003. Removal of 10-20 BA of hardwoods and some pine. Patches of E7/E5, but primarily mix of R & W pine. Nice E regen in understory. Was E9/W3 last YOE.														
40	E 7	E 2	31	69	10	40	70	swamp hardwoods	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Stand has flowing water. Black and green ash, maple and some elm. Stand will regenerate on its own and should be retained for water filtration strip. Pole-sized understory.														
41	A 2	A 2	22	7	0	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand clearcut in 2000. Was A6/W2. Scattered white pine.														
42	A 3	W 1	172	15	3	0	75	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Stand was clearcut in 1992. Several drains flow through stand from NW to SE. Several pockets of A2, E2 or L0, but predominantly A3/W1.														
43	N 0	N 0	4		0	0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
44	W 8	J 2	16	59	14	50	65	white pine	mature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Blocked by other physical obstacle														
45	W 9	W 2	14	71	11	70	65	white pine	immature	N		30-39 years	0	
comnts Fmd : Stand select cut in 2003.														
46	E 4	L 0	12	71	5	20	50	swamp hardwoods	sparse	N		not scheduled	0	
comnts Fmd : Aspen dead or dying. Very wet stand. Some ash and elm. Small upland pockets of grass and scattered white pine. Still a fair amount of saplings in a mix of maple, aspen, birch, ash and elm.														
47	A 2	L 0	48	7	0	0	70	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Major portion of stand clearcut in 2000. Scattered pockets of A2/E1. (1996 comments: CUT WITH PART OF COMP 144 STAND 59)														
48	L 0	L 0	9			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd :														
49	E 5	L 0	33	71	8	70	65	swamp hardwoods	immature	N		not scheduled	0	
comnts Fmd : Ash & some maple dying out possibly due to increased H2O level.														
50	A 2	A 2	9	4	0	0	70	aspen (upland)	two aged	N		40-49 years	0	
comnts Fmd : Stand clearcut in 2003. Removal of hardwoods, left few scattered white pine.														
51	E 6	E 2	28	71	7	70	70	swamp hardwoods	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Stand is a mix of maple, ash, elm and aspen. Will naturally regenerate.														

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
52	E 4	L 0	68	96	5	40	55	swamp hardwoods	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Too wet														
comnts Fmd : Tag alder/water understory. Primarily lowland aspen, but some maple present.														
53	W 7	E 2	8	87	9	40	55	white pine	immature	N		20-29 years	0	
comnts Fmd : L0 understory also in spots. Lots of aspen mortality. Was coded A6/E2 last YOE, but part of stand was harvested (See Stand 11). Manage for white pine.														
54	A 6	A 3	63	24	5	90	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Lots of aspen mortality in the north end of this stand. Very wet.														
55	W 7	W 2	28	44	11	40	70	white pine	immature	N		10-19 years	0	
comnts Fmd : Pole-sized understory.														
56	L 0	L 0	5			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : was an old beaver flooding now converted to L														
57	X 0	X 0	25			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Rail Road ROW														
58	X 0	X 0	9			0		other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : Rail Road ROW														
128	E 5	A 2	2	60	9	50	60	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 except where beaver thinned, then X0.														
133	E 9	E 2	2	60	10	80	60	swamp hardwoods	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														

Total Acres..... 1736