

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Age	Ave. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need	
														Age
1	M9	M3	27	13	130	57	northern hardwood	old growth (potential or actual)	Y		not scheduled	0		
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : Potential old growth. Contains several streams that feed the Barnhardt Creek. Contains some E inclusions and a rock knob in the northeast corner.</p>														
2	B6	M2	25	75	9	80	59	paper birch	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : Potential old growth. Acts as a riparian buffer to the Barnhardt Creek. Variable type containing inclusions of M and F. Lots of rock knobs. 40 to 50 percent white birch mortality due to overmaturity.</p>														
3	F6	F3	16	104	9	130	55	spruce-fir (uplands-including upland black spruce)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : Potential old growth. Transitional ecotone from hardwood ridge/hills down into the floodplains of the Barnhardt Creek.</p>														
4	M6	F3	24		9	120	55	northern hardwood	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : Potential old growth. Acts as a riparian buffer to the Barnhardt Creek. Mixed forest with inclusions of A and F. Contains a couple of small groves (12 or so trees) of white pine along with some scattered individuals.</p>														
5	M9	M3	16		14	80	59	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : A portion of this stand on top of the slope down to the creek bottom, was part of the Barnhardt Creek Sale cut in 1996 - 1997. At the 1995 review, it was decided to create this stand out of stand 6 to function as an old growth corridor along the creek.</p>														
6	M9	M3	77		14	100	60	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Was comm. cut during 1996 - 1997 by Superior Mich. Hardwoods, Inc. from Niagara, Wis. (c/o Shawn Staples), "Barnhardt Creek Sale" permit #3-92. Also a small timber bridge was built by the contractor within the sale to cross a small creek. It was left in place. Note - this was the second cut made since the State has owned this. Some winters, the snow depth was too great to operate here.</p>														
7	A3	F2	16	9	2	0	63	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : PART OF PERMIT 3-92, SUPERIOR MICH HDWDS, INC. Cut in 1996 - 1997. Contains pockets of F4 and others of brambles.. The southeast 1/2 of this stand along the creek bottom has been decimated by severe moose browsing.</p>														
8	Q5	Q1	55	105	8	60	26	mixed swamp conifer	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : Potential old growth. Creek bottom and floodplains of the Barnhardt Creek. The impacts of beaver are evident. Contains N, L, and areas of C as well as other forested conditions..</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
9	F6	F3	20	104	9	100	55	spruce-fir (uplands-including upland black spruce)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : Potential old growth. Transitional ecotone from hardwood ridge/hills down into the floodplains of the Barnhardt Creek.</p>														
10	M9	M3	34		10	80	59	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : This stand was cut hard probably back in the 1960s. Contains pockets of aspen.</p>														
11	M6	M3	52		9	120	59	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
<p><u>Treatment Limiting Factors:</u> Land survey needed Neighbor</p>														
12	B6	M2	14	68	9	100	60	paper birch	mature	Y	seed tree	within 0-9 years	1	
<p><u>Treatment Limiting Factors:</u> Land survey needed Neighbor</p> <p>comnts Fmd : Maple and spruce-fir will seed in along with some birch. Aspen and maple coppice reproduction will also likely occur.</p>														
13	Q8	Q3	18		11	60	30	mixed swamp conifer	unevenaged	N		20-29 years	0	
<p>comnts Fmd : Variable stocking with pockets of Q9. Contains a drain which was dammed by beaver resulting in approximately two acres of flood killed dead standing. Most of stand not that wet. Harvest pockets of softwood the next time the hardwoods to the south are treated.</p>														
14	F5	F3	8	32	6	50	50	spruce-fir (uplands-including upland black spruce)	immature	N		20-29 years	0	
15	M9	M3	35		13	90	60	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : Selectively cut in 2000-2002: TS#17-97-01.</p>														
16	E6	E3	4		7	70	47	swamp hardwoods	unevenaged	N		20-29 years	0	
17	H9	F3	10		13	130	50	hemlock	unevenaged	N		not scheduled	0	
<p>comnts Fmd : Moose are using this stand for cover.</p>														
18	M6	F2	2		9	110	55	northern hardwood	unevenaged	N	selection	within 0-9 years	1	
<p>comnts Fmd : An attempt to regenerate oak with canopy gaps should be made. Hemlock will not be cut.</p>														
19	C9	Q2	3		12	120	30	cedar	unevenaged	N		not scheduled	0	
20	M6	F2	40		9	130	55	northern hardwood	unevenaged	Y	selection	within 0-9 years	1	
<p>comnts Fmd : Hemlock will not be cut.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
21	E5	E2	4		7	50	46	swamp hardwoods	unevenaged	N		not scheduled	0	
22	N0	N0	7			0	24	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Contains L and some open water.														
23	B6	F3	8	70	8	100	56	paper birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too steep														
comnts Fmd : Rock ridge sloping down to the drainage.														
24	O6	F2	8		10	120	55	oak	unevenaged	N		not scheduled	0	
25	B6	F2	14	70	8	90	55	paper birch	mature	Y	seed tree	within 0-9 years	1	
comnts Fmd : Maple and Spruce-fir will seed in along with some birch. Aspen and maple coppice reproduction will also likely occur.														
26	F6	F3	7	35	7	100	41	spruce-fir (uplands-including upland black spruce)	immature	N		not scheduled	0	
comnts Fmd : Rock hill which is heavy to cedar.														
27	M6	F3	9		7	100	51	northern hardwood	unevenaged	N	final harvest	within 0-9 years	1	
comnts Fmd : Poor hardwood site does not warrant selection management. Any large pines and oak will not be cut.														
28	M6	F3	26		7	110	51	northern hardwood	unevenaged	N	final harvest	within 0-9 years	1	
comnts Fmd : Poor hardwood site does not warrant selection management. Any large pines and oak will not be cut.														
29	F5	F2	3	45	7	60	48	spruce-fir (uplands-including upland black spruce)	mature	N	seed tree	within 0-9 years	1	
comnts Fmd : Maple coppice reproduction and seeding in will likely occur with any spruce-fir regeneration. Any large pines and oak will not be cut.														
30	E6	E2	20		7	70	46	swamp hardwoods	unevenaged	N		not scheduled	0	
comnts Fmd : AREA DIDNT SELL IN 1976. PARKS CUT SOME CEDAR IN WINTER OF 1977.														
31	J6	F2	2	45	7	100	65	jack pine	immature	N		10-19 years	0	
32	L0	L0	3			0	35	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Willow brush.														
33	F6	F2	7	65	9	100	50	spruce-fir (uplands-including upland black spruce)	mature	Y	seed tree	within 0-9 years	1	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
34	F4	F1	5	35	6	20	49	spruce-fir (uplands-including upland black spruce)	immature	N		20-29 years	0	
comnts Fmd : Semi open.														
35	F4	A3	88		6	30	53	spruce-fir (uplands-including upland black spruce)	unevenaged	N		40-49 years	0	
comnts Fmd : Cut in 1999, TS#13-97-01.														
36	M3	M3	5		3	0	59	northern hardwood	unevenaged	N		30-39 years	0	
comnts Fmd : Cut in 1999, TS#13-97-01.														
37	M6	M3	4		9	100	60	northern hardwood	unevenaged	N		20-29 years	0	
comnts Fmd : Cut in 1999, TS#13-97-01.														
38	A3	F2	44	6	1	0	65	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Seed tree cut in 1999: TS#13-97-01. Some white birch regeneration present.														
39	L0	L0	2			0	25	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Creek bottom.														
40	M3	F2	11	5	1	0	55	northern hardwood	immature	N		50-59 years	0	
comnts Fmd : Seed tree cut in 1999, TS#13-97-01. White birch regeneration successful in some areas. B3 inclusions in the west part of this stand. Patches on rocky terrain left uncut.														
41	E5	E3	2		7	50	48	swamp hardwoods	unevenaged	N		not scheduled	0	
comnts Fmd : Seed tree cut in 1999, TS#13-97-01. White birch regeneration successful in some areas. B3 inclusions in the west part of this stand. Patches on rocky terrain left uncut.														
42	B5	F3	8	68	9	60	55	paper birch	old growth (potential or actual)	Y		not scheduled	0	
comnts Fmd : Seed tree cut in 1999, TS#13-97-01. White birch regeneration successful in some areas. B3 inclusions in the west part of this stand. Patches on rocky terrain left uncut.														
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Potential old growth. Acts as a riparian buffer to creek and ponds. M type on east end. Pockets of B6 occur.														
43	Z0	Z0	3			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver pond.														
44	A3	F3	7	16	2	0	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : CUT BTWN 87-89. PERMIT #13-87 DON CHARLES. OAK & CHERRY LEFT.														
45	B5	F3	5	68	9	60	58	paper birch	mature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc. Inadequate volume due to small acreage														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand Number	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
46	L0	L0	22			0	25	lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : Potential old growth. Contains N and a few trees.														
47	Z0	Z0	5			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver pond.														
48	E6	E2	2		8	110	56	swamp hardwoods	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Potential old growth. Acts as a riparian buffer to the creek and ponds.														
49	F6	F3	3		7	70	47	spruce-fir (uplands- including upland black spruce)	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Potential old growth. Acts as a riparian buffer to the creek and ponds.														
50	Z0	Z0	1			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver pond.														
51	F6	F3	1		7	70	47	spruce-fir (uplands- including upland black spruce)	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Potential old growth. Acts as a riparian buffer to the creek and ponds.														
52	B5	F3	8	68	9	60	55	paper birch	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Potential old growth. Acts as a riparian buffer to the creek and ponds. M type on east end. Pockets of B6 occur.														
53	A3	F3	8	16	3	0	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : CUT BET. 87-89.PERMIT #13-87.OAK & CHERRY LEFT.														
54	F5	F3	29	17	5	40	50	spruce-fir (uplands- including upland black spruce)	immature	N		30-39 years	0	
comnts Fmd : CUT BET. 88-89.PERMIT #13-87.														
55	A3	F2	4	16	3	0	58	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : CUT BET. 87-89.PERMIT #13-87.OAK & CHERRY LEFT.														
56	N0	N0	1			0	25	marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Contains some open water.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 210 Entry Year: 2007

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA	Site Indx							

Total Acres..... 882