

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	M 9	U 1	7		11	100	64	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Widely spaced large trees. Has just transitioned to M9. Maple regeneration is virtually non-existent.														
2	A 6	A 2	27	36	7	90	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Mostly well-stocked, 3-4 stick aspen over occasional fir and raspberry. A few sparse areas due to hypoxylon canker.														
3	A 6	F 2	45	47	8	90	62	aspen (upland)	mature	N	final harvest	within 0-9 years	2	
comnts Fmd : This is almost a pure aspen stand with maybe 10 BA of fir, white spruce, red maple and cherry. Wld : Retain all elm, white birch, and cherry. Leave all white spruce 2-sticks in height and shorter.														
4	A 3	F 1	70	17	3	0	62	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 2-4" dbh, 20-25' tall.														
5	C 6	C 1	43	108	9	170	43	cedar	old growth (potential or actual)	N		not scheduled	0	
Treatment Limiting Factors: Potential or designated old growth Deer yards Cedar or Hemlock cutting restraints														
comnts Fmd : SCA-Nicer than average cedar along the Escanaba River. Retain as biodiversity maintenance area to protect valuable riparian corridor as well as provide thermal cover for winter wildlife. Wld : Maintain as movement corridor for small mammals, amphibians, and birds. Promote biological legacies such as snags, DWD, and intact nutrient cycles.														
6	Q 4	L 1	16	68	6	30	38	mixed swamp conifer	sparse	N		not scheduled	0	
comnts Fmd : Lowland conifers over willow and alder.														
7	Q 4	L 1	13	68	6	30	38	mixed swamp conifer	sparse	N		not scheduled	0	
comnts Fmd : Lowland conifers over willow and alder.														
8	A 6	F 2	12	71	8	70	62	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
Treatment Limiting Factors: Potential or designated old growth														
comnts Fmd : SCA-Retain as biodiversity maintenance zone to provide riparian buffer along the Escanaba River. Wld : Maintain as movement corridor for small mammals, amphibians, and birds. Promote biological legacies such as snags, DWD, and intact nutrient cycles.														
9	A 3	X 1	54	6	1	0	62	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Good regeneratiion, 8-12' tall. Cut in 2000 under permit #19-98-01.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
10	A 6	F 1	34	76	8	80	48	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA-Mixed aspen, spruce/fir and red maple along the Escanaba River. Retain as biodiversity maintenance area to protect riparian zone. This stand also receives regular recreational use from canoe campers.</p> <p>Wld : Maintain as movement corridor for small mammals, amphibians, and birds. Promote biological legacies such as snags, DWD, and intact nutrient cycles.</p>														
11	M 6	U 1	9		7	90	61	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Very poor site. Stand consist of low quality even-aged soft maple with a large percentage of twins and clumps. Cut with stand 12 when stand 12 is ready.</p>														
12	A 6	A 3	38	37	6	70	58	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Short 1-2 stick quakers over mostly hazel and scattered cherry brush.</p>														
13	M 4	M 3	7	58	10	30	35	northern hardwood	sparse	N		not scheduled	0	
<p>comnts Fmd : Blowdown area. Most of the aspen is down, but a few remain standing with scattered sugar maple poles. Regeneration is a mix of 4-8' sugar maple, soft maple, and aspen over hazel.</p>														
14	M 6	M 1	6		10	110	62	northern hardwood	unevenaged	N	selection	within 0-9 years	6	
<p>comnts Fmd : Fairly decent hardwoods growing on a small knob. This stand was scheduled, marked, and sold to Bruce Brown for cutting 10 years ago as part of a bigger sale. It was never cut and most of the marked trees still retain visable orange paint. The stand will have to be remarked in yellow. Two illegal blinds overlooking a bear baiting site are located on the north slope of the stand.</p> <p>Wld : Leave all white spruce. Enhance species diversity and size-class diversity in stand.</p>														
15	A 6	A 3	63	34	6	70	64	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Stand has just transitioned into a pole stand. Aspen dbh is running 4-7", 1-2 sticks tall. Abundant hazel in the understory. A few alder swales are located within the stand.</p>														
16	A 6	U 2	16	66	10	70	62	aspen (upland)	immature	Y	final harvest	within 0-9 years	2	natural regeneration
<p>comnts Fmd : The aspen is quite large, 12" dbh plus, and in decline. The stand is converting to poor quality soft maple. Access will be from the north through stand 15. The U understory is a mix of willow, dogwood and hazel.</p> <p>Wld : Leave all cherry and elm. Retain all white spruce two-sticks in height and shorter.</p>														
17	A 5	F 1	25	66	8	50	62	aspen (upland)	immature	Y	final harvest	within 0-9 years	2	natural regeneration
<p>comnts Fmd : U is a mix of willow, dogwood, and hazel. Occasional fir and spruce scattered throughout the stand. 99 is a mix of cherry and soft maple. Stand will hold 10 years easily if needed.</p> <p>Wld : Leave all cherry and elm. Retain all white spruce 2-sticks in height and shorter.</p>														
18	A 6	F 1	10	52	8	70	62	aspen (upland)	immature	Y		10-19 years	0	
<p><u>Treatment Limiting Factors:</u> Recreational site</p> <p>comnts Fmd : A6 2-3 stick aspen surrounded by a large grass opening. Stand is located near a popular fishing/camping site.</p>														
19	M 6	M 1	10		9	90	52	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Thinned in 2000 by Bruce Brown under permit #20-98-01.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
20	A 6	F 2	17	60	11	100	52	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	natural regeneration
comnts Fmd : Stand has areas of blowdown and heavy beaver activity. The west portion is transitioning to low quality hardwoods.														
Wld : Leave all cherry and elm. Retain all white spruce 2-sticks in height and less.														
21	S 6	S 2	18	72	6	70	41	black spruce-swamp	immature	N		10-19 years	0	
comnts Fmd : Black spruce poles 5-7" dbh over smaller medium stocked spruce. Quite wet.														
22	N 0	N 0	28			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Marsh with beaver flooding influence.														
23	C 4	C 2	34	86	5	30	19	cedar	immature	N		not scheduled	0	
comnts Fmd : CUT 1989, #28-88-1														
24	S 5	S 2	11	56	6	50	50	black spruce-swamp	immature	N		not scheduled	0	
comnts Fmd : 1-2 stick black spruce with black spruce understory..														
25	A 6	A 1	14	41	9	100	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : This stand is almost pure aspen, with poles 4-5 sticks tall, and 8-10" dbh. Fairly heavy hazel brush in the understory and an occasional black cherry pole can be found scattered about.														
Wld :														
26	A 3	U 1	34	7	1	0	65	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Cut under permit 021-98-01 in 1999. Aspen is doing very well, 1-2" dbh and 10-15' tall.														
27	M 6	M 1	16		10	100	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Cut under permit 21-98-01 in 1999. Hardwood appears to be growing well.														
28	A 6	F 2	37	41	9	100	61	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : 3-5 stick aspen with spruce and fir. Scattered cherry poles. Understory is comprised of fir and hazel.														
29	U 2	X 0	12	18		0	60	upland brush	immature	N		not scheduled	0	
comnts Fmd : This stand consists of cherry, raspberry, fir, grass and scattered 8' -15' tall aspen clones.														
30	C 6	C 2	94	91	8	90	39	cedar	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA-Swamp conifers along Sawmill Creek. Retain as biodiversity maintenance area to protect the riparian values along the Sawmill, and provide for deer yard.														
Wld : Maintain as movement corridor for small mammals, amphibians, and birds. Promote biological legacies such as snags, DWD, and intact nutrient cycles.														
31	L 0	L 0	11			0		lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Tag alder with small black spruce.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 75

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
32	A 3	F 1	89	17	3	0	61	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : Mostly well-stocked 2-4" aspen 15-25' tall. Fir understory along stand edge.														
33	S 5	S 1	37	78	6	60	38	black spruce-swamp	immature	Y		20-29 years	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : Most black spruce with cedar. Very wet.														
34	A 6	F 2	46	43	8	90	64	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : 3-4 stick healthy aspen with spruce and fir.														
35	P 4	L 0	30	71	8	30	52	balsam poplar & swamp aspen and swamp white birch	sparse	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : White birch poles and a few aspen with scattered black spruce over tag alder. Very wet site.														
36	A 3	F 1	10	6	1	0	58	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Cut by Deshambo under midway logging permit #20-98-01 in 2000. Mostly well stocked.														
37	F 4	F 1	16	42	6	30	58	spruce-fir (uplands-including upland black spruce)	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA-A mixed stand of mostly fir, aspen, and soft maple along sawmill creek. Retain as biodiversity maintenance area to protect the riparian zone.														
Wld : Maintain as movement corridor for small mammals, amphibians, and birds. Promote biological legacies such as snags, DWD, and intact nutrient cycles.														
38	Q 5	F 2	284	78	5	60	38	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet														
comnts Fmd : S5Q4; SCATTERED WP, F GONE, BOG LIKE IN SPOTS. 2006 -- data from 1986 as excessive water prevented stand examiner from accessing the stand.														
39	Q 5	Q 1	7	78	5	40	38	mixed swamp conifer	immature	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Too wet Inadequate volume due to low stocking/small diameter/etc.														
comnts Fmd : Fairly small stand of small diameter cedar and black spruce. Wet.														
40	M 6	M 1	38		8	90	62	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Cut in 2003-4 under permit # 026-01-01														
41	C 6	Q 2	142	99	8	100	46	cedar	immature	N		not scheduled	0	
comnts Fmd : C6C7Q4, nice cedar swamp. Regeneration is a mix of fir, cedar, and alder.														
42	A 6	A 2	2	36	6	70	61	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : A small aspen clone growing in a fairly large opening. Aspen is 4-7" dbh, 1-2 sticks tall.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
43	M 6	M 1	11		10	110	60	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Cut under permit 21-98-01 in 1999. Hardwood appears to be growing well.														
44	M 6	M 1	6		9	120	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	natural regeneration
comnts Fmd : Narrow hardwood finger with A6 to the west with a steep drop to a cedar stand east. Occasional yellow birch and scattered large den trees. The further north in the stand, the poor quality. Retain all yellow birch.														
Wld : Leave all white spruce.														
45	A 3	F 1	12	2	1	0	62	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : Cut in 2004 under permit # 026-01-01														
46	A 6	F 1	14	65	7	70	58	aspen (upland)	immature	Y		10-19 years	0	
<u>Treatment Limiting Factors:</u>														
Blocked by other physical obstacle														
comnts Fmd : A6A5 DEAD FIR AREAS. Data from 1996. High water prevented stand examiner from reaching the stand.														
47	L 0	L 0	17					lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA-Tag alder with stream. Retain as biodiversity maintenance area to protect riparian corridor.														
48	N 0	N 0	19					marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA- Old Beaver flooding. Include as biodiversity maintenance area to protect riparian zone.														
49	L 0	L 0	29					lowland brush	nonstocked	N		not scheduled	0	
50	M 6	M 3	12		7	70	61	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : M6, 3-6"DBH, SUN SCALD 10%, CUT W/STD IN COMPT. 78. 2006-Poor access prevented stand examiner from reaching the stand.														
51	L 0	L 0	11					lowland brush	nonstocked	N		not scheduled	0	
52	L 0	L 0	4					lowland brush	nonstocked	N		not scheduled	0	
53	L 0	L 0	2					lowland brush	nonstocked	N		not scheduled	0	
54	Z 0	Z 0	5					water	nonstocked	N		not scheduled	0	
comnts Fmd : Beaver flooding.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 75

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
55	M 6	M 1	51		8	80	63	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Cut under permit # 026-01-01 in 2004.														
56	A 6	U 1	14	47	10	90	62	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : 3-4 stick aspen with mixed hardwoods over beaked hazel. The hardwoods are sugar maple, soft maple, cherry. Stand contains a 1 chain wide black ash swale running thru the north part of the stand. More fir on the south end.														
57	M 6	F 2	1	60	9	70	58	northern hardwood	low quality	N		10-19 years	0	
comnts Fmd : Narrow sandy ridge surrounded by low black spruce. Formerly an aspen stand, most of the aspen is dead and down and it is now a poor quality even aged soft maple stand. North end has a Ford Model A body.														
58	M 6	M 1	8		8	80	61	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : Thinned in 2001 under permit #19-98-01														
59	N 0	N 0	1			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd :														
60	Z 0	Z 0	26			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Escanaba River														
61	U 3	F 1	10	17	1	0	61	upland brush	immature	N		not scheduled	0	
comnts Fmd : Cherry brush and small aspen over fir and white spruce. Occasional tamarack. All of this among old burned pine stumps.														
62	Z 0	Z 0	2			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Escanaba River														
63	A 3	F 1	3	17	4	0	62	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A3 2-4" dbh, 20-25' tall. Will be A6 soon.														
400	G 0	G 0	4			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
401	G 0	G 0	27			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
402	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
403	G 0	G 0	4			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
404	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 75

Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acres	Age	avg.		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					D B H	Tot. BA								
405	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
406	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
407	G 0	G 0	45			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
408	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
409	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
410	G 0	G 0	1			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
411	G 0	G 0	26			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
412	G 0	G 0	3			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
413	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
414	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
415	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														
416	G 0	G 0	2			0		grass	nonstocked	N		not scheduled	0	
comnts Fmd : Grass opening.														

Total Acres..... 1916