

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	J 6	J 1	34	56	8	110	60	jack pine	mature	N	final harvest	within 0-9 years	1	direct seeding
comnts Fmd : PART OF STAND WAS PLANTED TO RED PINE 1959, JACK PINE DOMINATED. Note that on 5/6/99 we disposed of 1.4 acres on the south end of this stand via a land exchange.														
2	J 5	J 1	4	70	9	50	60	jack pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = STEEP HILLSIDE SLOPING DOWN TO THE MIDDLE BRANCH OF THE ESCANABA RIVER. Contains brush opening inclusions. Note that on 5/6/99 we disposed of 1.4 acres on the SE end of this stand via land exchange.														
3	R 6	A 1	11	47	8	110	59	red pine	immature	N		10-19 years	0	
comnts Fmd : RED PINE PLANTED OCT 1959. Jack pine, aspen, and smaller brush opening inclusions..														
4	R 2	R 1	11	15	3	0	55	red pine	immature	N		40-49 years	0	
comnts Fmd : Red pine plantation established in 1991. Stocking ranges.														
5	A 3	A 3	11	29	4	0	62	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : Harvested in 1976.														
6	J 5	J 2	7	29	5	50	69	jack pine	immature	N		30-39 years	0	
comnts Fmd : Harvested in 1976. Stocking ranges. Contains minor aspen inclusions.														
7	W 8	A 3	15		17	60	59	white pine	two aged	N		30-39 years	0	
comnts Fmd : AREA WAS CUT 1975-76 PERMIT#9-75. Being left to regenerate naturally has resulted in a wide ranging mixed forest. Mostly A3 and F2 with the large pines occurring as scattered individuals and in groves.														
8	W 9	F 3	2		15	110	60	white pine	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Upland island occurring in the floodplains of the Escanaba River.														
9	L 0	L 0	31			0	20	lowland brush	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Floodplains and lowlands along the Escanaba River and one of its tributaries.														
10	J 6	F 1	3	76	9	70	69	jack pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = buffer along the Escanaba River. Stand occupies the river bank,														
11	J 5	J 1	4	31	6	50	65	jack pine	immature	N		30-39 years	0	
comnts Fmd : CUT UNDER PERMIT 9-75A DURING 1975-76. Being left to regenerate naturally has resulted in a stand stocking that ranges from semi-open to J6.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 218 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
12	U 0	U 0	5			0	63	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : POWERLINE RIGHT OF WAY, 1961 EASEMENT. APPROX 100 FT CLEARED.														
13	A 4	A 2	11	41	7	20	50	aspen (upland)	immature	N		10-19 years	0	
comnts Fmd : Very low quality off site aspen. Contains a good quality overmature patch of jack pine as well as some scattered individual pines.														
14	R 6	J 1	2	47	8	100	60	red pine	immature	N		10-19 years	0	
comnts Fmd : Red pine planted in October, 1959.														
15	A 3	A 3	9	30	4	0	50	aspen (upland)	immature	N		20-29 years	0	
comnts Fmd : AREA TREATED 1976 TO DEVELOP A FIELD DOG TRIAL AREA. THE PLAN WAS ABANDONED.														
16	A 5	M 1	14	74	8	60	52	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Deep bowl like draw and steep slopes down to the creek bottom. Wide ranging stocking from semi-open to A6.														
17	R 9	F 2	5		14	100	60	red pine	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Rocky slope dropping down to the Escanaba River. Acts as a buffer protecting the watershed.														
18	A 3	A 3	12	17	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : WAS CUT IN 1989 UNDER PERMIT # 4-88.														
19	J 6	M 1	6	70	9	70	64	jack pine	mature	Y	final harvest	within 0-9 years	2	direct seeding
comnts Fmd : Leave white birch seed trees as residuals. Spruce-fir will likely regenerate in this stand and can be considered a back-up management objective.														
20	J 3	J 3	29	6	0	0	65	jack pine	immature	N		50-59 years	0	
comnts Fmd : Cut in 1999-TS#10-98-01. Stand seeded to jack pine, FTP#C31-405. Planted with seed fall 2000.														
21	A 3	A 3	11	17	2	0	55	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : WAS CUT IN 1989 UNDER PERMIT # 4-88.														
22	F 6	F 1	10		8	90	57	spruce-fir (uplands-including upland black spruce)	unevenaged	N		10-19 years	0	
23	J 6	F 2	2	81	9	130	69	jack pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Upland island surrounded by Escanaba River floodplains. Treatment would negatively impact the watershed.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 218 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA	Site Indx							
24	S 6	S 2	2	70	8	110	50	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA = Contains seeps that feed the Escanaba River watershed. Valuable wildlife cover.</p>														
25	J 3	J 3	11	16	3	0	64	jack pine	immature	N		40-49 years	0	
<p>comnts Fmd : CUT IN 89. PERMIT #2-89 IN COMPARTMENT 254. PLANTED IN 1990, FTP C31-211.</p>														
26	A 5	A 2	108		7	50	50	aspen (upland)	unevenaged	N		10-19 years	0	
<p>comnts Fmd : Low quality off site aspen. Stocking ranges widely.</p>														
27	A 4	A 2	27	30	6	30	50	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : Low quality off site aspen. Stand stocking ranges.</p>														
28	A 5	A 2	14	71	7	50	50	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
<p>comnts Fmd : Low quality off site aspen. Stocking ranges.</p>														
29	A 4	A 2	16	30	4	20	50	aspen (upland)	immature	N		20-29 years	0	
<p>comnts Fmd : STAND WAS TREATED IN 1976 TO DEVELOPE FIELD DOG TRIAL AREA. PLAN WAS ABANDONED.</p>														
30	A 2	A 1	3	7	1	0	50	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : Cut in 1999-TS#10-98-01. Low quality off site aspen. Upland brush inclusions.</p>														
31	A 4	A 2	10	30	6	20	50	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : Low quality off site aspen. Stocking ranges.</p>														
32	A 2	M 1	17	7	1	0	50	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : Cut in 1999-TS#10-98-01. Stand is developing less than desiraeable due to poorer site conditions for aspen.</p>														
33	R 6	A 1	41	47	8	90	60	red pine	immature	N		10-19 years	0	
<p>comnts Fmd : RED PINE WAS MACHINE PLANTED IN OCTOBER 1959. Wide ranging stand conditions due to less than desiraeable plantation survival. Upland brush and aspen inclusions prevalent.</p>														
34	A 6	F 1	32	47	8	110	60	aspen (upland)	immature	N		10-19 years	0	
<p>comnts Fmd : Minor white birch inclusion along the drainage on the south edge of this stand.</p>														
35	R 9	F 1	12		15	70	60	red pine	unevenaged	N		10-19 years	0	
<hr/>														
36	J 5	J 1	11		9	50	65	jack pine	sparse	N		10-19 years	0	

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 218 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
37	J 6	F 1	28	47	7	110	65	jack pine	immature	N		10-19 years	0	
38	U 0	U 0	8			0	65	upland brush	nonstocked	N		10-19 years	0	
comnts Fmd : Contains a few patches of aspen and younger jack pine.														
39	A 3	A 3	75	20	3	0	50	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : AREA BURNED IN WILDFIRE OF MAY 6TH, 1986. ASPEN REGENERATED NATURALLY POST FIRE.														
40	N 0	N 0	5			0		marsh	nonstocked	N		not scheduled	0	
comnts Fmd : Depending on beaver activity and amount of moisture, this stand is partially open water/marsh/bog.														
41	Z 0	Z 0	12			0		water	nonstocked	N		not scheduled	0	
comnts Fmd : Sleeman Pond.														
42	N 0	N 0	30			0		marsh	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA = Unique wetland drain. This wide drain contains various habitats that change depending on beaver activity and available water. Lowland brush, treed bog, and open bog, beaver meadow, and small ponds occur.														
43	R 9	F 2	16		14	100	60	red pine	unevenaged	N	shelterwood-prep	within 0-9 years	1	
comnts Fmd : Stocking ranges due to moderate to heavy windthrow resulting from the storm of 7/21/02. White pine and other species that will regenerate in this mixed forest is considered as a back-up management objective.														
44	D 0	D 0	4			0	35	treed bog	nonstocked	N		not scheduled	0	
45	B 6	F 2	18	70	8	90	55	paper birch	mature	Y	seed tree	within 0-9 years	1	
comnts Fmd : Leave spruce-fir seed trees along with the birch. White pine is considered a back-up management objective.														
46	R 9	M 2	55		15	100	60	red pine	unevenaged	N	shelterwood-prep	within 0-9 years	1	
comnts Fmd : White pine is considered a bak-up management objective along with the other species of trees that will make up this mixed forest.														
47	A 3	M 2	16	20	4	0	52	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : Jack pine eliminated and aspen regenerated as a result of the May, 1986 fires.														
48	J 4	J 1	11	50	9	20	65	jack pine	sparse	N		10-19 years	0	
comnts Fmd : Area regenerated poorly post the May, 1986 fires. Contains larger upland brush inclusions.														
49	J 6	J 1	15	50	7	90	65	jack pine	immature	N		10-19 years	0	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand ID	Cover Type	Under Story	Acres	Age	avg. DBH		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
50	M 2	W 1	6	6	1	0	50	northern hardwood	immature	N		50-59 years	0	
comnts Fmd : Harvested in 2000, TS#12-98-01. Contains minor inclusions of pine and aspen regeneration.														
51	J 1	X 0	2	20	2	0	65	jack pine	sparse	N		40-49 years	0	
comnts Fmd : Semi-open brush land with scattered individual and clumps of jack pine saplings. This stand did not regerate well post the May, 1986 fires.														
52	J 1	X 0	3	20	2	0	65	jack pine	sparse	N		40-49 years	0	
comnts Fmd : Semi-open brush land with scattered individual and clumps of jack pine and aspen saplings. This stand did not regerate well post the May, 1986 fires.														
53	L 0	L 0	55		0	0	20	lowland brush	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = flood plains and other bottom lands of the Black River. Contains some lowland softwoods and lowland hardwoods.														
54	S 5	S 2	11	51	6	60	40	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Retained as a buffer to protect the Black River watershed.														
55	S 6	S 1	24		8	110	45	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Stand borders the Black River and contains seeps that feed the watershed. Valuable wildlife cover. Contains an upland inclusion that supports aspen and mixed conifers.														
56	R 9	F 2	19	80	15	120	60	red pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : BLACK RIVER FALLS DAY USE RECREATION AREA.														
57	R 3	J 2	30	6	0	0	57	red pine	immature	N		40-49 years	0	
comnts Fmd : Harvested in 2000, TS#12-98-01. Planted to red pine per FTP C-31-425. Natural jack pine regeneration is suppressing the red pine over a significant percentage of this stand.														
58	R 3	J 2	18	2	0	0	54	red pine	immature	N		30-39 years	0	
comnts Fmd : Stand was salvage cut in late 2002 : TS# 131-02-01, "Jack Pine Salvage West", due to severe windthrow in windstorm of 7/21/2002. Planted to red pine per FTP C31-443.														
59	J 3	J 3	17	2	0	0	65	jack pine	immature	N		50-59 years	0	
comnts Fmd : Stand was salvage cut in late summer of 2002: TS#131-02-01, "Jack Pine Salvage West", due to severe damage caused by windstrom which occurred on 7/21/2002. Trenched and seeded to jack pine per FTP #C31-443.														
60	A 3	A 3	15	17	2	0	53	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : CUT IN 1989: PERMIT # 7-88.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 218 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s Age	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
				D B H	Tot. BA	Site Indx							
400	G 0	G 0	1		0	52	grass	nonstocked	N		not scheduled	0	

Wld : Cleared, disked, and seeded in 2000.

Total Acres..... 1047