

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
1	S 5	S 2	11	56	5	50	38	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA=SPRUCE CREEK BOTTOM LANDS VALUABLE AS WILDLIFE COVER AND STREAM BUFFER.														
2	J 5	J 3	22	31	5	60	64	jack pine	immature	N		20-29 years	0	
comnts Fmd : STAND CUT IN 1973-74. SCARIFIED AND DIRECT SEEDED MAY 1975.														
3	J 6	J 1	14	80	8	70	64	jack pine	mature	Y	final harvest	within 0-9 years	1	direct seeding
comnts Fmd : Stand received moderate damage from the storm of 7/21/02. Evidence of budworm is showing up starting last year. Existing mortality approximates 30% of this stand.														
4	J 3	J 3	32	16	2	0	64	jack pine	immature	N		40-49 years	0	
comnts Fmd : Harvested in 1988: TS#13-88-01. Planted to jack pine and red pine in 1990.														
5	J 3	J 3	8	3	0	0	64	jack pine	immature	N		50-59 years	0	
comnts Fmd : Stand was salvage cut late summer of 2002 by St.John Forest Products, permit #131-02-01, "Jack Pine Salvage West", due to damage from severe windstorm on 7/21/2002. FTP # C31-444 written on 12/30/2002 for site prep and seeding of jack pine. Actual trenching/seeding occurred on 11/05/03.														
6	J 3	J 3	18	7	0	0	64	jack pine	immature	N		10-19 years	0	
comnts Fmd : Cut in 1999: TS# 15-98-01. Post cutting stand was roller chopped to treat slash and subsequently hand planted with jack pine.														
7	J 3	J 3	8	3	0	0	64	jack pine	immature	N		50-59 years	0	
comnts Fmd : Stand was clearcut as a salvage sale in late summer of 2002: TS#131-02-01, "Jack Pine Salvage West", due to damage from a severe windstorm which occurred on 7/21/2002. FTP #C31-444 written on 12/30/2002. Actual trenching & seeding occurred on 11/05/2003.														
8	J 6	J 1	3	78	8	70	64	jack pine	mature	Y	final harvest	within 0-9 years	1	direct seeding
9	J 5	J 1	7	45	7	50	63	jack pine	immature	N		10-19 years	0	
comnts Fmd : Wide ranging stocking and size classes.														
10	J 3	J 3	9	15	2	0	64	jack pine	immature	N		40-49 years	0	
comnts Fmd : CUT IN 1990 PERMIT #19-88-1. TRENCHED IN 1990-PLANTED 5/1991.														
11	L 0	L 0	7			0	38	lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : Includes 1 to 2 acres of black spruce along north edge. SCA = watershed, wildlife cover, and species diversity protection.														
12	J 6	J 1	21	80	8	90	63	jack pine	mature	Y	final harvest	within 0-9 years	1	
13	J 6	J 1	9	80	8	80	63	jack pine	mature	Y	final harvest	within 0-9 years	1	direct seeding

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

S t a n d	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
14	J 5	J 1	3	26	5	50	60	jack pine	immature	N		30-39 years	0	
comnts Fmd : Stocking ranges from semi-open to J6.														
15	S 6	S 2	23		6	80	43	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA = Stream and watershed protection, wildlife cover, and biodiversity protection.														
16	J 3	J 3	18	15	3	0	66	jack pine	immature	N		40-49 years	0	
comnts Fmd : CUT IN 1990 PERMIT #19-88-1. TRENCHED IN 1990. PLANTED 5/91.														
17	J 3	J 3	10	7	0	0	56	jack pine	immature	N		50-59 years	0	
comnts Fmd : Stand was commercially cut in Sept. 1999, permit # 21-98, "Pine Den Sale". FTP for disk trenching and seeding is C31-402. Stand was not seeded due to equipment failure. The site adequately regenerated as a result of the trenching.														
18	L 1	L 0	21			0	28	lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA = Stream and watershed protection. Contains a few trees.														
19	J 3	J 3	12	16	2	0	65	jack pine	immature	N		40-49 years	0	
comnts Fmd : CUT IN 1988: PERMIT #22-88. PLANTED IN 1990.														
20	J 6	F 1	2	80	9	130	69	jack pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Stream and watershed protection and old growth pine habitat/biodiversity.														
21	S 6	S 2	23		6	70	40	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA = Stream and watershed protection and wildlife cover. Contains jack pine to the west.														
22	J 6	J 1	2	80	10	100	69	jack pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : Stand was not included in commercial harvest with stand 24 in 1999 because it is situated on a steep, north facing slope. SCA = Stream and watershed protection. Old growth pine habitat.														
23	J 5	J 1	2	26	6	50	63	jack pine	immature	N		30-39 years	0	
comnts Fmd : Stocking ranges from semi-open to J6.														
24	J 3	J 3	10	7		0	63	jack pine	immature	N		50-59 years	0	
comnts Fmd : Was commercially cut in August, 1999 : permit # 18-98, "West Branch Creek Sale". Trenched and planted: FTP # C31-401.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 228 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
25	J 3	J 3	12	16	2	0	63	jack pine	immature	N		40-49 years	0	
comnts Fmd : CUT IN 1988: PERMIT #22-88. TRENCHED FALL1989. PLANTED 1990. Some red pine were planted along Co. Rd. 581.														
26	J 5	J 3	7	35	5	40	63	jack pine	immature	N		30-39 years	0	
comnts Fmd : Harvested in 1970: TS#5/69A. Scarified and broadcast seeded in 1971 (FTP# F-45).														
27	U 0	U 0	3			0	65	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Moderately steep slope down to a lowland conifer type. Aspect is easterly. Contains a few bushy jack pines.														
28	U 0	U 0	3			0	65	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Abandoned ELF ROW.														
29	I 3	J 3	25	26	4	0	58	jack pine	immature	N	final harvest	within 0-9 years	3	direct seeding
comnts Fmd : SCOTCH PINE PLANTED BY MACHINE 1979-80. Now a mix of Scotts and jack pine. Scotts pine are generally poorly formed. Recommended to liquidate and convert to jack pine as soon as the stand becomes merchantable.														
30	I 3	J 3	13	26	4	0	58	jack pine	immature	N	final harvest	within 0-9 years	3	
comnts Fmd : SCOTCH PINE PLANTED BY MACHINE 1979-80. Now a mix of Scotts and jack pine. Scotts pine are generally poorly formed. Recommended to liquidate and convert to jack pine as soon as the stand becomes merchantable.														
31	S 6	S 2	3		6	70	40	black spruce-swamp	unevenaged	N		not scheduled	0	
comnts Fmd : SCA = Stream and watershed protection. Contains spring seeps that feed the creek. Has high wildlife cover value.														
32	J 3	J 3	15	7	0	0	68	jack pine	immature	N		50-59 years	0	
comnts Fmd : Stand cut in 1999, TS#13-98-01. Trenched and planted, 31-399.														
33	S 6	S 2	30		6	70	40	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA = Stream and watershed protection. Contains spring seeps that feed the creek. Has high wildlife cover value.														
34	L 0	L 0	4			0	28	lowland brush	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA = Tag alder bottom lands of the creek.														
35	S 6	S 2	6		6	70	40	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA = Stream and watershed protection. Stand acts as a buffer to the creek.														
36	J 6	J 1	24	80	9	100	70	jack pine	mature	Y	final harvest	within 0-9 years	1	direct seeding
comnts Fmd :														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 228 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
37	J 3	J 3	5	3	0	0	69	jack pine	immature	N		50-59 years	0	
comnts Fmd : Commercially cut in Oct. 2001: TS# 107-00-01, "West Branch Creek Sale". . FTP C31-438 was written on 12/03/01 for site prep & seeding jack pine. Trenching & seeding occurred on 11/10/03. No herbicide was used. Windstorm of 7/21/02 knocked down some trees on the east side of this sale, which were salvaged in late 2002 under permit 131-02-01.														
38	J 3	J 3	8	7	0	0	68	jack pine	immature	N		50-59 years	0	
comnts Fmd : Stand cut in 1999, TS#13-98-01. Trenched and planted, C31-399.														
39	J 3	J 3	6	12	2	0	69	jack pine	immature	N		40-49 years	0	
comnts Fmd : CUT IN 1992: PERMIT 17-90. PLANTED 5/94														
40	J 3	J 3	4	7	1	0	70	jack pine	immature	N		50-59 years	0	
comnts Fmd : Stand cut in 1999, TS#13-98-01. Trenched and planted, C31-399.														
41	S 6	S 2	4		6	80	40	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
comnts Fmd : SCA = Stream and watershed protection. Valuable wildlife cover.														
42	U 0	U 0	9			0	68	upland brush	nonstocked	N		not scheduled	0	
comnts Fmd : Abandoned ELF ROW.														
43	J 3	J 3	44	15	2	0	65	jack pine	immature	N		40-49 years	0	
comnts Fmd : CUT IN 1989: TS#6-88. TRENCHED IN 1989 & 1990. PLANTED 5/91.														
44	J 3	J 3	24	6	0	0	68	jack pine	immature	N		50-59 years	0	
comnts Fmd : Cut in 1999, TS#111-98-01. Planted to jack pine fall of 2000.														
45	J 3	J 3	3	26	4	0	60	jack pine	immature	N		30-39 years	0	
comnts Fmd : CUT IN 79 to facilitate take offs and landings on adjacent airstrip. Regeneration over time has resulted in ranging age, size, and stocking classes..														
46	J 3	J 3	27	6	0	0	64	jack pine	immature	N		50-59 years	0	
comnts Fmd : Cut in 1999, TS#111-98-01. Planted to jack pine fall of 2000.														
Total Acres.....			574											