

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Dnsty | Under Story-Stkng Level | Age | A c r e s | avg. D |         |           | Mgt Obj            | Condition                        | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-----|-----------|--------|---------|-----------|--------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
|  |                  |                         |     |           | B H    | Tot. BA | Site Indx |                    |                                  |                     |            |               |                  |               |
| 1  | R 3              | R 3                     | 64  | 5         | 1      | 0       | 65        | red pine           | immature                         | N                   |            | 30-39 years   | 0                |               |
| <p>comnts Fmd : Was commercially cut during the summer of 1999 by Holli Forest Products, Inc., permit #17-98-01, "Co.Rd. 565 Jack Pine Sale". All oak, cherry, birch, and conifers other than jack pine were left. FTP #C31-404 covered herbiciding, disk trenching, and planting to red pine (contract hand planting). In August 2000, Steve Arkens sprayed the stand with Tordon 101 herbicide to knock back the aspen, cherry; maple. At Steve's recommendation, the area south of the Hawkins Pond Road was then prescribe burned in Oct. of 2000, and subsequently the entire sale was planted to red pine. Thin stand in treatment period 3.</p> <p>Wld : Located in the N1/2NW of Sec 31. Hawkins Pond Rd passes through the stand.</p> |                  |                         |     |           |        |         |           |                    |                                  |                     |            |               |                  |               |
| 2  | A 6              | M 1                     | 52  | 36        | 6      | 70      | 50        | aspen (upland)     | immature                         | N                   |            | 20-29 years   | 0                |               |
| <p>comnts Fmd : Stand was commercially cut first under what I believe was permit #36/66 to Evert Koskinen of Negaunee (he cut on 70 acres). Stand had a residual cut in 1973 under FTP #74. The white pine was left for aesthetics as well as a few patches of birch near the bogs. Also no birch was cut within 100 ft of Co Rd 565. Currently, birch and red maple are more prevalent in the south end of the stand. Older original trail road passing east-west through stand is little used and easily overlooked.</p> <p>Wld : Located in the S1/2NW &amp; NWSW of Sec 31, west of CoRd 565.</p>  |                  |                         |     |           |        |         |           |                    |                                  |                     |            |               |                  |               |
| 3  | A 3              | A 3                     | 21  | 16        | 3      | 0       | 60        | aspen (upland)     | immature                         | N                   |            | 30-39 years   | 0                |               |
| <p>comnts Fmd : Was commercially cut in Dec 1989 by Marvin Nelson for the Escanaba Paper Co., permit #01-88, "Flopper Creek Sale". Marv also chipped all of the slash on this sale and removed it for boiler fuel for Mead's mill. All oak and cherry were left as well as white pine smaller than 4 inch in diameter. Permit can be found in the adjacent compartment #248 since most of the sale was in that compartment.</p> <p>Wld : Located in the NWSW of Sec 31.</p>  |                  |                         |     |           |        |         |           |                    |                                  |                     |            |               |                  |               |
| 4  | S 6              | S 1                     | 33  | 94        | 7      | 70      | 45        | black spruce-swamp | old growth (potential or actual) | Y                   |            | not scheduled | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Water quality/bmps<br/>                     Influence zones</p> <p>comnts Fmd : Special Conservation Area stand providing a riparian buffer for the Floppers Creek as it flows easterly through this Section. See cmpt header for additional pertinent comments for stand condition 8.</p> <p>Wld : Located in the S1/2Sw of Sec 31. SCA, to serve as movement corridor for wildlife species and promote natural processes along riparian area, DWD, and intact nutrient cycles. This stand has a good component of lowland conifer along Flopper's Creek and attracts a good number of song birds during migratory periods.</p>  |                  |                         |     |           |        |         |           |                    |                                  |                     |            |               |                  |               |
| 5  | A 3              | A 3                     | 9   | 13        | 0      | 0       | 60        | aspen (upland)     | immature                         | N                   |            | 40-49 years   | 0                |               |
| <p>comnts Fmd : Was commercially cut in 1993 as part of permit #6-93 "Floppers Creek Sale" cut by DeShambo Forest Products. All oak, red &amp; white pine was left. This timber sale permit is filed with cmpt 259, kitty corner to the southwest.</p> <p>Wld : Located in the SWSW of Sec 31, north of Hemmings Lake Rd.</p>  |                  |                         |     |           |        |         |           |                    |                                  |                     |            |               |                  |               |
| 6  | A 3              | A 3                     | 72  | 5         | 1      | 10      | 64        | aspen (upland)     | immature                         | N                   |            | 50-59 years   | 0                |               |
| <p>comnts Fmd : Was commercially cut in Summer of 2001 by Oro Logging (St.John), permit #122-99-01, "Flopper Aspen Sale". Anderson Bros. From Wausaukee, WI. did the actual cutting. All oak, cherry, red &amp; white pine was left, and also the one &amp; two stick spruce &amp; fir was left. Note also a couple of small bog areas adjacent to Co.Rd. 565 were excluded from the sale with a red paint line. FTP W3-612 created three small grass openings in the sale area totaling about 4 acres after the sale in August 2002. New roads built for access to the sale were bermed.</p> <p>Wld : Located in the E1/2SW, SENW, &amp; SWNE of Sec 31.</p>  |                  |                         |     |           |        |         |           |                    |                                  |                     |            |               |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. D |         | Site Indx | Mgt Obj            | Condition                        | Silv. Criteria Met? | Method Cut    | Trtmt. Period    | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-------|-----|--------|---------|-----------|--------------------|----------------------------------|---------------------|---------------|------------------|------------------|---------------|
|   |                  |                         |       |     | B      | Tot. BA |           |                    |                                  |                     |               |                  |                  |               |
| 7   | J 3              | J 3                     | 31    | 14  | 3      | 0       | 70        | jack pine          | immature                         | N                   |               | 40-49 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut in summer of 1990 by the Escanaba Paper Co., (VanAlsacker from Northland was the jobber) permit #14-88-01, "County Road 565 Block". Two small patches in northeast corner but south of creek were left uncut (too steep), and area north of creek was left. Milo Palm of Negaunee cut the 2 acre patch north of the creek in Feb 1991 as a separate scale sale permit #22-90-02, "CoRd MMH Jack Pine Sale", with access from the north using CoRd MMH. FTP C31-233 covered herbiciding, disk trenching, and contract hand planting of jack pine on 22 acres (north of trail road) of the sale area. Planting occurred in 1992. Note that gravel was evident in this sale area. Stand 7 has quite good biodiversity having also some red pine, spruce/fir, aspen, etc. The jack pine received significant snow damage last winter 2005, with a lot of bent over trees now.</p> <p>Wld : Located in the NWNE of Sec 31, east of CoRd 565.</p>  |                  |                         |       |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 8   | S 5              | S 1                     | 17    |     | 7      | 50      | 43        | black spruce-swamp | old growth (potential or actual) | N                   |               | not scheduled    | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Potential or designated old growth<br/>                     Water quality/bmps<br/>                     Influence zones</p> <p>comnts Fmd : To be managed as a Special Conservation Area acting as a riparian buffer for small stream flowing eastward into the Escanaba River, quite good water quality. Private camp (Richmond Creek Hideaway) &amp; sauna located on the very edge of tag alder north of the swamp and west of CoRd 565. Trail road access off 565 and Hawkins Pond Road. See cmpt header for additional pertinent comments per stand condition 8. Also this stand is located near a residential area - permanent year round residents live just to the north, between this stand &amp; the Escanaba River.</p> <p>Wld : Located in the NENW &amp; NWNE of Sec 31. SCA, to serve as movement corridor for wildlife species and promote natrual processes along riparian area, DWD, and intact nutrient cycles. This stand has a good component of lowland conifers and attracts a good number of song birds during migratory periods.</p> |                  |                         |       |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 9   | A 3              | A 3                     | 11    | 15  | 3      | 0       | 67        | aspen (upland)     | immature                         | N                   |               | 40-49 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut in 1990/91 by Holli Forest Products, Inc. permit #015-88-1, "Escanaba River Jack Pine Block". All oak &amp; cherry was left and a 2 inch cutting spec was used. Wildlife grass opening was created in this stand after logging.</p> <p>Wld : Located in the NWSW of Sec 32.</p>  |                  |                         |       |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 10  | J 3              | J 3                     | 75    | 13  | 3      | 0       | 55        | jack pine          | immature                         | N                   |               | 40-49 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut during the period from Nov 1990 thru March 1991 by Holli Forest Products, Inc., permit # 15-88-01, "Escanaba River Jack Pine Block". All oak &amp; cherry was left &amp; a 2 inch cutting spec was used. FTP C31-251 covered herbiciding, disk trenching, and contract hand planting of jack pine. Planting done in Spring 1993.</p> <p>Wld : Located in the N1/2SW, SWSW, NWSE, &amp; SWNE of Sec 32.</p>   |                  |                         |       |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 11  | J 5              | J 1                     | 37    | 80  | 10     | 60      | 62        | red pine           | high risk                        | Y                   | final harvest | within 0-9 years | 1                | planting      |
| <p>comnts Fmd : High risk stand- old jack pine. Gwinn stand to the south also has a mgt objective of red pine. Stand on Gwinn area that is adjacent to stand 11 and on the west side of trail road has recently been cut and planted to red pine.</p> <p>Wld : Located in the SESW of Sec 32 for the most part.</p>   |                  |                         |       |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 12  | A 5              | A 2                     | 48    | 27  | 5      | 50      | 70        | aspen (upland)     | immature                         | N                   |               | 20-29 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut in 1978-79 by Escanaba Paper Co., permit # 3/78A, "Deer Fly Block". All oak (approx 1.5 cds/acre) was left and only marked red &amp; white pine was cut. Also, jack pine was left in this stand. A small patch of jack pine was subsequently cut with the sale in stand 10.</p> <p>Wld : Located in the W1/2SW &amp; SESW of Sec 32.</p>   |                  |                         |       |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 13  | A 5              | A 2                     | 65    | 27  | 5      | 50      | 70        | aspen (upland)     | immature                         | N                   |               | 20-29 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut in 1978-79 by Escanaba Paper Co., permit # 3/78A, "Deer Fly Block". All oak (approx 1.5 cds/acre) was left and only marked red &amp; white pine was cut.</p> <p>Wld : Located in the S1/2SE of Sec 32.</p>   |                  |                         |       |     |        |         |           |                    |                                  |                     |               |                  |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Dnsty | Under Story-Stkng Level | A c r e s | Age | avg. D |         |           | Mgt Obj            | Condition                        | Silv. Criteria Met? | Method Cut    | Trtmt. Period    | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----------|-----|--------|---------|-----------|--------------------|----------------------------------|---------------------|---------------|------------------|------------------|---------------|
|   |                  |                         |           |     | B H    | Tot. BA | Site Indx |                    |                                  |                     |               |                  |                  |               |
| 14  | A 5              | A 2                     | 66        | 27  | 5      | 50      | 70        | aspen (upland)     | immature                         | N                   |               | 30-39 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut in 1978-79 by Escanaba Paper Co., permit # 3/78A, "Deer Fly Block". All oak (approx 1.5 cds/acre) was left and only marked red &amp; white pine was cut.</p> <p>Wld : Located in the SE1/4 &amp; SWNE of Sec 32.</p>   |                  |                         |           |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 15  | W 8              | F 1                     | 50        |     | 18     | 60      | 60        | white pine         | old growth (potential or actual) | N                   |               | not scheduled    | 0                |               |
| <p>comnts Fmd : Special Conservation Area which is providing a riparian buffer for the Middle Branch of the Escanaba River, as well as enhancing the aesthetics of the area, providing for biodiversity, BMP protection for the river quality, etc. See cmpt header for additional pertinent comments for stand condition 8.</p> <p>Wld : Located in the east half of Sec32, &amp; west half of Sec 33, south of river. SCA, to serve as movement corridor for wildlife species and promote natrual processes along riparian area, DWD, and intact nutrient cycles. This stand has a great white pine component which offers wildlife both escape cover and shelter.</p>  |                  |                         |           |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 16  | S 5              | S 1                     | 10        | 72  | 8      | 50      | 45        | black spruce-swamp | immature                         | N                   |               | not scheduled    | 0                |               |
| <p>Wld : Located in the SESE of Sec 32 &amp; SWSW of Sec 33.</p>  |                  |                         |           |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 17  | A 3              | A 3                     | 40        | 5   | 0      | 20      | 62        | aspen (upland)     | immature                         | N                   |               | 50-59 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut in Sept/Oct 2000 by Scott Palm from Gwinn, permit #126-98-01, "Triplet Cubs Sale". All oak, cherry, hemlock, red &amp; white pine was left. White pine regeneration existed at time of sale. Access was from the west side.</p> <p>Wld : Located in the S1/2SW of Sec 33.</p>  |                  |                         |           |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 18  | A 6              | M 1                     | 45        | 73  | 11     | 80      | 58        | aspen (upland)     | high risk                        | Y                   | final harvest | within 0-9 years | 1                |               |
| <p>comnts Fmd : Access would be off of the Green Creek Rd (CoRd MMK) off of M-35, then across Mining Co. land to reach State land (merchantability 7 due to access across private land). An exchange was made with the Mining Co. in the past where we retained only those parcels fronting on the river. This stand itself is a viable logging chance, some rock outcropping &amp; alder lowland, but fairly level or rolling for the most part. Oak is a component of the stand, mostly in the eastern end. Leave all oak &amp; most of the pine. The exact boundary between stand 57 (buffer along the river) and this stand should be determined by terrain (slope &amp; BMP safeguards), aesthetics (some area lacks aspen &amp; are heavy to young white pine), etc. It is quite evident in most places.</p> <p>Wld : Located in that part of Sec 33 lying north of the Escanaba River, &amp; a little into Sec 32. Cut no white pine, red pine, cherry, or oak. Retain examples of all associate species to main diversity within this stand.</p>                              |                  |                         |           |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 19  | A 6              | M 1                     | 28        | 81  | 11     | 100     | 64        | aspen (upland)     | mature                           | Y                   | final harvest | within 0-9 years | 1                |               |
| <p>comnts Fmd : Access is from the Green Creek Road (CoRd MMK) off of M-35. Best access more specifically is through the private forty SESE (with permission of course) owned by Jake Korpi. He has existing skid trails crossing his forty. Another option would be from the north across mining co. land, but this requires crossing alder wetland on the north end of the State forty. This stand itself is a good logging chance, fairly level, not rocky, and the largetooth aspen is not excessively overmature. Leave the oak, cherry, red/white pine, &amp; hemlock (trace). Mostly white pine here. I did note very good oak &amp; white pine regen in this general area from older cuttings. (eg. SWSW of Sec 34). Dept of Conservation iron pipe &amp; cap at SE corner of stand in tiny alder swamp. Merchantability 7 due to the need to cross private land.</p> <p>Wld : Located in the SWSE of Sec 33, north of the Escanaba river. Cut no white pine, red pine, cherry, or oak. Retain examples of all associate species to maintain diversity within this stand.</p> |                  |                         |           |     |        |         |           |                    |                                  |                     |               |                  |                  |               |
| 20  | W 9              | M 2                     | 27        |     | 15     | 90      | 60        | white pine         | unevenaged                       | N                   |               | not scheduled    | 0                |               |
| <p>comnts Fmd : Powerline forms west boundary. Terrain is rugged, rock outcropping, etc. White pine is the climax species here and seeds in readily when an opening in the canopy occurs (powerline is seeding with white pine presently). The aspen on my plots was quite young, small diameter, and probably resulted from some past cutting near M-35. Pine is presently in good shape and quite healthy.</p> <p>Wld : Located in the SENE &amp; NESE of Sec 34, west of M-35. Note that NESE is undivided interest with the State having undivided 7/8 ths interest and August Plant having 1/8 th interest.</p>  |                  |                         |           |     |        |         |           |                    |                                  |                     |               |                  |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Dnsty | Under Story-Stkng Level | Age | Ave. D | Tot. BA | Site Indx | Mgt Obj    | Condition          | Silv. Criteria Met? | Method Cut       | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----|--------|---------|-----------|------------|--------------------|---------------------|------------------|---------------|------------------|---------------|
|   |                  |                         |     |        |         |           |            |                    |                     |                  |               |                  |               |
| 21  | W 5              | M 2                     | 16  | 10     | 50      | 57        | white pine | unevenaged         | N                   |                  | not scheduled | 0                |               |
| <p>comnts Fmd : Powerline forms west boundary. Rugged terrain, rock outcropping with wetland drainages between. Not a good logging chance - access difficult. Trail road at north end but not good. Stocking doesn't warrant a cut at present. White pine is the species most suited as a climax species here. It is present in a variety of size &amp; age classes. Trace amount of several other species present (birch, white spruce, red pine, etc).</p> <p>Wld : Located in the SENE of Sec 34, west of M-35.</p>  |                  |                         |     |        |         |           |            |                    |                     |                  |               |                  |               |
| 22  | W 9              | W 2                     | 117 | 14     | 80      | 60        | white pine | unevenaged         | N                   |                  | not scheduled | 0                |               |
| <p>comnts Fmd : Was commercially cut in 1977-79 by Louisiana Pacific Corp. from Newberry, permit # 5/77A, "Green Creek Block". White &amp; red pine, white spruce, &amp; hemlock (only a trace of hemlock present) were all marked with yellow paint. Merchantable jack pine was to be cut, and aspen, birch, &amp; maple were optional to be cut or left. Fairly good access using existing road, but this passes through privately owned NWNW. Stand has a ridge paralleling M-35 with some rock outcropping or rock ledge with shallow soils. Best pine is on higher ground. Some pockets or drainages of seasonally wetland in low areas. White pine is the climax species here and essentially in all of Sec 34 &amp; 35. It is present in a variety of size &amp; age classes, and readily seeds in whenever an opening in the canopy occurs. Significant pine regeneration present already, both naturally and as a result of past cutting. Thus this area in general fits well with our wildlife goals of enhancing the dry mesic conifer component of the Gwinn Mgt Unit.</p> <p>Wld : Located in the W1/2SW &amp; S1/2NW of Sec 35, and that part of Sec 34 lying east of M-35. There is mention of undivided interest in the NESE of Sec 34. State has undivided 7/8 ths interest.</p> |                  |                         |     |        |         |           |            |                    |                     |                  |               |                  |               |
| 23  | W 6              | M 1                     | 30  | 11     | 80      | 57        | white pine | unevenaged         | N                   |                  | 10-19 years   | 0                |               |
| <p>comnts Fmd : Most of white pine is large diameter, but total poletimber basal area requires the W6 cover type designation. This is a good logging chance (terrain generally quiet level or slightly rolling, not too much rock, and good access from CoRd MU). Some pine can also be marked to cut. East side has the least pine. We will accept natural regeneration in a mixture of species that are already present. Aspen regen will probably be shaded out or limited in the long run. Note: Per our mini-review held on 8/31/06, it was asked for by Wildlife and agreed to hold this stand 10 more yrs till treatment period 1. Note that there are double registered corners at the N1/4 corner, - they are about a chain apart north - south.</p> <p>Wld :</p>  |                  |                         |     |        |         |           |            |                    |                     |                  |               |                  |               |
| 24  | M 6              | F 1                     | 43  | 73     | 10      | 100       | 56         | aspen (upland)     | mature              | N                | final harvest | within 0-9 years | 2             |
| <p><u>Treatment Limiting Factors:</u><br/>Land survey needed</p> <p>comnts Fmd : Fairly level terrain, not too rocky, actually a good logging chance. Physically getting to the stand is the problem. May have to use a frozen winter road to access - possibly through stand 66 to the west. Although red maple has the most basal area of any species, much of this is small diameter and merchantable height. Aspen is patchy but should restock most of the area after cutting judging by the recent cut on privately owned SWNE (they crossed swamp from the north in winter in 2005/06). Leave the red &amp; white pine. An abandoned powerline crosses stand NW to SE (it is only a 4 wheeler trail at present - grown in). The new stand should be a mixture of species that are present now, but predominant aspen. We will accept natural regeneration in a mixture of those species already present.</p> <p>Wld : Located in the N1/2SE of Sec 35.</p>   |                  |                         |     |        |         |           |            |                    |                     |                  |               |                  |               |
| 25  | S 5              | S 1                     | 76  | 75     | 6       | 60        | 45         | black spruce-swamp | immature            | N                |               | not scheduled    | 0             |
| <p>comnts Fmd : The transition border next to the upland typically has the better &amp; larger spruce. We recommend cutting a one to two chain strip of the bordering spruce type whenever a cut is conducted on an upland stand. This will easily regenerate with the uncut edge providing a seed source, and it will enhance the timber sale viability as well.</p> <p>Wld : Located in the E1/2NE and NESE of Sec 35.</p>  |                  |                         |     |        |         |           |            |                    |                     |                  |               |                  |               |
| 26  | W 5              | F 1                     | 8   | 8      | 50      | 60        | white pine | unevenaged         | N                   | shelterwood-seed |               | within 0-9 years | 1             |
| <p>comnts Fmd : Typical rockoutcrop terrain for this area, but not a bad logging chance when combined with other stands in the area. Leave most of the white &amp; red pine, cutting the other merchantable species except what might be retained for aesthetics near the road (eg. some birch). We will accept natural regeneration in a mixture of the species alrady present.</p> <p>Wld : Located in the NENE of Sec 35, mostly south of CoRd MU. Cut no white pine, oak, red pine, or cherry. Retain associate species to maintain diverstiy.</p>  |                  |                         |     |        |         |           |            |                    |                     |                  |               |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Size Dnstry | Under Story-Stkng Level | Acres | Age | avg. |    |         | Mgt Obj            | Condition                        | Silv. Criteria Met? | Method Cut | Trtmt. Period | Harvest Priority | Cultural Need |
|---|------------------------|-------------------------|-------|-----|------|----|---------|--------------------|----------------------------------|---------------------|------------|---------------|------------------|---------------|
|   |                        |                         |       |     | D    | B  | Tot. BA |                    |                                  |                     |            |               |                  |               |
| 27  | S 5                    | S 1                     | 21    | 75  | 6    | 60 | 45      | black spruce-swamp | immature                         | N                   |            | not scheduled | 0                |               |
| <p>comnts Fmd : The transition border next to the upland typically has the better &amp; larger spruce. We recommend cutting a one to two chain strip of the bordering spruce type whenever a cut is conducted on an upland stand. This will easily regenerate with the uncut edge providing a seed source, and it will enhance the timber sale viability as well.</p> <p>Wld : Located in the E1/2NW of Sec 35.</p>   |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |
| 30  | Z 0                    | Z 0                     | 1     |     |      | 0  |         | water              | nonstocked                       | N                   |            | not scheduled | 0                |               |
| <p>comnts Fmd : Middle Branch of Escanaba River, flows easterly. I talked to Jim Aldeton who lives just upstream from here on the north side of the river, and he told me there are northern pike in the pools below the rapids here. Probably moved up from the Cataract Basin.</p> <p>Wld : Located in the S1/2NWNW of Sec 32.</p>  |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |
| 33  | L 0                    | L 0                     | 7     |     |      | 0  | 20      | lowland brush      | old growth (potential or actual) | N                   |            | not scheduled | 0                |               |
| <p>comnts Fmd : Special Conservation Area. Part of riparian buffer. Floppers Creek flows easterly through stand.</p> <p>Wld : Located in the S1/2SW of Sec 31, on both sides of CoRd 565. SCA, to serve as movement corridor for wildlife species and promote natrual processes along riparian area, DWD, and intact nutrient cycles. This stand is comprised of lowland brush and conifer along Flopper's Creek which offers wildlife escape cover and shelter.</p>  |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |
| 34  | V 0                    | V 0                     | 4     |     |      | 0  |         | bog or muskeg      | nonstocked                       | N                   |            | not scheduled | 0                |               |
| <p>comnts Fmd : Bog.</p> <p>Wld : Located in the S1/2NW of Sec 31, west of CoRd 565.</p>  |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |
| 35  | W 8                    | W 1                     | 5     |     | 16   | 60 | 62      | white pine         | unevenaged                       | N                   |            | not scheduled | 0                |               |
| <p>comnts Fmd : This stand was included in the commercial cut with stand #6 for the most part. Permit #122-99-01 cut by St.John in the summer of 2001. All red &amp; white pine, oak, cherry, and 1 &amp; 2 stick spruce &amp; fir was left, cutting the aspen, birch, maple, &amp; jack pine.</p> <p>Wld : Located in the SENW &amp; NWSE of Sec 31, east of CoRd 565 and treed bog.</p>   |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |
| 36  | D 0                    | D 0                     | 2     |     |      | 0  | 20      | treed bog          | nonstocked                       | N                   |            | not scheduled | 0                |               |
| <p>comnts Fmd : Treed bog (spruce &amp; some jack pine).</p> <p>Wld : Located in the apprx center of the W1/2 of Sec 31, both sides of CoRd 565.</p>  |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |
| 37  | D 0                    | D 0                     | 3     |     |      | 0  | 20      | treed bog          | nonstocked                       | N                   |            | not scheduled | 0                |               |
| <p>Wld : Located in the NENW of Sec 31, east side of CoRd 565 for the most part.</p>  |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |
| 38  | S 5                    | S 1                     | 6     | 70  | 7    | 50 | 43      | black spruce-swamp | immature                         | N                   |            | not scheduled | 0                |               |
| <p>Wld : Located in the SENW &amp; SWNE of Sec 31.</p>  |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |
| 41  | W 5                    | W 2                     | 10    | 66  | 10   | 60 | 70      | white pine         | old growth (potential or actual) | N                   |            | not scheduled | 0                |               |
| <p>comnts Fmd : Cover typ is incorporating all thew pine together. A real mixture of species offerring good biodiversity, but white pine should prevail here in the long run and it is the most significant species here for aesthetics. Stand condition 8 was given to this stand as a Special Conversation Area to enhance the biodiversity in this area - there is virtually a sea of aspen to the north of this. Also the southern third of this stand drops sharply downward to the creek bottom, being too steep to log. It does however offer a riparian buffer with BMP protection to the Floppers Creek flowing in the drainage down below. See cmpt header also for pertinent comments for stand condition 8.</p> <p>Wld : Located in the NESW of Sec 31 west of CoRd 565. SCA, to serve as movement corridor for wildlife species and promote natural processes along riparian area, DWD, and intact nutrient cycles. This stand is comprised of large mature conifer wich offers widllife escape cover and shelter.</p> |                        |                         |       |     |      |    |         |                    |                                  |                     |            |               |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. D |         |           | Mgt Obj        | Condition     | Silv. Criteria Met?              | Method Cut    | Trtmt. Period    | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------|-----|--------|---------|-----------|----------------|---------------|----------------------------------|---------------|------------------|------------------|---------------|
|  |                  |                         |       |     | B H    | Tot. BA | Site Indx |                |               |                                  |               |                  |                  |               |
| 42   | J 3              | J 3                     | 2     | 13  | 3      | 0       | 55        | jack pine      | immature      | N                                |               | 40-49 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut during the period from Nov 1990 thru March 1991 by Holli Forest Products, Inc., permit # 15-88-01, "Escanaba River Jack Pine Block". All oak &amp; cherry was left &amp; a 2 inch cutting spec was used. FTP C31-251 covered herbiciding, disk trenching, and contract hand planting of jack pine. Planting done in Spring 1993.</p> <p>Wld : Located in the SWSW of Sec 32.</p>  |                  |                         |       |     |        |         |           |                |               |                                  |               |                  |                  |               |
| 43   | J 3              | J 3                     | 4     | 13  | 3      | 0       | 62        | jack pine      | immature      | N                                |               | 40-49 years      | 0                |               |
| <p>comnts Fmd : High ground south of swamp. Was commercially cut with an adjacent Gwinn sale to the south., in 1993 , sale #011-93-01. Was subsequently trenched &amp; planted to jack pine.</p> <p>Wld : Located in the extreme south edge of SESW of Sec 31, east of CoRd 565.</p>   |                  |                         |       |     |        |         |           |                |               |                                  |               |                  |                  |               |
| 45   | J 6              | W 2                     | 9     | 83  | 10     | 70      | 60        | jack pine      | mature        | Y                                | final harvest | within 0-9 years | 1                |               |
| <p>comnts Fmd : Most of this stand slopes down to the north to the creek bottom, but not severly. It is still operable. Although it grows excellent jack pine, we do not wish to trench this site. Instead, manage for natural regeneration here, which should be a mixture of species already present, including white pine. Perhaps combine with a Gwinn area sale closeby to the south if any are scheduled for near 2008. Leave the red &amp; white pine.</p> <p>Wld : Located in the SWSW of Sec 31, west of CoRd 565 and south of swamp.</p> |                  |                         |       |     |        |         |           |                |               |                                  |               |                  |                  |               |
| 46   | A 3              | A 3                     | 10    | 16  | 3      | 0       | 56        | aspen (upland) | immature      | N                                |               | 40-49 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut in the summer of 1990 by Escanaba Paper Co., permit #14-88-01, "County Rd 565 Block". See comments for stand #7. Stand also has a trace of jack pine, mostly near the trail road.</p> <p>Wld : Located in the W1/2NE of Sec 31, south of trail road.</p>  |                  |                         |       |     |        |         |           |                |               |                                  |               |                  |                  |               |
| 47   | L 0              | L 0                     | 1     |     |        |         | 0         | 20             | lowland brush | old growth (potential or actual) | N             |                  | not scheduled    | 0             |
| <p><u>Treatment Limiting Factors:</u><br/>                     Water quality/bmps<br/>                     Influence zones</p> <p>comnts Fmd : Special Conservation Area, riparian buffer to river.</p> <p>Wld : Located in the S1/2NWNW of Sec 32, south of river. SCA, to serve as movement corridor for wildlife species and promote ntrual porcesses along riparion area, DWD, and intact nutrient cycles. This stand is comprised of lowland brush which offers wildlife escape cover.</p>  |                  |                         |       |     |        |         |           |                |               |                                  |               |                  |                  |               |
| 48   | L 0              | L 0                     | 2     |     |        |         | 0         | 20             | lowland brush | old growth (potential or actual) | N             |                  | not scheduled    | 0             |
| <p>comnts Fmd : Special Conservation Area. In riparian buffer zone.</p> <p>Wld : Located in the NESE of Sec 32. SCA, to serve as movement corridor for wildlife species and promote natural processes along riparian area, DWD, and intact nutrent cycles. This stand is comprised of lowland brush which offers wildlife escape cover.</p>  |                  |                         |       |     |        |         |           |                |               |                                  |               |                  |                  |               |
| 50   | L 0              | L 0                     | 2     |     |        |         | 0         | 20             | lowland brush | old growth (potential or actual) | N             |                  | not scheduled    | 0             |
| <p>comnts Fmd : Special Conservation Area. In ripraian buffer.</p> <p>Wld : Located in the SESW of Sec 33. SCA, to serve as movement corridor for wildlife species and promote natrual processes along riparian area, DWD, and intact nutrient cycles. This stand is comprised of lowland brush which offers wildlife escape cover.</p>  |                  |                         |       |     |        |         |           |                |               |                                  |               |                  |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Dnsty | Under Story-Stkng Level | Acres | Age | avg. D |         | Site Indx | Mgt Obj        | Condition                        | Silv. Criteria Met? | Method Cut       | Trtmt. Period    | Harvest Priority | Cultural Need |
|--|------------------|-------------------------|-------|-----|--------|---------|-----------|----------------|----------------------------------|---------------------|------------------|------------------|------------------|---------------|
|  |                  |                         |       |     | B      | Tot. BA |           |                |                                  |                     |                  |                  |                  |               |
| 51   | A 5              | W 1                     | 18    | 62  | 9      | 40      | 53        | aspen (upland) | old growth (potential or actual) | Y                   |                  | not scheduled    | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>                     Potential or designated old growth<br/>                     Water quality/bmps</p> <p>comnts Fmd : Stand is essentially a ridge paralleling the river and sloping down to the south to the river. Timber is poor quality, white pine (some pine present but less than 10 sq.ft/acre per my sample plots) seems to be the climax species here - some natural regen. Aspen &amp; birch dying out. Lots of hazelbrush &amp; hazelnuts (good bear habitat). Mining Co. land adjacent to the north has been cut fairly recently (couple of yrs ago). See locked box comments. Special Conservation Area stand condition 8 due to riparian buffer for the river, BMP's, etc. See cmpt header for additional pertinent comments.</p> <p>Wld : Located in the S1/2NWNW of Sec 32, north of river. SCA, to serve as movement corridor for wildlife species and promote natural processes along riparian area, DWD, and intact nutreint cycles. This stand is comprised of moderately stocked mature aspen and conifer along the Escanaba River which offers wildlife den trees and cover along this riparian corridor.</p> |                  |                         |       |     |        |         |           |                |                                  |                     |                  |                  |                  |               |
| 52   | Z 0              | Z 0                     | 14    |     |        | 0       |           | water          | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Middle Branch of the Escanaba River, flows easterly. Over one and a quarter miles of river flowing through this compartment.</p> <p>Wld : Located in both Sec 32 &amp; 33.</p>   |                  |                         |       |     |        |         |           |                |                                  |                     |                  |                  |                  |               |
| 53   | W 8              | W 1                     | 13    |     | 16     | 60      | 60        | white pine     | old growth (potential or actual) | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Special Conservation Area bordering the Middle Branch of the Escanaba River and serving as a riparian buffer to it. See cmpt header for additional pertinent comments per stand condition 8.</p> <p>Wld : Located in the SWNE of Sec 32, north of river. kSCA, to serve as movement corridor for wildlife species and promote natural processes along riparian area, DWD, and intact nutrient cycles. This stand is comprised of large mature white pine which offers wildlife escape cover and shelter.</p>   |                  |                         |       |     |        |         |           |                |                                  |                     |                  |                  |                  |               |
| 54   | L 0              | L 0                     | 7     |     |        | 0       | 20        | lowland brush  | old growth (potential or actual) | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Special Conservation Area. Part of riparian buffer.</p> <p>Wld : Located in the S1/2SENE of Sec 32, north of the river, for the most part. SCA, to serve as movement corridor for w3ildlife species and promote natural processes along riparian area, DWD, and intact nutrient cycles. This stand is comprised of lowland brush which offers wildlife escape comer.</p>   |                  |                         |       |     |        |         |           |                |                                  |                     |                  |                  |                  |               |
| 55   | L 0              | L 0                     | 3     |     |        | 0       | 20        | lowland brush  | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Alder lowland.</p> <p>Wld : Located in the SWSE of Sec 33, north of river.</p>   |                  |                         |       |     |        |         |           |                |                                  |                     |                  |                  |                  |               |
| 56   | W 9              | W 1                     | 6     |     | 14     | 110     | 60        | white pine     | unevenaged                       | N                   | shelterwood-seed | within 0-9 years | 1                |               |
| <p>comnts Fmd : This stand should be cut with stand 19 since it is not a stand alone sale. Oak, and most of the pine will be left.</p> <p>Wld : Located in the north end of SWSE of Sec 33.</p>  |                  |                         |       |     |        |         |           |                |                                  |                     |                  |                  |                  |               |
| 57   | W 8              | W 1                     | 29    |     | 16     | 60      | 60        | white pine     | old growth (potential or actual) | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Special Conservation Area bordering the Middle Branch of the Escanaba River and serving as a riparian buffer to it. See cmpt header for additional pertinent comments per stand condition 8.</p> <p>Wld : Located in that part of Sec 32 &amp; 33 north of the Escanaba River &amp; immediately adjacent to it. SCA, to serve as movement corridor for wildlife species and promote natural processes along riparian area, DWD, and intact nutrient cycles. This stand is comprised of lowland brush which offers wildlife escape cover.</p>   |                  |                         |       |     |        |         |           |                |                                  |                     |                  |                  |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Dnsty | Under Story-Stkng Level | Age | A c r e s | avg.  |         | Site Indx | Mgt Obj   | Condition                        | Silv. Criteria Met? | Method Cut       | Trtmt. Period    | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|-----|-----------|-------|---------|-----------|---|----------------------------------|---------------------|------------------|------------------|------------------|---------------|
|   |                  |                         |     |           | D B H | Tot. BA |           |   |                                  |                     |                  |                  |                  |               |
| 58  | L 0              | L 0                     | 9   |           |       | 0       | 20        | lowland brush                                     | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Lowland alder. Outlet of beaver pond flows south along highway and crosses to east side via a culvert.</p> <p>Wld : Located in the SENE &amp; NESE of Sec 34, west of M-35.</p>   |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |
| 59  | Z 0              | Z 0                     | 1   |           |       | 0       |           | water   | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Tiny beaver pond west of and visible from M-35. Scenic aesthetic value.</p> <p>Wld : Located in the SENE of Sec 34.</p>   |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |
| 60  | W 8              | M 2                     | 6   |           | 10    | 60      | 57        | white pine  | unevenaged                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Stocking doesn't warrant a cut at present. White pine is the species most suited as a climax species here. It is present in a variety of size &amp; age classes. Trace amount of several other species present (birch, white spruce, red pine, etc). Jack pine in south end but growing on rock virtually.</p> <p>Wld : Located in the SENE of Sec 34, west of M-35.</p>  |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |
| 61  | X 0              | X 0                     | 5   |           |       | 0       |           | other non-stocked or non-forest or non-productive | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : State highway M-35 along with cleared right of way.</p> <p>Wld : Located in the SENE &amp; NESE of Sec 34 for the most part.</p>  |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |
| 62  | X 0              | X 0                     | 1   |           |       | 0       |           | other non-stocked or non-forest or non-productive | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : State highway M-35 along with cleared right of way, and Green Creek bridge.</p> <p>Wld : Located in the southwest corner of SWSW of Sec 35.</p>   |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |
| 63  | L 0              | L 0                     | 6   |           |       | 0       | 20        | lowland brush                                     | old growth (potential or actual) | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Special Conservation Area. Riparian buffer along Green Creek. See cmpt header for additional pertinent comments per stand condition "8".</p> <p>Wld : Located in the SWSW of Sec 35. SCA, to serve as movement corridor for wildlife species and promote natural processes along riparian area, DWD, and intact nutrient cycles. This stand is comprised of lowland brush which offers wildlife escape cover.</p>   |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |
| 64  | L 0              | L 0                     | 5   |           |       | 0       | 20        | lowland brush                                     | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Lowland alder.</p> <p>Wld : Located in the SWNW &amp; NWSW of Sec 35.</p>   |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |
| 65  | L 0              | L 0                     | 1   |           |       | 0       | 20        | lowland brush                                     | nonstocked                       | N                   |                  | not scheduled    | 0                |               |
| <p>comnts Fmd : Lowland alder.</p> <p>Wld : Located in the SENW of Sec 35.</p>  |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |
| 66  | W 9              | W 2                     | 23  |           | 11    | 80      | 60        | white pine  | unevenaged                       | N                   | shelterwood-seed | within 0-9 years | 2                |               |
| <p>comnts Fmd : The SENW was not included in the 1977-79 commercial cut by Louisiana Pacific permit #5-77A. It can be accessed through the NWNW on existing road with permission, or possibly through stand 67 with a new road. The old abandoned powerline route is not usable for a road due to rock outcrop &amp; wet areas. But it is hoped that a route could be found skirting to the south of the wetland to reach stand #24 in NWSE, even if it has to be a winter road. Stand 66 has rock outcropping but not so severely to limit logging. White pine seems to seed in readily when given an opening in the canopy.</p> <p>Wld : Located in the SENW of Sec 35.</p> |                  |                         |     |           |       |         |           |   |                                  |                     |                  |                  |                  |               |

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand   | Cover Type-Dnsty | Under Story-Stkng Level | Acrs | Age | avg. D |         | Site Indx | Mgt Obj        | Condition  | Silv. Criteria Met? | Method Cut | Trtmt. Period    | Harvest Priority | Cultural Need |
|---|------------------|-------------------------|------|-----|--------|---------|-----------|----------------|------------|---------------------|------------|------------------|------------------|---------------|
|   |                  |                         |      |     | B H    | Tot. BA |           |                |            |                     |            |                  |                  |               |
| 67  | W 6              | W 2                     | 8    |     | 11     | 80      | 60        | white pine     | unevenaged | N                   | selection  | within 0-9 years | 1                |               |
| <p>comnts Fmd : Stand could be accessed from west on existing road with permission from privately owned NWNW of Sec 35, or a road could be built from the north across 2 chain neck of swamp (no creek involved). See comments for stand 22 &amp; 23. Jack pine here is high risk, about 76 yrs old, thus priority 1 for cutting. We will accept natural regeneration here of a mixture of species already present, but anticipate white pine seeding which has already been demonstrated to succeed in this area. Basal area of poletimber requires a "6" stocking, although white pine is mostly sawlog size.</p> <p>Wld : Located in the E1/2NW of Sec 35.</p>   |                  |                         |      |     |        |         |           |                |            |                     |            |                  |                  |               |
| 68  | J 5              | F 1                     | 4    | 72  | 8      | 60      | 63        | jack pine      | mature     | Y                   |            | 10-19 years      | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Other Dept./Div. procedures or practices (describe in comment)</p> <p>comnts Fmd : Access would need to be by frozen winter road, unless permission is received to cross private land. We will accept natural regeneration by species already present. Not practical to disk trench &amp; seed due to seasonal access and small size. Leave red &amp; white pine. Note that at our mini-review held on 8/31/06, it was asked for by Wildlife and agreed to hold this stand 10 more years till period 1. Also, upland conifer "F" will be an acceptable alternative mgt objective here.</p> <p>Wld : Located in the SENE of Sec 35. Leave this stand for next review in order to retain some forested cover in an ara that has been clear cut ont bordering private lands.</p>   |                  |                         |      |     |        |         |           |                |            |                     |            |                  |                  |               |
| 69  | J 5              | F 1                     | 14   | 72  | 8      | 60      | 63        | jack pine      | mature     | Y                   |            | 10-19 years      | 0                |               |
| <p><u>Treatment Limiting Factors:</u><br/>Other Dept./Div. procedures or practices (describe in comment)</p> <p>comnts Fmd : Access would need to be by frozen winter road, unless permission is received to cross private land. We will accept natural regeneration by species already present. Not practical to disk trench &amp; seed due to seasonal access and small size. Leave red &amp; white pine. Note per our mini-review held on 8/31/06, it was asked for by Wildlife and agreed to leave this stand for 10 more years till period 1. Also, upland conifer "F" will be an acceptable alternate mgt objective here.</p> <p>Wld : Located in the E1/2NE of Sec 35. Leave this stand for the next review in order to retain some forested cover in an area that has been clear cut on bordering pirvate lands.</p>  |                  |                         |      |     |        |         |           |                |            |                     |            |                  |                  |               |
| 70  | W 5              | F 1                     | 6    |     | 8      | 60      | 57        | white pine     | unevenaged | N                   |            | 10-19 years      | 0                |               |
| <p>comnts Fmd : Stand is essentially a hill (rock outcrop kind) with marginal timber other than white pine ontop, but the bordering swamp transitional edges have most of the timber. I recommend cutting 1 or 2 chains of the swamp edge with this sale to bolster the volume to make this a viable logging chance. Leave most of the red &amp; white pine. Plum Creek (Escanaba Paper Co.) has just recently in 2005, cut their forty NWNE adjacent to this stand and have an access road into their forty (they cut the swamp also. Presently the forty is for sale, so we can't count on access through their forty, and may have to freeze a road in from the north. Some old jack pine present also as well as white spruce sawtimber, etc. We will accept natural regeneration in a mixture of the species already present. Note: per our mini-review held on 8/31/06, it was asked for by Wildlife and agreed to leave this stand for 10 more years till period 1. Also, upland conifer "F" will be an acceptable alternate mgt objective here.</p> <p>Wld : Located in the NENE of Sec 31 for the most part. Leave this stand for next review inorder to retain some forested cover in an area that has been clear cut on bordering private lands.</p> |                  |                         |      |     |        |         |           |                |            |                     |            |                  |                  |               |
| 71  | A 5              | A 2                     | 11   | 31  | 6      | 50      | 54        | aspen (upland) | immature   | N                   |            | 20-29 years      | 0                |               |
| <p>comnts Fmd : Stand was commercially cut from 1974-77 by Edward Marjonen of M-35, permit #1-74.</p> <p>Wld : Located in the E1/2NW of Sec 31, east of CoRd 565.</p>   |                  |                         |      |     |        |         |           |                |            |                     |            |                  |                  |               |
| 72  | A 3              | A 3                     | 4    | 7   | 2      | 0       | 67        | aspen (upland) | immature   | N                   |            | 40-49 years      | 0                |               |
| <p>comnts Fmd : Was commercially cut in Nov 1998 by Oro Logging (St.John), permit #27-98-01`, "Woodstove Aspen Sale". Most of this sale was in the adjacent compertment #248 to the west. All oak, cherry, red &amp; white pine was left.</p> <p>Wld : Located in the SWSW of Sec 31, south of Floppers Creek, and north of Hemmings Lake Rd.</p>   |                  |                         |      |     |        |         |           |                |            |                     |            |                  |                  |               |

**GWINN FOREST MGT UNIT**

**Stand Level Information**

**Compartment: 278 Entry Year: 2008**

\* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

| Stand  | Cover Type-Dnsty | Under Story-Stkng Level | Acres       | Age | avg.  |         | Site Indx | Mgt Obj       | Condition  | Silv. Criteria Met? | Method Cut    | Trtmt. Period    | Harvest Priority | Cultural Need  |
|--|------------------|-------------------------|-------------|-----|-------|---------|-----------|---------------|------------|---------------------|---------------|------------------|------------------|----------------|
|  |                  |                         |             |     | D B H | Tot. BA |           |               |            |                     |               |                  |                  |                |
| 73   | J 6              | F 1                     | 11          | 81  | 10    | 70      | 64        | jack pine     | high risk  | Y                   | final harvest | within 0-9 years | 1                | direct seeding |
| <p>comnts Fmd : Significant mortality in stand - high risk. Stand also contains small black spruce swamp inclusion which should be cut at the same time (some nice bigger spruce - have to freeze a skid trail across a neck of swamp to reach south rock outcrop island in this stand). May be impractical to trench this small an acreage, so we may want to rely on natural regeneration here. Leave a seed source (seed trees) for spruce when swamp inclusion is cut. Thus spruce will be an acceptable alternative management objective here.</p> <p>Wld : Located in the NENE of Sec 35, mostly south of CoRd MU.</p> |                  |                         |             |     |       |         |           |               |            |                     |               |                  |                  |                |
| 74   | L 0              | L 0                     | 2           |     |       | 0       | 20        | lowland brush | nonstocked | N                   |               | not scheduled    | 0                |                |
| <p>comnts Fmd : Lowland alder. Outlet of beaver pond flows south along highway and crosses to east side via a culvert.</p> <p>Wld : Located in the SENE of Sec 34, west of M-35 and north of beaver pond.</p>  |                  |                         |             |     |       |         |           |               |            |                     |               |                  |                  |                |
| 400  | G 0              | G 0                     | 1           | 15  | 0     | 0       |           | grass         | nonstocked | N                   |               | not scheduled    | 0                |                |
| <p>comnts Fmd : Was created following commercial timber sale. Seeded in August 1991. See cmpt 248 adjacent to the west for FTP #W31-220 covering this stand.</p> <p>Wld : Located in the NWSW of Sec 31, west side of trail road.</p>  |                  |                         |             |     |       |         |           |               |            |                     |               |                  |                  |                |
| 401  | G 0              | G 0                     | 6           | 14  |       | 0       |           | grass         | nonstocked | N                   |               | not scheduled    | 0                |                |
| <p>comnts Fmd : Grass opening was created following a commercial timber sale cut in 1990. Rockrake, disked, and seeded in July 1992. FTP # W31-241. In 2006 I was impressed by the heavy sweetfern presence now in this opening.</p> <p>Wld : Located in the SWNE of Sec 31.</p>   |                  |                         |             |     |       |         |           |               |            |                     |               |                  |                  |                |
| 402  | G 0              | G 0                     | 2           | 13  |       | 0       |           | grass         | nonstocked | N                   |               | not scheduled    | 0                |                |
| <p>comnts Fmd : Wildlife grass opening created after commercial timber sale. Rockrake, disk, fertilize, &amp; seed. Seeded in August 1993. FTP # W31-267.</p> <p>Wld : Located in the NWSW of Sec 32.</p>  |                  |                         |             |     |       |         |           |               |            |                     |               |                  |                  |                |
| 403  | G 0              | G 0                     | 3           | 4   | 0     | 0       |           | grass         | nonstocked | N                   |               | not scheduled    | 0                |                |
| <p>comnts Fmd : Was created following commercial timber sale cut in 2001. Rockrake, disked, and seeded with grasses &amp; legumes in August 2002.</p> <p>Wld : Located in the SWNE of Sec 31.</p>  |                  |                         |             |     |       |         |           |               |            |                     |               |                  |                  |                |
| 404  | G 0              | G 0                     | 2           | 4   | 0     | 0       |           | grass         | nonstocked | N                   |               | not scheduled    | 0                |                |
| <p>comnts Fmd : Was created following commercial timber sale cut in 2001. Rockrake, disked, and seeded with grasses &amp; legumes in August 2002.</p> <p>Wld : Located in the NESW of Sec 31, north of trail road.</p>   |                  |                         |             |     |       |         |           |               |            |                     |               |                  |                  |                |
| 405  | G 0              | G 0                     | 1           | 4   | 0     | 0       |           | grass         | nonstocked | N                   |               | not scheduled    | 0                |                |
| <p>comnts Fmd : Was created following commercial timber sale cut in 2001. Rockrake, disked, and seeded with grasses &amp; legumes in August 2002.</p> <p>Wld : Located in the NESW of Sec 31, south of trail road. East end touches property line.</p>   |                  |                         |             |     |       |         |           |               |            |                     |               |                  |                  |                |
| <b>Total Acres.....</b>  |                  |                         | <b>1402</b> |     |       |         |           |               |            |                     |               |                  |                  |                |