

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand ID	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
1	W 9	F 3	4	9	90	58	white pine	old growth (potential or actual)	N			not scheduled	0	
comnts Fmd : SCA = Acts as a buffer to the Lost Creek. The pine is generally limby and low quality.														
2	L 0	L 0	2		0	24	lowland brush	nonstocked	N			not scheduled	0	
comnts Fmd : Lost creek and its associated drainage way.														
3	F 6	F 3	6	7	110	50	spruce-fir (uplands- including upland black spruce)	old growth (potential or actual)	N			not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Acts as a buffer to the Lost Creek and is also good wildlife cover.														
4	A 6	M 1	12	79	9	70	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : A major portion of this stand is not manageable due to rock outcrops. Only accessible patches will be treated. All oak, yellow birch, and pine will be retained post harvest.														
5	M 6	M 2	4	7	70	50	northern hardwood	old growth (potential or actual)	N			not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Acts as a buffer to the Lost Creek. Lower quality stand.														
6	M 6	M 2	42	8	100	59	northern hardwood	unevenaged	N	selection		within 0-9 years	3	
comnts Fmd : Major portions of this stand are not treatable due to rock outcrops. Only accessible patches will be subject to harvest. Oak and pine will be retained.														
7	A 6	M 1	24	79	9	80	55	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : A major portion of this stand is not manageable due to rock outcrops. Only accessible patches will be treated. All oak and pine will be retained post harvest.														
8	M 6	M 2	25	9	120	63	northern hardwood	old growth (potential or actual)	Y			not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Acts as a buffer to, and contains the floodplains of, the Yellow Dog River. Contains springs and seeps that feed the river's watershed. Co. Rd. GGI is used as a snowmobile trail.														
9	J 5	J 1	20	38	7	50	60	jack pine	immature	N		20-29 years	0	
comnts Fmd : CUT BET. 1966-68. Stand stocking ranges from semi-open to J6.														
10	J 6	F 2	5	79	9	120	68	jack pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Ecotone transition from upland to Deer Creek Ponds. Acts as a buffer. Contains some minor S inclusions.														
11	Z 0	Z 0	5		0			water	nonstocked	N		not scheduled	0	
comnts Fmd : Deer Creek Ponds.														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
12	S 6	S 2	10	87	7	100	49	black spruce-swamp	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA = Acts as a buffer to Deer Creek Ponds. Contains seeps that feed the Creek.</p>														
13	F 6	F 2	17	87	7	120	53	spruce-fir (uplands-including upland black spruce)	mature	Y	seed tree	within 0-9 years	3	
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : Will have to cross two private land holdings to operate on this sale.</p>														
14	J 6	F 2	31	58	10	110	65	jack pine	mature	Y	final harvest	within 0-9 years	3	direct seeding
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : Will have to cross two private land holdings to access this sale.</p>														
15	C 6	C 2	1		7	90	28	cedar	old growth (potential or actual)	N		not scheduled	0	
<p>comnts Fmd : SCA = Buffer to the creek. An eagles nest occurs approximately 300 feet to the west.</p>														
16	M 9	M 3	2		14	80	59	northern hardwood	unevenaged	N		not scheduled	0	
<hr/>														
17	B 6	F 2	7	74	8	90	58	paper birch	mature	Y	seed tree	within 0-9 years	3	
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : May not be able to access this stand.</p>														
18	J 6	F 2	7	70	10	90	65	jack pine	mature	Y	final harvest	within 0-9 years	3	direct seeding
<p><u>Treatment Limiting Factors:</u> Adjacent landowner denies access</p> <p>comnts Fmd : May not be able to access this stand.</p>														
19	S 6	S 2	4	87	7	80	48	black spruce-swamp	old growth (potential or actual)	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA = Acts as a buffer to the creek and pond.</p>														
20	Z 0	Z 0	3			0		water	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Part of Deer Creek Ponds.</p>														
21	L 0	L 0	8			0	23	lowland brush	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Creek bottom and associated very wet lowland brush.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
22	J 1	S 1	20	13	3	0	69	jack pine	immature	N		within 0-9 years	0	planting
comnts Fmd : This stand (used to be stand 31) was cut in 1990 and planted in 1993 (TS#18-88). When planted in 1993, the effort failed. Per the TMS's recommendation, a new FTP for planting jack pine has been done and is being routed for approval in order to get this stand reforested this year..														
23	L 0	L 0	5		0	0	30	lowland brush	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Contains and buffers the Deer Creek drainage. Stand contains scattered black spruce and eastern larch trees estimated at less than 10 square feet per acre.														
24	Q 6	Q 2	8		9	70	30	mixed swamp conifer	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Acts as a buffer to the Deer Creek. Stand provides valuable cover for wildlife. Grades to more of an S type to the north.														
25	S 4	S 1	4		7	30	40	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Contains and buffers the Deer Creek. Inclusions of S6 and L occur.														
26	S 6	S 2	1		7	70	43	black spruce-swamp	old growth (potential or actual)	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Acts as a buffer to the Deer Creek. Provides valuable wildlife cover.														
27	J 6	F 1	1	72	8	120	65	jack pine	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Acts as a buffer to the Deer Creek.														
28	A 3	M 2	3	18	3	0	53	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : This area regenerated due to severe windthrow, probably a result of the wind event in August 1988. Contains some E inclusion.														
29	K 0	K 0	1			0	40	rock	nonstocked	N		not scheduled	0	
comnts Fmd : Contains some patches of trees in between rock crevices and depressions. Stand is mostly rock out croppings.														
30	A 6	M 2	13		7	70	50	aspen (upland)	unevenaged	N		not scheduled	0	
comnts Fmd : This stand is pretty much a draw between rock outcroppings and consists of aspen mixed with N. hardwoods with inclusions of rock, and lowland hardwoods. A couple of acres of M9 occurs in the western part of this stand.														
31	K 0	K 0	8			0	40	rock	nonstocked	N		not scheduled	0	
comnts Fmd : Contains some patches of trees in between rock crevices and depressions. Stand is mostly rock out croppings.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 298 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand ID	Cover Type- Size Dnsty	Under Story- Stkng Level	A c r e s s	avg.			Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need	
				Age	D B H	Tot. BA								Site Indx
32	K 0	K 0	11			0	40	rock	nonstocked	N		not scheduled	0	
comnts Fmd : Contains some patches of trees in between rock crevices and depressions. Stand is mostly rock out croppings.														
33	K 0	K 0	4			0	40	rock	nonstocked	N		not scheduled	0	
comnts Fmd : Contains some patches of trees in between rock crevices and depressions. Stand is mostly rock out croppings.														
34	K 0	K 0	49			0	40	rock	nonstocked	N		not scheduled	0	
comnts Fmd : Contains some patches of trees in between rock crevices and depressions. Stand is mostly rock out croppings.														
35	A 6	M 1	71	72	9	110	67	aspen (upland)	mature	Y	final harvest	within 0-9 years	2	
comnts Fmd : Will have to build a few hundred feet of road across Forestland Group property to access this area. Entire stand can not be treated due to rock outcrops and drainages.														
36	M 9	M 1	49			10	160	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	3
comnts Fmd : A few hundred feet of road constructed across Forestland Group property will be needed to access this stand.														
37	A 6	M 2	81	74	9	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : Extremely rugged terrain with numerous rock outcrops. Harvest those patches that are accessible if and when stand 35 is treated.														
38	Z 0	Z 0	15					0	water	nonstocked	N		not scheduled	0
comnts Fmd : One of the largest beaver impoundments on the forest.														
39	Z 0	Z 0	8					0	water	nonstocked	N		not scheduled	0
comnts Fmd : A large beaver pond.														
40	A 6	M 3	78	70	9	90	58	aspen (upland)	old growth (potential or actual)	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Potential or designated old growth														
comnts Fmd : SCA = Unique geology. Contains surface drains channeling run off water from the rock outcrops. Accessible by foot only.														
41	K 0	K 0	47			0	40	rock	nonstocked	N		not scheduled	0	
comnts Fmd : Contains some patches of trees in between rock crevices and depressions. Stand is mostly rock out croppings.														
42	M 9	M 3	64			10	110	59	northern hardwood	unevenaged	N	selection	within 0-9 years	3
comnts Fmd : Only access is to bridge the Nash Creek.														
43	A 6	M 2	35	70	8	110	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
comnts Fmd : Only access is to bridge the Nash Creek.														

GWINN FOREST MGT UNIT

Stand Level Information

Compartment: 298 Entry Year: 2008

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acres	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
44	M 6	F 3	9		9	110	60	northern hardwood	old growth (potential or actual)	N		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Potential or designated old growth</p> <p>comnts Fmd : SCA = Steep slopes down to the Nash Creek bottom. Contains spring seeps that feed the Creek.</p>														
45	M 6	M 3	7		8	120	60	northern hardwood	unevenaged	Y	selection	within 0-9 years	3	
46	A 6	M 2	2	70	8	100	60	aspen (upland)	mature	Y	final harvest	within 0-9 years	3	
47	N 0	N 0	32			0	24	marsh	nonstocked	N		not scheduled	0	
<p>comnts Fmd : This type contains the Nash Creek and associated land types. Included are old and new beaver meadows, marsh, lowland brush, rock outcrops, and small amounts of open water.</p>														
48	A 5	M 3	4	40	9	60	58	aspen (upland)	immature	N		not scheduled	0	
<p>comnts Fmd : Not accessible.</p>														
49	K 0	K 0	6			0	40	rock	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Contains some patches of trees in between rock crevices and depressions. Stand is mostly rock out croppings.</p>														
50	M 5	A 2	60	70	7	60	54	northern hardwood	immature	N		20-29 years	0	
<p>comnts Fmd : Stand composition and stocking range widely due to harvest history. Most of the aspen was removed from this area around 1996. Stand contains two streams not shown on the map. Rock outcrops are frequent and access is difficult to not established.</p>														
51	K 0	K 0	13			0	40	rock	nonstocked	N		not scheduled	0	
<p>comnts Fmd : Contains some patches of trees in between rock crevices and depressions. Stand is mostly rock out croppings.</p>														
52	C 6	Q 1	5	121	10	120	35	cedar	mature	N		10-19 years	0	

Total Acres..... 953