

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
1	Q 4	L 0	49	79	6	30	30	mixed swamp conifer	low quality	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Q4L, SCATTERED F/S POLES, W/ALDER/BA UNDERSTORY , MARGINAL PRODUCTIVITY</p>														
2	Q 5	Q 1	75	79	6	60	30	mixed swamp conifer	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Q4C4E2, MIX C/E/L, PATCHY</p>														
3	A 3	U 0	43	15	3	0	70	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : CUT PERMIT 21-89-01. A3 is 1-3 inches dbh, 15-20 ft. tall.</p>														
4	M 6	M 1	11		11	140	65	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	
<p>comnts Fmd : Cut this treatment period. Wld : Cut no white pine, hemlock or cedar.</p>														
5	C 3	U 0	16	100	4	0	24	cedar	mature	N		not scheduled	0	
<p>comnts Fmd : C3Q4L, L RIBBONED THRU C, MOSTLY 3-4" DBH, SCATTERED B/S/C POLES</p>														
6	Q 6	Q 3	43	80	7	80	42	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : C4Q4C3, ADJ UPLAND RIDGE, BETTER STEMS,</p>														
7	M 6	F 2	5		10	90	68	northern hardwood	unevenaged	N	selection	within 0-9 years	2	
<p>comnts Fmd : M4F4, DEAD F, VISIBLE FROM M-35, PRIVATE BUFFER IN BETWEEN Wld : Cut no hemlock, white pine or cedar.</p>														
8	E 4	L 0	10	87	7	30	37	swamp hardwoods	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Too wet</p> <p>comnts Fmd : E4Q4E2Q2L, BA/C SAPS, F DEAD, SCATTERED YB/RM/S, RIBBONED L, WET Wld :</p>														
9	A 3	U 0	7	4	1	0	68	aspen (upland)	immature	N		50-59 years	0	
<p>comnts Fmd : Cut under permit # 003-99-01. A3 is now 1/2-1 inch dbh, 5-15 feet tall.</p>														
10	M 6	M 1	18		11	80	65	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : Cut under permit # 003-99-01</p>														
11	M 6	M 1	86		11	80	65	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : Cut under permit # 003-99-01</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D B H	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
12	Q 6	F 2	21	84	6	80	34	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : Q6, EDGE S OF HDWDS, UPLAND SE CORNER ASP, F DEAD</p>														
13	A 5	A 1	20	27	6	50	78	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : A5A3, CUT 1980, Some A3 in patches also some fir , white birch and maple saplings mixed in. ALONG E SIDE M-35</p>														
14	M 6	M 1	24		10	90	60	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : M6M7</p>														
15	Q 4	L 0	27	100	8	30	24	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Q4L, MOSTLY T, SCATTERED S/C POLES, ALDER-, NICE T STEMS, MOSTLY NONPRODUCTIVE</p>														
16	D 0	D 0	47			0	20	treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : D TREED BOG</p>														
17	C 6	E 2	79	101	6	80	28	cedar	immature	N		not scheduled	0	
<p>comnts Fmd : C6, MOSTLY SM CED STEMS 3-6", W/BASH, S IN SPOTS.</p>														
18	A 2	U 0	24	26	4	0	54	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : A2F1B1M1, 2-4 " dbh, 25-30 ft. tall.</p>														
19	M 6	M 2	16		10	90	65	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : A3, CUT 1978, 2-4 " dbh, 25-30 FT TALL</p>														
20	A 3	U 0	12	29	4	0	76	aspen (upland)	immature	N		30-39 years	0	
<p>comnts Fmd : B4B2Q2L, 4-5" B POLES SCATTERED THRU OUT ALDER/OSIER/BOG.</p>														
21	Q 4	L 0	16	57	5	30	37	mixed swamp conifer	immature	N		30-39 years	0	
<p>comnts Fmd : F4B4P4Q4, P ALONG EDGE,</p>														
22	Q 5	Q 1	37	77	9	60	67	mixed swamp conifer	immature	N		80+ years	0	
<p>comnts Fmd : POOR QUALITY, NO FDF.</p> <p>Wld : Leave snags, old growth legacy trees, and trees with cavities. Cut no hemlock, white pine, or cedar.</p>														
23	M 6	M 1	11		9	110	55	northern hardwood	unevenaged	N	selection	within 0-9 years	2	

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	A c r e s	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B H	Tot. BA								
24	E 6	E 3	26	97	10	90	30	swamp hardwoods	low quality	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet</p> <p>comnts Fmd : E4Q4E3, BASH, C/S MIX, WET</p>														
25	F 6	F 2	17		9	70	55	spruce-fir (uplands-including upland black spruce)	unevenaged	N	final harvest	within 0-9 years	2	
<p>comnts Fmd : F5M4, some aspen and fir dead, Put redline on high ground, Wildlife will help put in the line.. Reserve Q types.</p>														
26	M 6	F 1	7		10	150	55	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	
<p>comnts Fmd : M6F4, Lot of red maple. Wld : Cut no white pine, hemlock, or cedar. Underplant with hemlock after sale to increase biodiversity, structure, and conifer component.</p>														
27	Q 5	L 0	20	100	9	40	28	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Too wet</p> <p>comnts Fmd : Q5L, ALONG UPLAND EDGE, MIX C/E/Q/L, DEAD FIR</p>														
28	Q 4	L 0	41	100	9	30	24	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : T4C4L,</p>														
29	Q 5	F 1	76	100	8	70	28	mixed swamp conifer	immature	Y		not scheduled	0	
<p><u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints</p> <p>comnts Fmd : C5E4L, DEAD BFIR, SCATTERED F/E,</p>														
30	M 6	M 1	9		9	120	46	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	
<p><u>Treatment Limiting Factors:</u> Blocked by other physical obstacle Adjacent landowner denies access</p> <p>comnts Fmd : M4M7, Prescribe this t.p., may have access problem-private property and, Wet access to get to stand. C/S ALONG EDGE, FIR DEAD/DOWN,</p>														
31	D 0	D 0	10				24	treed bog	nonstocked	N		not scheduled	0	
<p>comnts Fmd : D, TREED BOG- S</p>														
32	M 6	F 2	15		9	100	59	northern hardwood	unevenaged	N		10-19 years	0	
<p>comnts Fmd : M6F4A4, cut next time.</p>														
33	Q 4	L 0	6	79	6	30	30	mixed swamp conifer	low quality	Y		30-39 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p> <p>comnts Fmd : Q4C2Q2, Wet access, wet area.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
34	Q 4	Q 1	2	79	6	30	30	mixed swamp conifer	low quality	Y		60-69 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p>														
35	M 6	M 1	6		8	120	68	northern hardwood	unevenaged	Y	shelterwood-seed	within 0-9 years	2	
<p>comnts Fmd : M6M7, cut this t.p. try to enhance conifer retention. Stick to high ground, Wildlife will help with the red line. Wld : Cut no hemlock, white pine, or cedar. Thin a little harder for underplanting of hemlock and/or white pine once sale is completed to increase biodiversity.</p>														
36	A 4	U 0	2	27	4	30	78	aspen (upland)	immature	N		30-39 years	0	
37	M 5	M 2	8		10	60	68	northern hardwood	unevenaged	N		20-29 years	0	
<p>comnts Fmd : M6, check next t.p.</p>														
38	A 2	U 0	3	26	3	0	54	aspen (upland)	immature	N		40-49 years	0	
<p>comnts Fmd : A2F1B1, 2-4" dbh, 20-30 ft. tall.</p>														
39	F 2	F 2	4	26	3	0	54	spruce-fir (uplands-including upland black spruce)	immature	N		40-49 years	0	
<p>comnts Fmd : F2M1A1S1WP1, 2-4" dbh, 20-30 ft. tall.</p>														
40	B 4	L 0	4	57	5	10	37	paper birch	immature	Y		20-29 years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to low stocking/small diameter/etc.</p>														
<p>comnts Fmd :</p>														
41	Q 5	F 1	14	77	8	60	67	mixed swamp conifer	immature	N		80+ years	0	
42	Q 5	F 2	4	77	7	50	67	mixed swamp conifer	immature	N		80+ years	0	
43	F 6	F 1	2	80	7	70	55	spruce-fir (uplands-including upland black spruce)	mature	Y		80+ years	0	
<p><u>Treatment Limiting Factors:</u> Inadequate volume due to small acreage Blocked by other physical obstacle</p>														
<p>comnts Fmd : Wet area to cross to access stand, and too small to bother with.</p>														
44	M 6	F 1	8		10	150	55	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	
<p>comnts Fmd : M6M7, cut this t.p. Wld : Cut no white pine, hemlock, or cedar. Underplant hemlock and/or white pine once sale is completed to increase biodiversity.</p>														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Dnsty	Under Story-Stkng Level	Acrs	Age	avg. DBH	Tot. BA	Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
45	M 6	F 1	4		10	140	55	northern hardwood	unevenaged	Y	selection	within 0-9 years	2	
comnts Fmd : M6M7, cut this t.p. Wld : Cut no hemlock, white pine, cedar, or black cherry.														
46	M 6	F 2	6		9	90	55	northern hardwood	unevenaged	N		10-19 years	0	
comnts Fmd : M6F4, White birch is dying.														
47	M 6	M 1	1		9	90	46	northern hardwood	unevenaged	N		20-29 years	0	
48	M 6	F 2	1		9	90	46	northern hardwood	unevenaged	N		20-29 years	0	
49	L 0	X 0	1		0	0		lowland brush	nonstocked	N		not scheduled	0	
50	L 0	X 0	3		0	0		lowland brush	nonstocked	N		not scheduled	0	
51	L 0	X 0	2		0	0		lowland brush	nonstocked	N		not scheduled	0	
52	L 0	X 0	7		0	0		lowland brush	nonstocked	N		not scheduled	0	
53	A 3	U 0	14	15	3	0	70	aspen (upland)	immature	N		40-49 years	0	
comnts Fmd : CUT PERMIT 21-89-01. A3 is 1-3 " dbh, 15-20 ft. tall.														
54	F 6	F 2	5		9	70	59	spruce-fir (uplands-including upland black spruce)	unevenaged	N		40-49 years	0	
comnts Fmd : F4M4, Leave for wildlife cover.														
55	H 6	F 1	28		11	90	55	hemlock	unevenaged	Y		not scheduled	0	
Treatment Limiting Factors: Cedar or Hemlock cutting restraints														
comnts Fmd : Leave for wildlife cover.														
56	Q 5	Q 1	5	70	7	60	40	mixed swamp conifer	low quality	N		not scheduled	0	
57	S 5	S 1	3	80	7	60	40	black spruce-swamp	immature	Y		not scheduled	0	
Treatment Limiting Factors: Inadequate volume due to small acreage Too wet														

* See "Compartment Packets Glossary of Terms" document link on web site for further descriptions and code definitions.

Stand	Cover Type-Size Dnsty	Under Story-Stkng Level	Acrs	Age	avg. D		Site Indx	Mgt Obj	Condition	Silv. Criteria Met?	Method Cut	Trtmt. Period	Harvest Priority	Cultural Need
					B	Tot. BA								
58	F 5	F 1	2	9	60	55	spruce-fir (uplands-including upland black spruce)	unevenaged	N	final harvest	within 0-9 years	2		
comnts Fmd : Cut this t.p. Some dead fir. Put red line on high ground, wildlife will help put line in.														
Wld : Cut no cedar, hemlock, white pine. Keep treatment boundaries out of lowland areas and protect wetland edges for wildlife movement corridors.														
59	F 6	F 2	5	9	80	55	spruce-fir (uplands-including upland black spruce)	unevenaged	Y	final harvest	within 0-9 years	2		
comnts Fmd : Cut this t.p., some dead fir. Put red line on high ground, wildlife will help put line in.														
Wld : Cut no cedar, hemlock, or white pine. Keep treatment boundaries out of lowland areas and protect wetland edges for wildlife movement corridors.														
60	M 5	Q 1	1	79	6	60	30	northern hardwood	immature	N		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : C4Q42, MIX C/E/L, PATCHY														
61	X 0	X 0	4				0	other non-stocked or non-forest or non-productive	nonstocked	N		not scheduled	0	
comnts Fmd : M-35 AND RAILROAD R/W.														
62	Q 6	Q 2	7	79	6	120	30	mixed swamp conifer	low quality	Y		not scheduled	0	
<u>Treatment Limiting Factors:</u> Cedar or Hemlock cutting restraints														
comnts Fmd : C6Q4E4, Some dead birch and fir., Wet area														
63	E 6	F 1	6	70	9	120	40	swamp hardwoods	low quality	N		80+ years	0	
64	E 6	F 1	4	70	9	110	40	swamp hardwoods	low quality	N		80+ years	0	
65	L 0	X 0	49				0	lowland brush	nonstocked	N		not scheduled	0	
comnts Fmd : L- LOWLAND BRUSH, ALDER, OSIER														
66	A 5	A 1	4	27	6	50	78	aspen (upland)	immature	N		30-39 years	0	
comnts Fmd : A5A3, CUT 1980, Some A3 in patches also some fir , white birch and maple saplings mixed in. ALONG E SIDE M-35														
67	A 3	F 1	17	12	2	0	67	aspen (upland)	immature	N		50-59 years	0	
comnts Fmd : A3A2F1U, Cut in 1995 with compartment to the south.														
400	G 0	G 0	1				0	grass	nonstocked	N		not scheduled	0	

Total Acres..... 1161